



New Location
 Drill Deeper
 Abandonment

Company SMITH PETROLEUM CO.
 Address GRAND RAPIDS, MICH.
 Farm C. A SMITH
 Tract _____ Acres 55 Lease No. _____
 Well (Farm) No. 4 Serial No. _____
 Elevation (Spirit Level) 1040.3
 Quadrangle Wellsville
 County Hancock District Clay
 Engineer G. S. Bloomgren
 Engineer's Registration No. 540 (Ohio)
 File No. _____ Drawing No. _____
 Date April 2, 1948 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAN-58

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Gas Well
CASING & TUBING

Permit No. Han 58			
Wellsville Quad.			
Company	C.A. Smith		
Address	Chester, W.Va.	10	35
Farm	C.A. Smith Acres 55	8½	222
Location	Tomilson Run	6 5/8	652
Well No.	4		
	Elev. 1040.3		
District	Clay Hancock County		Coal at 65'; 190'
Surface	C.A. Smith, Chester, W.Va.		215'
Mineral	Same		
Commenced	April 7, 1948		
Completed	May 13, 1948		
Volume	15,000 C.F.		
Rock Pressure	14 lbs.		
Salt Water	233' 1/2 blr/ per hr.; 390' inc.		

Clay Gr-Bl	0	20	
Shale "	20	65	
Coal Blk	65	67	
Shale Bl	67	106	
Sand	106	190	
Blossom of Coal Blk	190	193	
Shale Bl	193	215	
Coal Blk	215	216	
Shale Bl	216	224	
Shale Gr	224	226	
Shale Bl	226	230	
Shale Blk	230	233	
Shale & Lime Shell Gr	233	350	
Shale Gr	350	390	
Lime Gr	390	393	
Shale Blk	393	425	
Sand	425	450	
Shale Bl	450	470	
Sand	470	476	
Shale Bl	476	500	
Sand	500	522	
Sandy Shale Lt	522	545	
Shale Blk	545	580	
Shale Bl	580	635	
Sand Gr	635	646	
Shale Bl-Gr	646	682	
Shale & Shells Gr	682	885	
Sand (Stray Berea) Gr	885	903	
Shale Blk	903	949	
Sand Berea Gr Coarse	949	975	
Shale Bl	975	982	T.D.

G₂s 949 934 CTM : 937 S.L.