



JAN 03 1983

OIL & GAS DIVIS'CN



State of Mest Virginia

Department of Mines Gil und Cas Bivision

Date	December 20, 1982
Operato	r's
Well No	. 2
Farm RU	GH HILLCREST FARMS
API No.	47 - 029 - 0104

DEPT. OF M.NES WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

				llow_XX/)
OCATION: Elevation: 1270 Watershed				
District: Clay County Har	ncock	_Quadrangle	e East Li	verpool So
OMPANY QUAKER STATE OIL REFG. CORP.				····
ADDRESS P.O.Box 1327, Parkersburg, WV 26102-1327	Casing	Used in	Left	Cement
DESIGNATED AGENT Carl J. Carlson	Tubing	Drilling		fill up Cu. ft.
ADDRESS same as above	Size			
SURFACE OWNER RUGH HILLCREST FARMS, INC.	20-16	20	20	
ADDRESS % Garfield Refractories, Bolivar, PA 1529		38	38	
INERAL RIGHTS OWNER Same as above	13-10"			
ADDRESS	9 5/8	1296	1296	200 511
OIL AND GAS INSPECTOR FOR THIS WORK Robert	8 5/8	1290	1230	290 sx
Lowther ADDRESS Middlebourn, WV 26149	7			
PERMIT ISSUED 9/23/82	5 1/2	-		
DRILLING COMMENCED 10/19/82	4 1/2	4912	4912	375 sx
DRILLING COMPLETED 10/23/82	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED	1			
N	used			
EDLOGICAL TARGET FORMATION Devonian Shale	otary_xx	Dept		4896 feet
EDILOGICAL TARGET FORMATION Devonian Shale Depth of completed well 5000 feet R	otary xx	/ Cable	Tools_	4896 feet
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na	otary xx	/ Cable	Tools_	
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na	otary xx Salt_ Is coal	/ Cable	Tools_	area? no
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na PEN FLOW DATA Producing formation Devonian Shale	otary_xx Salt_ Is coal Pay	/ Cable na feet being mine	e Tools_ ed in the	area? no 4878 feet
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth FLOW DATA Producing formation Devonian Shale Gas: Initial open flow show Mcf/d	otary_xx Salt Is coalPay Oil: Ini	C / Cable na feet being mine y zone dept	e Tools_ed in the th 3637 - flow_sh	area? no 4878 feet
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d	otary_xx SaltPay Oil: Ini Fir	na feet being mine zone dept tial open al open fi	e Tools_ ed in the th 3637 - flow sh	area? no 4878 feet ow Bbl/d w Bbl/d
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initial	otary xx Salt	na feet being mine y zone dept tial open hal open fi	e Tools ed in the th 3637 - flow sho 24 ho	area? no 4878 feet ow Bbl/d Bbl/d
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface)	otary xx Salt Is coal Pay Oil: Ini Fir al and fi	na feet being mine y zone dept tial open hal open fi	e Tools ed in the th 3637 - flow sho 24 ho	area? no 4878 feet ow Bbl/d Bbl/d
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface) (If applicable due to multiple completion-	otary xx Salt_ Is coal Pay Oil: Ini Fir al and fir measurem	c / Cable na feet being mine y zone dept tial open nal open fi inal tests ment) after	e Tools ed in the th 3637 - flow sho 24 ho	area? no 4878 feet ow Bbl/d w Bbl/d urs urs
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na Devonian Shale Coal seam depths: na Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface) (If applicable due to multiple completion— Second producing formation	otary xx Salt_ Is coal Pay Oil: Ini Fir al and fir measurem	c / Cable na feet being mine y zone dept tial open nal open fi tinal tests ment) after	e Tools ed in the th 3637 - flow sho 24 ho c hou	area? no 4878 feet ow Bbl/d w Bbl/d urs rs shut in feet
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface) (If applicable due to multiple completion— Second producing formation Gas: Initial open flow Mcf/d	otary xx Salt_ Is coal Pay Oil: Ini al and fi measurem -) Pay Oil: Ini	c / Cable na feet being mine y zone dept tial open hal open fi inal tests ment) after y zone dept tial open	e Tools_ ed in the th_3637 - flow_sho 24 ho c hou th_ flow_	area? no 4878 feet ow Bbl/d Bbl/d urs rs shut in feet Bbl/d
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na OPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface (If applicable due to multiple completion—Second producing formation Gas: Initial open flow Mcf/d Final open flow Mcf/d Final open flow Mcf/d	otary_xx Salt	c / Cable na feet being mine y zone dept tial open hal open fi thal tests ment) after y zone dept tial open tial open	e Tools_ ed in the th 3637 - flow sh low sho 24 ho th hou th flow low	area? no 4878 feet ow Bbl/d Bbl/d feet Bbl/d Bbl/d
Depth of completed well 5000 feet R Water strata depth: Fresh na feet; Coal seam depths: na DPEN FLOW DATA Producing formation Devonian Shale Gas: Initial open flow show Mcf/d Final open flow 35 Mcf/d Time of open flow between initi Static rock pressure 1150 est.psig(surface) (If applicable due to multiple completion— Second producing formation Gas: Initial open flow Mcf/d	otary_xx Salt	c / Cable na feet being mine y zone dept tial open fi inal tests ment) after y zone dept tial open	e Tools ed in the th 3637 - flow sho 24 ho hou th flow ho	area? no 4878 feet ow Bbl/d Bbl/d grs shut in feet Bbl/d Bbl/d

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Perforated from 4733 to 4878 with 14 shots. Foam frac'd with 300 MSCF of N2; 14,200 gal. water and 30M# shad. Breakdown at 1790 psi, treated at 20 BPM and 3800 psi, I.S.I. 2360 psi Perforated from 4378 to 4603 with 12 shots. Foam frac'd with 200 MSCF of N2; 10,000 gal. water & 13M# sand. Breakdown at 1570 psi, treated at 15 BPM and 2900 psi, I.S.I. 1660 psi. Perforated from 3637 yo 3647 with 6 shots. Foam frac'd with 155 MSCF of N2; 5460 gal. water and 10M# sand. Breakdown at 1420 psi, treated at 3.2 BPM & 2400 psi. I.S.I. 1450 psi.

WELL LOG

			REMARKS			
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all fresh			
		<u> </u>	and salt water, coal, oil and gas			
Shale	0	310				
Sandstone	310	363				
Shale	363	368				
Sandstone	368	446				
Shale	446	600				
Sandstone	600	610	·			
Shale	610	725				
Sandstone	725	740				
Shale	740	766				
Sandstone	766	796				
Shale	796	1140	·			
Berea Sandstone	1140	1160				
Shale	1160	1696				
Gordon Siltstone	1696	1746				
Gray Shale	1746	3620	•			
Black Shale	3620	3657				
Gray Shale Black Shale	3657	4418				
limostono D-	4418	4896				
Limestone Onondaga	4896	4946 LTD				
		5000 DTD				
		·				
			•			
•			•			
			•			
		1	4896			
			1270 5000			
			3626			
			3840 Je4p1.			
			fta			
	1		مُ			
	1	1				

(Attach separate sheets as necessary)

QUAKER STATE OIL REFINING CORPORATION	
Well Operator	
By: Midel & Brand	
By: / Widel (. Toward	
Date: Michael C. Brannock - 12/20/82	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well."

FORM IV-2 (Obverse) (12-81)



Date: September 20,, 1982

Operator's RUGH HILLCREST FARMS #2

State County

API Well No. 47 -029

0104

Permit

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES. OIL AND GAS DIVISION

OIL AND GAS WELL PERMIT APPLICATION

VELL TYPE:	Oil/	Gas <u>xx</u> /				
	(If "Gas", Produc	tion <u>xx</u> /	Undergroun	d storage	/ Deep/ Shal	lowxx_/)
OCATION:					•	
	District: Cla	ıy	County:	Hancock	Quadrangle: East	<u>Liverpool Sout</u>
WELL OPERATO					GENT <u>Carl J. Car</u>	1.5
Address	P.O.Box 13				P.O. Box 1327	
Maniess	Parkersbu				Parkersburg, WV	
DIL & GAS	NER Rugh Hille	rrest Farms	Inc	COAL OPERATO	R none	
	c/o Garfield R					
Address	Bolivar, PA 1	5923) WITH DECLARATION none	
		3723				ON DECORD
Acreage	1730			OMIT OWNER(S) WITH DECLARATION	ON RECORD:
SURFACE. OWN	NER Same as a	bove		Name	none	
Address			26 57 1	Address		
		120	168 S. J.	AS DIVISINED -		
Acreage	1730		S- NOR	w Name		
FIELD SALE (IF MADE) TO:		ON DEFAR	Address		
-	Columbia Gas	Transmission				
	.0. Box 498, W			COAL LESSEE V	WITH DECLARATION O	N RECORD:
	SPECTOR TO BE N		-	Name	none	
	obert Lowther					
	General Deli					
Address	Middlebourne					
•	304-758-47	64				
*					cation under a deed	_/ lease _XX
other contract_	/ datedMay	<u>, 1, </u>	9 <u>75</u> , to	the undersigned we	ll operator from	
	ugh Hillcrest F		4-4-1			
	ease, or other contraction oct. 12 , 19 7			of the County Comm	nission of Hancock	County, West
	ease Book					ounty, woot
PROPOSED '	WORK: Drill XX /	Drill deeper	/ Red	rill/ Fractu	re or stimulate/	
	Plug off old	formation	_/ Perforate	new formation		
	Other physics	al change in well	(specify)			
		,				
	-planned as	shown on the we	ork order on	the reverse side her	eof.	
The above na	med coal operator, coa	l owner(s), and coa	il lessee are he	reby notified that an	y objection they wish to ma	ke or are required to
make by Code	§22-4-3 must be filed	with the Departme	ent of Mines v	vithin fifteen (15) da	ys after the receipt of thi	s Application by the
Department.			•			•
Copies of this	Permit Application an	d the enclosed pla	t and reclamat	ion plan have been m	ailed by registered mail or	delivered by hand to
the above name	ed coal operator, coal o	wner(s), and coal	lessee on or b	efore the day of the r	nailing or delivery of this I	'ermit Application to
the Departmen	t of Mines at Charles	ton, West Virgini	ia.			
PLEASE SUBM	MIT COPIES OF ALL					
GEOPHYSICAL	L LOGS DIRECTLY			QUAKER	STATE OIL REFINING	G CORPORATION
то:					Well Operator	

BLANKET BOND

Its Carl J. Carlson - Dist. Manager

WEST VIRGINIA OIL AND GAS CONSERVATION COMMIS-

1615 WASHINGTON STREET EAST

CHARLESTON, WV 25311

TELEPHONE: (304) 348-3092

SION

FORM IV-2 (Reverse) (12-81)

PROPOSED WORK ORDER

THIS IS AN ESTIMATE ONLY: ACTUAL INFORMATION MUST BE SUBMITTED ON FORM IV-35 UPON COMPLETION

DRILLING CO	ONTRAC	ror (if	KNOW	۷)		Sherma	an Drilling	Co., Inc.	<u> </u>	
				Ado	dress	Box	112		·	
						Minera	al City, Oh	nio 44656	<u> </u>	
GEOLOGICAL	TARGE	T FORM	MATION.		Dev	onian Sha	le		·	
	d depth							xx/	Cable tools	
							salt,			
								in the area? Y	res /	No xx /
CASING AND						13 0011	oung maid			/
CASING AND	LOBING	FROO	KAM							
	·									
CASING OR TUBING TYPE		CIFICAT Grade	IONS Weight per ft	New	Used	FOOTAGE	NTERVALS	CEMENT FIL OR SAC (Cubic feet)	KS	KERS
Conductor									Kinds	
Fresh Water	8 5/8	na	20	xx		1350	1.350	cts		
Coal	3/0								Sizes	
Intermediate										
Production	1 1/2	J-55	9.5	xx		5100	5100	1500	Depths	set
Tubing	7/2	0-33	1 3.3	^_		JIW	3100			
Liners				<u> </u>					Perfora	tions:
			1						Тор	
		 		 					100	Bottom
			-	 						
THIS PE ALL PRO	elamation tously paid \$22-4-8. Separate Fart of the COVISION 4 CF TIME ATIONS	Plan", a from the sa from the Sorm Iv-2 work for S BEING	applicable same well he owner shall not which a p OSTED A FIN ACC A. CODI rilling	to the format of an of a	e recla ee req y wate uired f is soug E WEL ANCE LOCA	amation required by Code 9 er well or dwel for fracturing og tht and is noted	ed by Code \$ 2; 22-4-12a, and (ling within 200) ar stimulating a las such on the ER 22,	wed by Code § 22-4-12b and Rev) if applicable, feet of the property well where fract Form IV-2 filed	egulation 23, (, the consent re coposed well.	iv) unless equired by lating is to
The unders proposed wel The undersig	aration unique de la coal location. ned has r	nder Coo I operato If a mino 10 object	ore map exition to the	-20, if	ner_ich cov	WAI / lessevers the area of used to be done	VER	on, the well loca n. provided, the	r this well loca	s recorded a nereof. tion has examined this added to the mine map. r has complied with all
Date:			, 19				Ву			
							lts			