

40°37'30"

**Latitude**

80°37'30"

**Longitude**

2.615  
.94w

**Topo Location**

7.5' Loc. \_\_\_\_\_ 15' Loc. \_\_\_\_\_  
 \_\_\_\_\_ (calc.) \_\_\_\_\_

**Company** Bradford Supply Co

**Farm** CE Bremnerman # 31

**15' Quad** \_\_\_\_\_  
(sec.)

**7.5' Quad** Wellsville

**District** Grant

**WELL LOCATION PLAT**

**County** 029 **Permit** 30124




Figure 1. - Ownership map of Breneman field, Hancock County, W. Va., showing location and status of wells on December 31, 1948.

C. E. BRENNEMAN ESTATE NO. 31 WELL.

Grant District, Hancock County, W. Va.

By Bradford Supply Co., Bradford, Pa.

Abandoned under permit Han-.....-A?

On 318 acres, on Dry Run.

Elevation, 901' L.

Date of completion, etc., not given.

10" conductor, 16'; 8 $\frac{1}{4}$ " casing, 165'; 6 $\frac{1}{4}$ " , 672'; all left in.

Shot with 60 qts.; 19' shell with 3' anchor.

4 or 5 bbls. of oil.

Oil well. Record to Dept. of Mines stamped Nov. 12, 1951.

Record to RCT from Mrs. Griffith May 21, 1952. O.F.No.113.

	Top.	Bottom.
Sand (water)	130	- 160
Hurry-up Sand	210	- 290
Salt Sand	480	- 560
Big Injun Sand (water)	605	- 672
Berea Sand	891	- 915 $\frac{1}{2}$
Total depth		915 $\frac{1}{2}$ (?)



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

113

WELL RECORD

Permit No. HAN-124A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Bradford Supply Company  
 Address Bradford, Pa.  
 Farm C. E. Brennan Est. Acres 118  
 Location (waters) dry run  
 Well No. 11 Elev. 901'  
 District Grant County Hancock  
 The surface of tract is owned in fee by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Mineral rights are owned by \_\_\_\_\_  
 Address \_\_\_\_\_  
 Drilling commenced ---  
 Drilling completed ---  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet


Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10 Conductor	16	16'	Size of
8 1/4	165	165	
4 1/2 6-1/4"	672	672	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Sand			130	160	Water		
Hurry Up			210	290			
Salt Sand			480	560			
Injun			605	672	water		
Berea			891	915 1/2			
shot 60 qts. 19 ft. shell with 3' Anchor 4 or 5 bbls of oil							

C



MAY 21 1952