

OIL & GAS DIVISION



1)	Date:	September	19	, 19	84	Colonia del
	Operator'	s 11/ 1060				

Well No. JK-1062

3) API Well No. 47 - 033 - 3084

te County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

DEF	T. OF	MIN	IES	Al	PLICA	HON FOR A WEL	L WUKK PERMII		
	PE: A Oi			s X					YEAR OLD MAKE SIGN
			roduction	ALL STATE		/ Underground	storage	/ Deep	Shallow X
5) LOCATIO		ation:				Watershed: _	0 7 5	rk. MW	3 (Shallow/)
			Ten Mi	1e		_ County:	Harrison	Quadrangle: S	alem 7.5
6) WELL OF	ERATOR_	J&J Er	nterpr	ises	. IN	C.	7) DESIGNATE	DAGENT Richar	d M. Reddecliff
Addres	s	P.O. I	30x 48			2-1	Address	P.O. B	ox 48
		Buckha	annon,	WV	26201			Buckha	nnon, WV 26201
8) OIL & GA	AS INSPECT	OR TO E	BE NOTIF	FIED			9) DRILLING C	ONTRACTOR:	
Name _	Stephen	Casey					Name	S.W. Jack	
Addres	s Rt.	2, Bo	x 232-	D	16 750		Address	P.O. Box 4	
	Jane	Lew,	WV 26	378				Buckhannon	, WV 26201
10) PROPOSI	ED WELL V	VORK:	Drill	X	/ Drill	deeper	/ Redrill	/ Stimulate	<u>X/</u>
			Plug of	f old f	ormation	n/ Perfor			
			Other pl	hysical	change i	n well (specify)			
11) GEOLOG	ICAL TARC	GET FORM	MATION,		Alexa	nder			
12) Estim	ated depth o	f complete	ed well,		5625	feet	7,1	0.01	
13) Appr	oximate trata	depths:	Fresh,			508 feet; salt	, N/A ² /2	808 feet.	
14) Appr	oximate coal	seam dept	ths:		N/A	Is co	al being mined in th	e area? Yes	/ NoX/
15) CASING	AND TUBIN	NG PROC	GRAM						
CASING OR	1	SPECI	FICATIONS	3		FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor	11 3/4	H-40	42	X		30	0	0 Sacks	Kinds
Fresh water	8 5/8	ERW	23	X		1408	1408	To surface	NEAT
Coal	8 5/8	ERW	23	X		1408	1408	To surface	Skes OF
Intermediate									
Production	4 1/2	J-55	10.5	X		5625	5625	300 Sacks	Depths set
Tubing						Thomas		or as requi	red by rule 15-01
Liners									Perforations:
									Top Bottom
AND TO SERVICE STATE OF THE SE	1000								PROTEIN PROFESSION CONTRACT
<u> </u>					and States	OFFICE USE			activation of the second
						DRILLING PH	ERMIT		1507101 100 19/
Permit number	47-03	3-3084	+					Octo	ber 15, ₁₉ 84
r crime number								Da	e con a con
This permit co	vering the we	ell operato	or and wel	l locati	on show	n below is evidence	of permission gran	ted to drill in accordar	ice with the pertinent legal re-
quirements sub	ject to the co	onditions of	contained	herein	and on the	he reverse hereof.	Notification must be	given to the District C	oil and Gas Inspector, (Refer to
No. 8) Prior to	o the constru	ction of re	oads, loca	ctual ne	ermitted	work has commence	ed.)	well operator of his con	tractor shall notify the proper
								to any modifications a	nd conditions specified on the
The permitted reverse hereof.	work is as de	escribed in	the Notic	e and A	Applicati	on, plat, and recian	iation plan, subject	to any mounications a	nd conditions specified on the
Permit expires		Oct	ober 1	5, 1	986	unless we	ll work is commence	d prior to that date and	prosecuted with due diligence.
T CIMIT CAPACO									
D .		1	Dist	Cari	200	Foo			
Bond:	Agen		Plat:	Casi		18/16			
82	mi	1/	IN	m	M	1010	ynn	, 0	1/ 2/02/12
Sept.	1 2 2 3	10.74					// larg	aret !	Hasse
						A control Street of the Control Control	Adr	ninistrator, Office of C	Dil and Gas
NOTE: Keep	one copy of	this perm	nit posted	at the	drilling lo	ocation.			File
									rile


) philonamanaphur Richard II. Reddecliff

P.O. Box 48

Duckhandon, WY 26201

Addies P.O. Box





Danier Tell Mile

rRt. 2 Box 114-0

(Salem, WV 2642678

OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

			(well (greaty) iden	ni synid Hexar				Caldaro	
	NS 100	1. A\N	Tool Sall	1623 25142		, USW B		to displication of the state that a	stocked (41)
	35 V 185 W	albiti botting ghist in						k broa at smix	
								MIRUT CHA	S) S CASUNG A
									CASING DRUMBENG CYPE
					S roll				
1014	1.0 Sacks			ļ	_X	4:22		10/8 []	
MAAT	A Lo surface		1308					18/622	
	Lo. Surrace	L Buar				1283	W/III.		
CALINGS IN A	L JUW DECKS	COCC	Ché da.		X	e.ul.	idd#b	12/14/	sonarbe.
PLUED SILE MOLUST	IT SE LOTIN	OFFIC	E USE ONLY			<u> </u>			Ensua
This part of Form IV-2(t) is to record the	dates of certain	occurrences an	nd any	follov	v-up ins	pections	s.	
		Date						Date	(s)
Application received			Follow-up	inspec	ction(s	5)			
Well work started	0700	FINS	ordina er		,,				
Completion of the drillin								47-033	todynun filmis
process	reproper na Mala na be Strong na ma Matalana	nd remains hollagelite	a reverse hereof.		n niens				direments subje
Well Record received			on (stillerse as one was commence	d pils for whited w	ine ento	and the second	er to nau erbad Na		er middle or g brodio roud
Reclamation completed						the Moude ber 15		esh in dida	
OTHER INSPECTIONS									
Reason:			816	W	Cain	17.6	0	1000A	82
Reason:	aret. I.	2417/1							
ALL SHILL CLESS							iniron sid	Yo yaar an	

FORM IV-2(B) (Obverse) 7-83

4) WELL TYPE TAP

COAL OWNER'S COPY





1)	Date: Se	ptember	19	, 19 84
2)	Operator's Well No.	JK_1062		
3)	API Well No.	47		
,		State	County	Permit

OCI 2 - 1984 STATE OF WEST VIRGINIA
DEPARTMENT OF MINES, OIL AND GAS DIVISION
APPLICATION FOR A WEST WAR

	B (If	"Gas", P	roduction	X		_/ Underground	d stora	ge		_/ Shallow	_X_/)
5) LOCATIO	N: Elev	ation:	1308			Watershed:		Salem For			
1		rict:	<u>[en Mi]</u>			County:		Harrison			3100
6) WELL OP	ERATOR_		nterpr	ises			7)		AGENT Richard		eclitt
Address			30x 48	101 (2001			Address	P.O. Bo	THE RESERVE THE PERSON NAMED IN COLUMN 2 I	00001
	-		annon.		20201					nnon, WV	SpSul
8) OIL & GA			BE NOTIF	IED			9)		ONTRACTOR:		
	tephen		020 D					Name	P.O. Box 48		A Company
Address	And production of the later to		232-D		1			Address	Buckhannon		1
	Jane	e Lew,	WY 26	U.							
10) PROPOSE	D WELL V	VORK:	Drill			deeper	/		/ Stimulate/		
						/ Perfo					
					S 100	well (specify)					
11) GEOLOGI					Alexan 6625						
12) Estima					125'	fee		N/A	feet.		
13) Appro					V/A		alt,	DESCRIPTION OF THE PARTY OF THE	e area? Yes	/ No	× /
14) Appro					W/A		coai be	ing innied in the	carea: res		
15) CASING A	AND TUBIL					FOOTAGI	E INTER	VAIS	1 CEMENT FILL-UP	PACK	ERS
CASING OR TUBING TYPE		SPEC	Weight				LINIE		OR SACKS	TACK	
	Size	Grade	per ft.	New	Used	For drilling		Left in well	(Cubic feet)	Kinds	
Conductor	11 3/4	H-40	42	X		30		7.400	0 Sacks	Killus	
Fresh water	8 5/8	ERW	23	_ X_		_1408		1408	To surface	Sizes	
Coal	8 5/8	ERW	23	X		1408		1408	To surface	Sizes	
Intermediate	1 1 10	5 000	40 0			2002		5505	200 0	Depths set	
Production	4 1/2	J-55	10.5	X		5625		5625	300 Sacks	ad by ru	3- 35 03
Tubing									or as requi	Perforations:	H6 T0-0T
Liners										Тор	Bottom
			TNIC	TRUC	TIONS T	O COAL OPEN	ATOR	OWNER OF	LECCEE		
						O COAL OPERA					
	The r	named coa	al operator	, coal c	owner(s), a	and coal lessee ar	re here	by notified that	any objection they wis	h to make or	
						filed with the Dep	partme	nt of Mines wit	hin fifteen (15) days aft	er the receipt	
	of this Ap	pplication	by the De	parime	nt.						
		The follo	wing waiv	er musi	be comp	leted by the coal	opera	tor and by any	coal owner or coal les	see	
							, if the	permit is to be	issued within fifteen (15)	
		days of t	he filing o	f the A	pplication	l.					
						WAIVE	eR.				
									/ - Cab		
The undersig	ned coal ope	erator	If a mine	mane	_/ owner	h covers the area	of the	well location t	he well location has been	en added to the	e mine map. The
undersigned ha	s no objecti	on to the	work prop	osed to	be done a	at this location, p	rovide	d, the well open	ator has complied with	all applicable	requirements of
the West Virgin	nia Code an	d the gove	erning regi	ulations	. A	coust.	000	lugh	0 0	1.	
								V De.	: 1/19	16/17	1
							,	1 ren	T. US	June 1	
Date:			,	19			By _				
							Its .				



1)	Date: Se	ptember	19	_, 1984_
2)	Operator's Well No.	12 1050		
3)	API Well No.	47		KIND OF BUILDING
		State	County	Permit


RECEIVED OCT 2 - 1984

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

OIL & GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

UI		W M 2 H	IEC	251			DE WORK I ERWI		
4) WELLT	PE AO		VE3						
			Productio	n	(/ Underground	d storage	/ Deep	_/ Shallow/)
5) LOCATIO	ON: El	evation: _	1308		101212		Salem Fr		
	Di	strict:	Ten Hi	10		County:	Harrison	Quadrangle: S	alem 7.5
) WELL OF	PERATOR		医多克尔斯坦 形成的攀近 德国的	STREET, STREET			7) DESIGNATE		d M. Reddecliff
Addres	ss	THE PARTY NAMED IN	Box 48	CONTRACTOR STATE		M1	Address	P.O. 8	
Tracque de la	angve <u>rsta</u>		annon,		26201	<u> 1681 - 60</u> 0 300 100		Buckha	nnon, WV 26201
	AS INSPEC			FIED			9) DRILLING	CONTRACTOR:	
	Stephen			_		William St. Ballion	Name	S.W. Jack	Drilling
Addres			332-	CONTRACTOR OF THE PARTY OF			Address	P.O. Box 4	8
			, WV 26	3/8				- Buckhannon	WV 26201
PROPOSI	ED WELL	WORK:	Drill	A CONTROL OF THE PARTY OF THE P	_/ Dril		/ Redrill	/ Stimulate	<u>X</u> /
							orate new formatio	n/	
						in well (specify)			
GEOLOG				,	Alexa	nder			
12) Estim					5625	fee			
13) Appro					125'		lt, M/A		
14) Appro					N/A	Is c	oal being mined in th	ne area? Yes	/ No/
CASING A	AND TUBI								1
ASING OR UBING TYPE		1	Weight			FOOTAGE	INTERVALS	CEMENT FILL-UP OR SACKS	PACKERS
	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	Companies a Million Companies Companies
ductor	1 3/4	H-40	42	X		30	0	0 Sacks	Kinds
h water	8 5/8	ERW	23	Χ.		1408	1408	To surface	
	8 5/8	ERW	23	X		1408	1408	To surface	Sizes
mediate				1000000	6000	thau submones	0.0 535 m 30 1 1 1 1 1		
duction	4 1/2	J-55	10.5	X		5625	5625	300 Sacks	Depths set
ers			1222		Best Realing			or as requir	ed by mile 15-01
:TS	A SECOND								Perforations:
									Top Bottom
30.7 2.54									
						PARTIES OF THE SECOND		Teller day orac a day	store goals on Someth
	the ming	of the App	oncation if	owner'	s copy o	er(s) of record sign(f the Application.	s) the following "Vo	n be issued in less than luntary Statement of N	15 days from o Objection"
				VO	LUNTA	RY STATEMENT	OF NO OBJECTIO)N	
I hereby sta	te that I ha	ve read the	e instructio	ns to s	urface o	wners on the reverse	side of this A!	tion for - W. U	ermit, and that I have received
I further state	ite that I ha	ive no obje	ection to th	e plani	ned work	described in these i	naterials, and I have	no objection to a pern	as described therein. nit being issued based on those
r execution b	y corporati	ion, partn	ership, etc	.)		(Fo	r execution by natu	ral nersons)	
						<u>(re</u>	A P	a o	,
ME:						X	Densk C	Signature)	Date: 9/26/2
								(S.B.Iuture)	
Its				D	ate		,	Signatura)	Date:



INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Depresent of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.

FORM IV-2(A) Obverse [8-83]

Notary Public, Gilmer

State of

County,

West Virginia

1) Date: September 19 ,1984
2) Operator's

Well No. JK-1062

3) API Well No. 47-033-306 State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

		NOTICE OF APPLICATION	ON FOR A WELL	WORK PERMIT	
4) SU	RFACE OWN	NER(S) OF RECORD TO BE SERVEI		CO17 CD771	
	Name	Dennis Ascraft	3(1)	Address N/A	
(-)	Address		-		
	_	Bristol, WV 26332	- 5(ii)	COAL OWNER(S) WITH DEC	TADATION ON DECO
(ii)	Name	Biris cori, iiv Ecoce	-	Name Willis C To	thick in at al
	Address		-	Address Box 267	etrick, Jr. et.al
	-		-	Clarksburg,	WV 26301
(iii)			Bulting 'es en	Name Pittsburg se	
	Address		•	Address	dir only
	_				
			5(iii)	COAL LESSEE WITH DECLAR	RATION ON RECORD
				Name Pittson Coal Cor	mpany
				Address Wellington He	eights
				_Philippi. WV	26416
		TO THE PERSON(S) NAMED ABOVE: You show	uld have received the	is Form and the faller	-
					•
		and describes the well and its	the parties involved location and if ar	-2(B) (or Form IV-4 if the well is in the drilling or other work, oplicable, the proposed casing and	
		(2) The plat (Surveyor's man) show		pricable, the proposed casing and	
		(2) The plat (surveyor's map) show (3) The Construction and Reclamati plug a well), which sets out t	on Plan on Form TV-9	on on Form IV-6; and	
		plug a well), which sets out t reclamation for the site and a	the plan for erosion	and sediment control and for	
		THE REASON YOU DECELLED THE	Toda:		
		WHICH ARE SUMMARIZED IN THE "INSTRUCTION (FORM IV-2(B) OR FORM 4, DESIGNATED FOR ACTION AT ALL.	NS" ON THE REVERSE S	VE RIGHTS REGARDING THE APPLICATION IDE OF THE COPY OF THE APPLICATION ARE NOT REQUIRED TO TAKE ANY	
		Take notice that under Chapter 22 of erator proposes to file or has filed the for a Well Work Permit with the Administration pepartment of Mines, with respect to a wand depicted on attached Form IV-6. Construction and Reclamation Plan have be by hand to the person(s) named above (or before the day of mailing or delivery to	trator of the Office well at the location pies of this Notice, been mailed by regist	of Oil and Gas, West Virginia described on attached Application the Application	ı
		6) EXTRACTION RIGHTS			
		Check and provide one of the followin			*
		Included is the lease or leases or I hold the right to extract oil The requirement of Code 22-4-1-(c)	or gas.	ntract or contracts by which	
		7) ROYALTY PROVISIONS	(1) anough (4). (See	e reverse side for specifics.)	
		Is the right to output	arket the oil or gas	hased two a land	
		or other contract or contracts providi for compensation to the owner of the of to the volume of oil or gas so extract	ing for flat well roy	alty or any similar provision	
		to the volume of oil or gas so extract	ed, produced or mark	eted? Yes No	
		If the answer above is No, not you may use Affidavit Form IV-60.	thing additional is n	eeded. If the answer is Yes,	
		See the reverse side for line iter the required copies of the Notice Reclamation Plan.	m instructions, and and Application, pl	for instructions concerning	
The t	ruth of t	the information on the		on Detection and	
Notice	e and App	plication is verified	WELL		
and Si	worn to a	and the Notice is	OPERATO	OR J & J Enterprises	, Inc.
signe	d on beha	ulf of the Well Operator	5 1	1-0 (MI)	1 1 1 1
in my	County a	ind State by	By	callaid 14. (co	Cleck
	Richar	d Reddecliff	Its	Designated Agent	1
	day of	September 1984	Addre	ess P.O. Box 48	
My	commissi	on expires 12/7 1992	Teler	Buckhannon, WV 26201	

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page

SEE ATTACHED COPY

Information under Code 22-4-11 (d)

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book/Page
W.S. Williams etux	J.Y. McNaught	1/8	112/ 392
J.Y. McNaught	S.A. Smith, et.al.	W.I.	
J.Y. McNaught et.al.	T.L. Riddle	W.I.	236/7 236/6 224/7 235/499/ 236/427
T.L. Riddle et.al.	H.B. Walker, Trustee	W.I.	250/272 250/269
H.B. Walker, Trustee		W.I.	267/181
Wayne Oil Company	H.B. Walker, Trustee	W.I.	276/162
H.B. Walker, Trustee e		W.I.	304/353 304/362 304/356 398/277
W.C. Black	Wade H. Miller	W.I.	524/132
Wade H. Miller	A.M. Snider, et.al	W.I.	737/506
A.M. Snider et.al.	S.M. Vockel	W.I.	781/413
S.M. Vockel		W.I.	865/237
Georgia Finch*(widow)	William Finch	W.I.	959/275
William Finch	William R. Johnson	W.I.	1061/ 621
William R. Johnson	Clarence W. Mutschelkn aus J&J Enterprises,Inc	aus W.I.	1109/843 1131/763

Oil & Gas ownership is now vested in T.W. Kessy hrs.


Note: W.I. = Working Interest

WELL SITE ACCESS ROAD —



WELL SITE PLAN

Sketch to include well location, existing access road, roads to be constructed, well-site, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



Access road subject to change between company and land owner, or attirement of right of-way. If change is made, a revised reclamation plan will be submitted. All cuts 2:1 slope. All topsoil to be stockpiled and used in reclamation. All grades for roads and locations as well as sediment structures shown on drawing.

	LEGEND	2011
DRAIN PIPE - O -> O -> ROAD	PROPERTY BOUNDARY EXISTING FENCE X X PLANNED FENCE	_x
STREAM OPEN DITCH	BUILDING WET SPOT SPRING SMITH LAND SURN GLENVILLE, WV.	VEYING CO.



SEP 2 8 1984

IV-9
(Rev 8-81)
OIL & GAS DIVISION
TO MINE Recd. (WFSCD) AUG 2 8 1984



State of Mest Nirginia

August 27, 1984 DATE

WELL NO. JK-106%

API NO. 47 -033

Bepartment of Mines Bil und Gas Bivision

CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME J & J ENT	ERPRISES, INC.	DESIGNATED AGENT RICHARD M.	REDDECLIFF
Address P.O. BOX 48	B, BUCKHANNON, WV 262	01 Address P.O. BOX 48, BUCKH	IANNON, WV 2620
Telephone 472	2 - 9403	Telephone 472 - 9403	
LANDOWNER Dennis Ray	Ashcraft	SOIL CONS. DISTRICT WEST	FORK
Revegetation to be		J & J ENTERPRISES, INC.	(Agent)
This plan has been	n reviewed by We	at Fork 500. All a	
and additions become a		9 12 84	
HIS REVIEW IS MADE FOR SITE HANGE OF ELEVATION OF PLUS R SLOPE OF PLUS OR MINUS HIS PLAN NOT ACCEPTABLE TO	S OR MINUS 10 FT. 3 PERCENT MAKES	(SCD Agent)	
ACCESS	ROAD	LOCATION	
Structure Drainage D	Ditch (A)	Structure Diversion Ditch	h (1)
Spacing ### Ins	ride road cuts	Material Soil	NA Professional
Page Ref. Manual 2-12	Total Company and	Page Ref. Manual 2-12	
Structure Road Culve		Structure Rip-Rap	(2)
Spacing 16" M	Gas Manual (at natural d	Material Logs &/or Brush	or Rock
Page Ref. Manual 2-77	apped outlet	Page Ref. Manual N/A	
Structure Cross Drai	n (c)	Structure	(3)
Spacing as per tab	le 1 (in manual 2-4)	Material	
Page Ref. Manual 2-1	prapped outlet	Page Ref. Manual	
cut and removed from Structure Sedim Material Hay or Fg. Ref. Man.	to be cut and stacked the site before dirt w ent Barrier Straw bales (staked) 2-16 REVEGETA	and all brush and small timber ork begins.	All to be
Treatment		Treatment Area II	- 1/
X-Lime or correct to pH 6	3 Tons/acre	or correct to pH 6.5	3 Tons/acre
	000 lbs/acre	Fertilizer 600 (10-20-20 or equiv	lbs/acre
Mulch Hay	2 Tons/acre	Mulch Hay	3 Tons/acre
Seed* KY-31	30 lbs/acre	2 24 1/1) 21	30 lbs/acre
Annual Rye	10 lbs/acre	17.	10 lbs/acre
Red Clover	5 lbs/acre	Red Clover	5 lbs/acre
*Inoculate all legume Inoculate with 3X recomm	es such as vetch, treformended amount.	il and clovers with the proper b	
* Lime according		PREPARED BY Smith Land Surveyi	ing Co.
NOTES: Please request cooperation to prote	Tandounes '	ADDRESS 111 South Street	and the same of th
seedling for one gro	owing season.	Glenville, WV 263	351
Attach separate shee	178.	PHONE NO. 462 - 5634	
		1012 101	The state of the s

DEPT. OF MINES

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

P.O., State and ZIP Code	
Clarkshurg, W	\$.88
Certified Fee	,75
Special Delivery Fee	
Restricted Delivery Fee	
Return Receipt Showing to whom and Date Delivered	.60
Return receipt snowing to whom, Date, and doores of Delivery	
TOTAL Postage and Fees	\$2.23
Postmark or Date	

P 574 015 987

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

1.517	Sent to Dennis R. As	heraft
83-403	Street and No. Box	178
+ U.S.G.P.O. 1983-403-517	P.O. State and ZIP Code	26332
S.G.F	Postage	\$,54
*	Certified Fee	,75
	Special Delivery Fee	
	Restricted Delivery Fee	
	Return Receipt Showing to whom and Date Delivered	,60
1982	Return receipt showing to whom, Date, and Address of Delivery	
Feb. 1982	TOTAL Postage and Fees	\$1.89
PS Form 3800,	Postmark or Date SEP 25 1984	

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

1-517	Sent to Kenneth E. Asho	rafl
* U.S.G.P.O. 1983-403-517	Street and No. R1.	
.0.19	P.O., State and ZIP Code Bristol, WV 26	332
.S.G.F	Postage	\$.88
n *	Certified Fee	,75
	Special Delivery Fee	+
•	Restricted Delivery Fee	
	Return Receipt Showing to whom and Date Delivered	, 60
1982	Return receipt showing to whom, Date, and Address of Delivery	
Feb.	TOTAL Postage and Pees LE,	\$2,23
PS Form 3800,	Postmark or Date SEP 25 1984	
PS	USPS	

P 574 015 990

RECEIPT FOR CERTIFIED MAIL

NO INSURANCE COVERAGE PROVIDED NOT FOR INTERNATIONAL MAIL

(See Reverse)

1-517	Sent to Pittson Coal.	Co.
83-403	Street and No. Wellington +	leights
* U.S.G.P.O. 1983-403-517	P.O., State and ZIP Code	26416
S.G.P	Postage	\$.88
*	Certified Fee	.75
	Special Delivery Fee	
	Restricted Delivery Fee	
	Return Receipt Showing to whom and Date Delivered	,60
1982	Return receipt showing to whom, Date, and Address of Delivery	
Feb. 1982	TOTAL Postage and Fees	2.23
PS Form 3800,	Postmark & Date CFP CSEP CSEP CSEP CSEP CSEP CSEP CSEP CSE	
0	(00)	

(REVERSE)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Balltown: Perforations: 4088-89 (4 holes) 4189-4218 (12 holes) Fracturing: 400 sks. 20/40 sand:500 Bbls. fluid: 500 gal. acid.

Benson: PErforations: 5268-71 (12 holes)

Fracturing: 400 sks. 20/40 sand:520 Bbls. fluid: 500 gal. æid.

BOTTOM HOLE PRESSURE Pf=Pwe XGLS (0.000033) $t=60 + (0.0075 \times 5388) + 459.7 = 560 \times 53.35 \times 560 = 29876 = 0.000033 \text{ Pf} = 1425 \times 2.72$

 $(0.617)(4680)(0.9) = 1425 \times 2.72^{0.09} = 1425 \times 1.09$

Pf=1553 psi

	1121.50		REMARKS
FORMATION COLOR HAPD OR SOFT	TOP FEET	BOTICM FEET	Including indication of all fand salt water, coal, oil and
Fill & shale	0	10	
Sand & shale	10	200	Damp @ 650
Sand, red rock & shade	200	450	
Sand, shale & red rock	450	990	Gas ck @ 2415 20/10-2" w/wat
Coal	990	995	water
Sand & shale	995	1461	189,000 cu.ft.
Sand & shale	1461	2260	Con al 0 2002 20 (70 a)
Big Lime	2260	2330	Gas ck @ 2692 20/10-2" w/
Big Injun	2330	The second secon	water
Sand & shale	2410	2410	189,000 cu.ft.
Sand & shale	3835	3835	Gas ck @ 3279 30/10-2" w/
Balltown	4088	4088	water
Sand & shale	and the second s	4218	231,000 cu.ft.
Benson	4218	5268	231,000 cu.ic.
Sand & shale	5268	5271	Gas ck @ 4230 24/10-2" w/
Sand & shale	5271	5500	
Said & Shale	5500	5900	water
		T.D.	207,000 cu.ft.
			Gas ck @ 5647 24/10-2" w/
			water
			207,000 cu.ft.
	in Melmaxal		
		0002	
	48		
		L CORPORT	


(Attach separate sheets as necessary)

J&J Enterprises	, Inc.
Well Operator	
By:	
Date: 1/8/85	Robert Dahlin-Geologist

Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well." Note:

IV-35 Rev 8-81)



State of Mest Birginia

Bepartment of Mines Bil und Gas Bivision

Date	January 8, 1985	_
Operato		
Farm_	Hall	_
APT No	47 - 033 - 3084	

WELL OPERATOR'S REPORT OF

DRILLING FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

CATION: Elevation: 1308 Watershed	Salem FOLK			
District: Ten Mile County Har:	rison	Quadrangle	Salem 7.	5
OMPANY J&J Enterprises, Inc.		1,000		out Charles
DDRESS P.O. Box 48, Buckhannon, WV 26201	Casing	Used in	Left	Cement fill up
ESIGNATED AGENT Richard Reddecliff	Tubing			Cu. ft.
DDRESS P.O. Box 48, Buckhannon, WV 26201	Size			
. 1985년 1일	20-16		ouled?	Marie Date
URFACE OWNER Dennis Ashcraft	Cond.	25	0	0 sks.
DDRESS Rt. # 1, Box 158, Bristol, WV 26332	13-10"	35		O SKO
INERAL RIGHTS OWNER Lylah M. Hall	9 5/8		1505 20	360 sks.
ADDRESS	8 5/8	1595.20	1595.20	300 585.
OIL AND GAS INSPECTOR FOR THIS WORK Stephen.	7			
Casey ADDRESS Rt.#2, Jane Lew, 26378	5 1/2	5387.75	5387.75	370 sks.
PERMIT ISSUED. 10/15/84 ·	4 1/2	5367.75	3307.73	
DRILLING COMMENCED 11/8/84	3			
DRILLING COMPLETED 11/13/84	2		-	
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
CONTINUOUS PROGRESSION TICH STAINED REWORKING. VERBAL PERMISSION OBTAINED	used			
CN	-			fee
GEOLOGICAL TARGET FORMATION Alexand	ler		pth_	
Porth of ampieted well 5900 feet	Rotary_	x / Car	ole 1001s	
Water strata depth: Fresh 650 feet	; Salt_	0 16	=L	
Coal seam depths: 990-95	Is co	al being m	ined in t	the area? No
OPEN FLOW DATA Producing formation Benson		Pay zone d	epth 526	8-71 fe
Mof/	a Oil:	Initial of	en flow_	Ebl
Combined Final open flow 169 Mcf/	ď	Final oper	flow_	Bbl
Combined Final open flow between i	nitial and	final tes	sts 4	hours
Static rock pressure 1425 psig(su	rface meas	urement) a	fter	hours shut
71:-772:	taon		418	39-4210
(If applicable due to multiple completed Second producing formation Balltown	,	Pay zone	depth 408	88-89 f
Gas: Initial open flowMcf	/d 0il:	Initial c	pen flow	Pb
Gas: Initial open flow	/u OII.			
Final open flow	74 011.	d final te		

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 33 -3084

Portine No.		Oil or Gas Well					
Company Jt J Enterprises	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACE	ERS		
Address	Size						
Parm D ashcraft	16		***************************************	Kind of Pac	ker		
Well No. 5K 1062	13						
District Jon Mile county Harr	81/4		antina ang manganan antina ang mangan padhada, man mana bi aga man ap madan	Size of			
Drilling commenced 11-7-84	6%		-	Depth set_			
	5 3/16				*		
Drilling completed Total depth	3			Perf. top			
Date shotDepth of shot	. 2			Perf. botton	1		
Initial open flow/10ths Water in Inch	Liners Used			Perf. top			
Open flow after tubing/10ths Merc. inInch				Perf. botton	n		
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date		
Rock pressure lbs. hrs.	NAME OF SER	VICE COMPA	NY	Market areas and entertained in white and the con-			
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES		
Fresh waterfeetfeet	FEET	INCH	IES	_FEET	INCHES		
Salt water feet feet	FEET	INCH	IES	_FEET	INCHES		
Drillers' Names 5wJ 19							
Remarks: defeat 395'							

11-8-84

Steve Cossef

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS	CONTRACTOR STORY	Good Greek Commission	M. Harris	
				1	111		
		DISTRI	CT	C	OUNTY	DK	
'Illing Material Used						1	
		Angel Maria (Santan Angel			-		
iner Lo	ention	Amoun	Pa Pa	cker	Location	-4	
PLUGA URES	ND DEPTH PLACED				Location		
CEMENT-THICKNESS			BRIDGE	-	CASIN	G AND TU	BING
Comments in Life Activities	W009-6128	LEAD	CONSTRUCTION	NAME OF TAXABLE PARTY OF TAXABLE PARTY.	RECOVERED	SIZE	LOST
The state of the s		The second of the second of		and by process	Com.		
			61.44 Table & British	198-	1		
		constant for the species and opposit	Ed to be				
000 3704				Left right 10 viria.	. ,		
			and the Residence of the second	Land of B. Fr. C.			
			Argenia Park Land	i sees (Text)			
	and a second second		and the second of the second				
	Committee of the commit	name kay in the man and a sign	Commence Addition	d stak retti		9 1 5 15 1 N T	
		Emergana.	WALLS I STEELE			-	
				the same of the sa			
	YEARNOTE	11.12.12.12	YOUNG .				
1							
		TAN TO ENTRY	de Yout per Calle set				
	1				,		
llers' Names		-					
Hers Names		41.4.2.			The second	an managaran a	
narks:	The second second	Seeks operators of the	in the street and tales are the continues of the street	nch today, while of the	Course Name of the Street St.		
			and the second with the second with	191	ا الله الله و	15 15 16	
i for a second of the second	The second secon			, , , , , , , , , , , , , , , , , , , ,			
		and the second second second	the second of the second of the second of	territoria	and the second of the later		
				,200=	tal		
				- 3 %			

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT

DEPT. OF MINES

Permit No. 3373007			Oil o	r Gas Well
Company J+ Cnterpresis	CASING AND TUBING	DRILLING USED IN	LEFT IN	PACKERS
Address	Size			
Parm ashera/t	16			Kind of Packer
Well No_ JK 1662	13		ada menangan	
District County Han.	81/4			Size of
Orilling commenced	6%			Donth set
Orilling completedTotal depth	5 3/16			Depth set
Depth of shot	3			Perf. top
	2			Perf. bottom
nitial open flow/10ths Water inInch	1			Perf. top
pen flow after tubing/10ths Merc. in Inch				Perf. bottom
cu. Ft.		TED	SIZE	No. FTDat
ock pressurelbshrs.	NAME OF SERV	ICE COMPAN	Y	
bbls., 1st 24 hrs.	COAL WAS ENC	OUNTERED A	т 990	FEET GO INCHE
esh waterfeetfeet				FEETINCHES
t water feet feet				FEETINCHES
llers' Names 5 W J 19			1	INCHES
1595' 360	1513.4	10/7		
	Tia	mourle	~	

11-9-84

Steve Cochect

District WELL INSPECTOR

DATE

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS			
ARM		DISTRIC	CTCO	UNTY	V.	
Pilling Material Used						
iner Lo	ention	Amoun	Packer	Location		
PLUGS USED AND DEPTH PLACED			BAIDGES		G AND TU	BING
CEMENT-THIGHNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS
The second secon						
			The second of th			
		м ,	All a man shoot last			
			The second secon			
		714	granic runs and runs is the		87 3	
					end engr	
and the contract of the contra		TYSEE.	NOS ASSESSMENT CONTRACTOR OF THE SECOND CONTRA			e
	1 8 6 1 K (1) 1 E		376.68			
50 50	Q	menig sas	e a congression de and celebration -			
			11. 12			
Prillers' Names			· · · · · · · · · · · · · · · · · · ·			
	and the second second	er en	A STATE OF THE STA	Marie Carlos de la Servicio de la composición dela composición dela composición dela composición dela composición de la composición dela composición de la composición dela composición de		
Remarks:			Course of 1 for the second	1016		
	1	1/2	5/509/8 , 5651	Fact	: 8	
	V C. 27 : 17 : 1973					

DISTRICT WELL INSPECTOR

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OFFICE OF OIL AND GAS CHARLESTON 25305 FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

Company: J & J ENTERPRISES Farm: ASHCRAFT, KENNETH

Well: JK-1062

Permit No. 47- 33-3084 (10-15-84) County: HARRISON

Rule	Description	In Comp	liance No	
23.06	Notification prior to starting work			
25.04	Prepred before drilling to prevent waste			
25.03	High pressure drilling			
16.01	Required permits at wellsite			
15.03	Adequate Fresh Water Casing			
15.02	Adequate Coal Casing			
	Adequate Production Casins			
15.04	Adequate Cement Strength			
15.05	Cement Type			
23.02	Maintained Access Roads			
	Necessary Equipment to Prevent Waste			
23.04	Reclaimed Drillins Pits			
23.05	No Surface or Underground Pollution			
23.07	Requirements for Production & Gathering Pipelines			
16.01	Well Records on Site			
	Well Records Filed			
	Identification Markinss			

I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND RECOMMEND THAT IT BE RELEASED:

Your well record was received and reclamation requirements approved. In accordance with Charter 22, Article 4, Section 2, the above well will remain under bond coverage for the life of the well.

Administrator

August 12, 1985

Date

