



1	) Date:	
2	Operator's Well No	Faris #31
2	A DI Well No	47 - 033 - 3124

County

Permit

State

-	OIL &	GAS DIVISION	
D	EPT.	OF MINES	

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

## APPLICATION FOR A WELL WORK PERMIT

	וועו זר	INE	1		T LICA.	HOW FOR A WEEL	WORKTERMI		
4) WELL TY						MUNACED Show			
				n	XX	_/ Underground st	torage	/ Deep	_/ ShallowXX/)
5) LOCATIO		vation: _		1230'			avisson Ru		
			Simpso				arrison	Quadrangle:	Rosemont 7½'
6) WELL OF	ERATOR	ETROLE	UM DEV	/ELOF	MENT (	CORPORATION	7) DESIGNATE	DAGENT STEVEN	
Addres						STREET 38200	Address	A PARTY OF THE PAR	3 EAST MAIN STREET
	BRID	GEPORT	, WV	2633	30			BRIDGEPORT, W	V 26330
8) OIL & GA				FIED			) DRILLING C	CONTRACTOR:	
	STEP	Committee of the Commit	STREET, STREET				Name		
Addres	s Rt 2						Address		William Barrier
	J <u>ane</u>	Lew,	WV 26	5378					
10) PROPOSE	ED WELL V	WORK:	Drill	XX	_/ Drill	deeper	_/ Redrill	/ Stimulate_X	
			Plug of	f old	formation	/ Perfora	te new formation	1/	
			Other p	hysical	change in	well (specify)			
11) GEOLOG	ICAL TAR	GET FOR	MATION	,	Benso	on			
12) Estima	ated depth o	f complet	ed well,		5000	<u>feet</u>			
							1200	feet.	
14) Appro	oximate coal	seam dep	ths:	520	; 600	Is coa	l being mined in th	e area? Yes	/ Noxx/
15) CASING	AND TUBI	NG PROC	GRAM						
CASING OR	1	SPEC	IFICATIONS	3	11	FOOTAGE IN	TERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor	11 3/4	H-40		X		30'			Kinds
Fresh water									
Coal						•			Sizes
Intermediate	8 5/8	J-55	20/23#	X	4. 33.	1050'	1050'	cement to su	rface (neat cmt.)
Production	4 1/2	J-55	10.5#	X		5000'	50001	400 sks	Depths set
Tubing			distribution of						Depino de
Liners									Perforations:
									Top Bottom
			o users				54 25 No. 22 L	2 10 10 10 10 10	STATE OF THE PROPERTY OF THE PARTY OF THE PA
. 11 - 1 - 10 - 10 - 10 - 10 - 10 - 10 -	10 DA3								
				National Property of the		OFFICE USE O	NLY		Aphilica ion second of
					J	DRILLING PER	RMIT		
		47-033	-3124					Dogombon	2 10 04
Permit number_		+7 033	3124					December	
This permit seve	mina tha wa	II amanata		1.1	b	hata is a falsa as		Date	
quirements subje	ect to the co	nditions of	ontained	nerein a	and on the	reverse hereof. Noti	fication must be	iven to the District Oil	ce with the pertinent legal re- and Gas Inspector, (Refer to
No. 8) Prior to the	he construct	ion of ros	ids, location	ons and	pits for a	ny permitted work.	In addition, the v	vell operator or his cont	ractor shall notify the proper
district oil and g	as inspector	24 hours	before ac	tual pe	rmitted w	ork has commenced	.)		
	ork is as de	scribed in	the Notic	e and A	pplication	n, plat, and reclamat	ion plan, subject	to any modifications an	nd conditions specified on the
reverse hereof.	Decer	mber 3	10	86					Remarket of the property of
Permit expires _	Beech	mber 5	,	00		unless well v	vork is commenced	d prior to that date and p	prosecuted with due diligence.
Bond:	Agent	: - F	Plat:	Casin		Fee			
11/2	Innt	11	51	2	1)8	35-	-0		1
116	VYIT	1/	-11	1)	~ 3	199	Yhu	annet.	1 1 /200
							1 July	juus .	vanse
NOTE: Keep o	ne conv of	this nerm	it nosted a	t the d	rilling loss	ation	Adm	nistrator, Office of Oi	l and Gas
	по сору от	enis perili	r posteu a	it the d	innig ioca	ation.	0		File

## OFFICE USE ONLY

## PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

60 Apprendicable confee in depth. 220, 600 15 and only other in the arm? Test

coment to surface (neat cut.)	10002 50001		1/2 1-35 1039	rott man
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	OFFICE USE C	ONLY		1000) 1000)
This part of Form IV-2(b) is to record the	e dates of certain occurren	nces and any follow-	-up inspections.	
	Date		D	ate(s)
Application received	Fol	low-up inspection(s)		
Well work started	TIMER PERMIT		47-033-3124	
process				
Well Record received		est thow battless? salto		
Reclamation completed			is a securification the Value of December - 3, 1, 2, 2, 2, 2, 2, 2, 2, 3, 3, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	
OTHER INSPECTIONS			Taland Land	
Reason:	1 Pan	My 8354	5/ 114	911
Reason:	to the second second	a the diffused season	basena human entit la voca	

# INSTRUCTIONS TO APPLICANT

## CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11(d, e).

# CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

# INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc.	Grantee, lessee, etc.	Royalty	Book Page
Robert D. Faris George T. Faris III Virginia Guckes Mary D. Faris Florence Faris Estate	Hope Gas, Inc.	.021702 .021702 .019097 .019097 .043403	347/441 347/441 347/441 347/441 347/441

\*\* Petroleum Development Corporation acquired its interest to these rights by Farmout Agreement dated 7/10/84 and recorded in Book No. 1141 at page 952.

FORM IV-2(A)			1)	Date:		,19
Obverse [8-83]				Operator's		_,19
[0-03]			-	Well No	Faris #31	
<b>V</b>			3)	API Well No.	000	3124
	STATE OF WEST	r virginia Office of oi	L & GZ		State County	/ Permi
	NOTICE OF APPLICATION FO					
4) SURFACE OWN	ER(S) OF RECORD TO BE SERVED			PERATOR		
(i) Name			ddress			
	Robert D. and Marjorie FAris Rt. #1, Box 20					<del>, • • • • • • • • • • • • • • • • • • •</del>
	Bridgeport, West Virginia 2633				DECLARATION O	
(ii) NameAddress		N	ameR	Robert D. and	Marjorie Fari	is
Audress_			Addre	SS Rt. #1, 1	rt, West Virgi	inia 263
(iii) Name		N	ame		,	
Address_			Addre	ss		
-		5(iii) O	OAT, T.F.	SSEE WITH DEV	CLARATION ON	process
		N.	ame	COLLE WITH DEA	LARATION ON	RECURD:
1.			Addre	ss		
				. —		and the later to
	TO THE PERSON(S) NAMED ABOVE: You should ha	we received this	Form and	the following docum	nents:	
	<ol> <li>The Application for a Well Work Per to be plugged, which sets out the p and describes the well and its loca cementing program;</li> <li>The plat (surveyor's map) showing to the Construction and Reclamation Plug a well), which sets out the plug a well), which sets out the plug a melling to the site and access</li> </ol>	tion and, if appl he well location of an on Form IV-9 ); an for erosion are	n the dri icable, t on Form I	lling or other work he proposed casing V-6; and	c, and	
	THE REASON YOU RECEIVED THESE DOCUMENTS WHICH ARE SUMMARIZED IN THE "INSTRUCTIONS" O (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. ACTION AT ALL.  Take notice that under Chapter 22 of the erator proposes to file or has filed this No for a Well Work Permit with the Administrato	HOWEVER, YOU ARE e West Virginia Co	E OF THE CE NOT REQUESTED AND AND AND AND AND AND AND AND AND AN	COPY OF THE APPLICATION OF THE ANY UNDERSIGNED WELL OF COMPANYING COCUMENT OF THE APPLICATION OF THE APPLICA	ATION	
	Department of Mines, with respect to a well and depicted on attached Form IV-6. Copies Construction and Reclamation Plan have been by hand to the person(s) named above (or by before the day of mailing or delivery to the	at the location de of this Notice, the mailed by register cublication in co-	escribed of he Applicated or cen	on attached Applica ation, the plat, an	ation at theivered	N. M.
	6) EXTRACTION RIGHTS				719	(Free land
Alleganismin	Check and provide one of the following:  Included is the lease or leases or other  I hold the right to extract oil or of  The requirement of Code 22-4-1-(c) (1)	Tas.			L & GAS	
TO A DIA PARTICIPATION OF A DIA PARTICIPATION	ROYALTY PROVISIONS Is the right to extract, produce or market or other contract or contracts providing a for compensation to the owner of the oil or to the volume of oil or gas so extracted.  If the answer above is No, nothing you may use Affidavit Form IV-60.	for flat well roya gas in place whi produced or marke	alty or an ch is not eted? Yes	y similar provision inherently related	198 198	
The Same	See the reverse side for line item in the required copies of the Notice and	structions, and f Application, pla	for instru	ctions concerning		
The truth of	Reclamation Plan.  the information on the	WELL	0			
	oplication is verified	OPERATO	DR	Petroleum De	velopment Corp	poration
and sworn to	and the Notice is	1		011	( ;	
	half of the Well Operator	Ву	to	K. WV		
	and State by	Its_ Addre	256	President P.O. Box 26	*\ <u>\</u>	
this Hoday of	October, 1984.	Auct			West Virginia	26330
	sion expires (luxust 6, 1992.	Telep	phone	304/842-6256		
Devo	ul also ()					
and the second s	Alic, Jerus County,					

ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP.


QUADRANGLE Rosemont 7½'


cross drain spacing 250' -

Length: 180' Slope: 10% to 16%. Cross drain spacing: 50' to 80 LEGEND
Well Site Access Road —




ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





spit liner will be used





DATE October 23, 1984

EHONE NO. 472-9369	recessory top commence.
Buckhannon, WV 26201	sr signal atrapas nontif
10030 VIII agaded Veril	cooperation to professive season.
42DRESS P.O. Box 969	'ortanubual recupar sepals : SETOTI
N PRIPARED BY David L. Jackson	* Lime according to pH test
	Inoculate with 3X recommended anount.
forl and clovers with the proper bacterium.	Finoculate all legumes such as vetch, tre
Jps/same	Ips/sare
Ladino clover 3 lbs/acre	Ladino clover 3 lbs/acre
Seed* Orchard grass 12 lbs/acre	Seed* Orchard grass 12 lbs/acre
Mulch Hay 2 Tons/acre	Mulch Hay 2 Tons/acre
(10-20-20 or equivalent)	(10-20-20 or equivalent)
Fertilizer 600 lbs/acre	Fertilizer 600 lbs/acre
*Lime 3 Tons/acre or correct to pH 6.5	or correct to pH 6.5
Treatment Area II.*	* Tons/acre
	I seatheart
abooW	Moods
work begins.	trib sale at and remort become and the
larly and repaired if necessary. All	ugar bataaqsni ad bluons sanutauris 11A
Page Ref. Manual	the state of the s
	Page Ref. Manual
Lairera (b.	Special Hay or Straw bales stake
Structure (3	Structure Sodinant James (C)
	. 4 + .1 -
Page Ref. Manual 2.14	Page Ref. Mariual S. 1
plan Material stone	spacing as noted on the back of this topical
Structure Rip - rap (2	Structure Cross drains (B)
Page Ref. Manual 2.12	Page Ref. Manual 2.12
Material earth	stud boon shirn AM parisege
Structure Diversion ditch (I)	Structure Drainage ditch (A)
LOCATION	
0	ACCESS ROAD
(HAMPA (DS)	HIS PLAN NOT ACCEPTABLE TO WESCD.
The same	HIS REVIEW IS MADE FOR SITE AS SHOWN, A SHANGE OF ELEVATION OF PLUS OR MINUS 10 FT.
18 1111	and additions become a part of this plan:
West Fork SCD. All corrections	This plan has been reviewed by
Seeding Contractor (Agent)	
SOIL CONS. DISTRICT West Fork	Revegetation to be carried out by
	IANDOWNER Robert Faris
30 Address P.O. Box 26, Bridgeport, WV 26 Telephone 842-6256	Telephone 842-6256
	Address P.O. Box 26, Bridgeport, WV 263
DESIGNATED AGENT Steven Williams	CONPANY NAME Petroleum Development Corp.
D RECLAMATION PLAN	INA NOTICIATANO
mieidik est	VOOL 7 0 = 0
end of Alines	443
Marst Birginia Apr. ON 19A Birginist 123 E	Em strike / MOISIVIA-2-2-8 HO.
WEIL NO. Faris No. 31	(Rev 8-81)

EHONE NO. 472-9369

Sent to

(See Reverse) #3/

Sent to

POST Street and No.

Street and No.

POST State and ZIP Code

Dridgeport WU3330

Postage

Certified Fee

Restricted Delivery Fee

Resturn Receipt Showing to whom and Date Delivery

Return Receipt Showing to whom, Date, and Address of Delivery

TOTAL Postage and Fee.

POST DELIVERY A.

2884

Postmark or Date,

POST DELIVERY

POS

DEPT. OF MINES



# DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Performed 75 Quality foam frac on the Benson. Perforated the zone with 13 shots (4379'-85'). Stimulated the formation using 50,000 lb. 20/40 sand and 650,000 scf N2.

## WELL LOG

			REMARKS
ORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	Including indication of all fresh
e a post sometimen a exceptation of a constant of the constant	eli Prisone i surgente de 16 de do		and salt water, coal, oil and gas
KB - GL	0	10	
sand, shale, redrock	10	1330	½" stream H20 @ 65'
big lime	1330	1392	coal @ 64'
keener	1392	1413	
big injun	1413	1479	gas @ 1457'; no show
sand, shale	1479	1842	
50 foot sand	1842	1890	
sand, shale	1890	1914	gas @ 1899'; no show
30 foot sand	1914	1946	
sand, shale	1946	1991	
gordon stray	1991	2012	
sand, shale	2012	2018	
gordon	2018	2039	
sand, shale	2039	2158	gas @ 2057'; no show
4th sand	2158	2179	
sand, shale	2179	2200	
5th sand	2200	2246	
	2246	2250	
sand, shale lower 5th	2250	2279	
	2279	2333	gas @ 2309'; no show
sand, shale	2333	2382	gas @ 2371'; 4/10 thru ½" w/H20
bayard	2382	2951	
sand, shale	2951	3041	gas @ 2997'; 4/10 thru ½" w/H20
speechley	3041	3275	
sand, shale	3275	3407	
balltown	3407	3522	
sand, shale	3522	3638	
bradford	3638	4041	
sand, shale		4229	gas @ 4095'; 4/10 thru 2" w/H20
riley	4041	4352	gas e 4000 , 1, 20
sand, shale	4229	4389	
benson	4352	4502 TD	logger
sand, shale	4389		driller
		4504 TD	gas @ 4410'; 12/10 thru 2" w/H2C
			gas @ TD; 10/10 thru 2" w/H20
			gas after drill collars; 8/10 thru 2" w/H2O

(Attach separate sheets as necessary)

PE	TROLEUM DEVELOPMENT CORPORATION	
Well	perator //	
By:	K. W-	
Date:	1/16/85	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including coal, encountered in the drilling of a well."



IV-35 (Rev 8-81)

# State of Mest Virginia

Bepartment of Mines Gil und Gas Bivision

Date	1/9/85
Operator's Well No.	#31
Farm	Faris
API No. 47	<b>-</b> 033 <b>-</b> 3124

# WELL OPERATOR'S REPORT

# DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

(If "Gas," Production xx/ Undergro			p/ Sha	llowxx /)
LOCATION: Elevation: 1230' Watershed			Doggman	
District: Simpson County Har	TISON	Quadrangle	eKosemon	<u> </u>
COMPANY PETROLEUM DEVELOPMENT CORPORATION				
ADDRESS 103 EAST MAIN ST, BRIDGEPORT, WV 26330	Casing	Used in	Left	Cement
DESIGNATED AGENT STEVEN R. WILLIAMS	Tubing	Drilling	100	fill up Cu. ft.
ADDRESS 103 EAST MAIN ST, BRIGEPORT, WV 26330	Size		21 11011	Cu. 1C.
SURFACE OWNER ROBERT D. & MARJORIE FARIS	20-16			
ADDRESS RT 1, BOX 20, BRIDGEPORT, WV 26330	Cond.	16'	161	cement to
MINERAL RIGHTS OWNER ROBERT D. FARIS, ET AL	13-10"	16	16'	surface
ADDRESS RT 1, BOX 20, BRIGEPORT, WV 26330	9 5/8			
OIL AND GAS INSPECTOR FOR THIS WORK STEPHEN	8 5/8	1077'	1077'	250 sks
CASEY ADDRESS RT 2, BOX 232-D JANE LEW, WV 26378	7			
PERMIT ISSUED DECEMBER 3, 1984	5 1/2			
DRILLING COMMENCED DECEMBER 16, 1984	4 1/2	4473'	4473'	150 sks
DRILLING COMPLETED DECEMBER 20, 1984	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR	Liners			
REWORKING. VERBAL PERMISSION OBTAINED	used			
SPOLOGICAL TARGET FORMATION BENS	ON	Dent	h 5000	Foot
2-11	Rotary xx			feet
Water strata depth: Fresh 35; 65 feet;	Salt n	/a feet	10015	
Coal seam depths: 64	Is coal	being mine	d in the	2ma22na
OPEN FLOW DATA	. 15 0001	ocing mane	a mi die	area: no
			/070 0	
Producing formation Benson  Gas: Initial open 51 NOT TAKEN 1. 6/12	Pay	zone dept	h 43/9-8	5feet
Gas: Initial open flow NOT TAKEN Mcf/d	Oil: Ini	tial open	flow	Bbl/d
Final open flow 880 Mcf/d	Fina	al open fl	ow	Bb1/d
Time of open flow between init	ial and fir	nal tests_	4 hou	irs
Static rock pressure 2000 psig(surfac	e measureme	ent) after	72 hour	s shut in
(If applicable due to multiple completion				
Second producing formation	Pay	zone depti	h	feet
Gas: Initial open flow Mcf/d	Oil: Init	tial open :	flow	Bb1/d
Final open flow Mcf/d	Oil: Fina	al open flo	OW	Bbl/d
Time of open flow between init	ial and fir	nal tests_	hou	rs
Static rock pressurepsig(surface	measuremen	nt) after	house	

# DEPARTMENT OF MINES



OIL & GAS DIVISION

# INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 33-3/24

POPER PIG AND			Oil or	Gas Well	
Company Retrol. Devel. Co.	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS
Address	Size				
Farm Fario	16			Kind of Pa	cker
Well No. 3/	13			Size of	
Distric Sempson county Harv.	81/4			Size of	4
Drilling commenced 12-16-84	6%		-	Depth set_	-
Drilling completedTotal depth	3			Perf. top_	
Date shotDepth of shot	2			Perf. botto	nı
Initial open flow/10ths Water inInch	Liners Used			Perf. top_	
Open flow after tubing/10ths Merc. inInch				Perf. botto	m
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressurelbshrs.	NAME OF SER	VICE COMPA	NY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT 64	FEET 30	INCHES
Fresh water 35 feet 64 feet	FEET_	INCH	IES	_FEET	INCHES
Salt water feet feet	FEET	INCE	IES	_FEET	INCHE
Drillers' Names UDI 9					
Remarks: 35/4 1077' 2505K3	S. BUH	1		*	

12-17-84

Stave Coesce/

## DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

# INSPECTOR'S PLUGGING REPORT

COMPANY	n 1985 (Allandaria de como esta esta como esta esta en la como esta esta esta esta esta esta esta esta		ADDRESS					
ARM			9 / / 6	. 1 .	M			
illing Material Used			C	OUNTY				
material Vand								
iner Losation		Amount	Packer Location					
PLUES USED A	NO DEPTH PLACED		BRIDGES					
CEMENT-THICKNESS	WOOD-BIZE	LEAD	CONSTRUCTION LUCATION	RECOVERED	G AND TU	BING		
	on a surger of a surenge of a search			MECOVERED	SIZE	LOS		
			110-24	01		4.		
			4.2					
	and the second s				1			
and the later of			and the supplemental the state of the state of	1.198		-		
				A sale i agrico i que				
and the second of the second	the state of many control of the state of				STEEL STEEL			
			Control of the second					
		A						
- 1/2. Fr 1/2								
			(c+	7.8				
lers' Names								
the state of the s								
arks:	The state of the s	There is a second was			4			
	and the second		and the second second second second			7 7 7		
			and the second second partners and prove the beauty ago, and					
		1			~			
		18.22.4		no I The				

DISTRICT WELL INSPECTOR

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



# INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. OF MINES

Oil or Gas Well\_\_\_\_

		(KIND)					
Company Letrof. Devel. Co.	CASING AND TUBING	USED IN DRILLING	LEFT IN		PACKERS		
Address	Size						
Farm Faris	16			Kind	of Packer		
Well No. 3/	13						
District County Han.	81/4			Size	of		
Drilling commenced 12-16 - 84	6%			Depth	n set		
Drilling completed 12 - 20 Total depth 450	5 3/16						
	3			Perf.	top		
Date shotDepth of shot	_ 2			Perf.	bottom		
Initial open flow/10ths Water inI	nch Liners Used			Perf.	top		
Open flow after tubing/10ths Merc. in	nch			Perf.	bottom		
VolumeCu.	Ft. CASING CEME	NTED	_SIZE	No.	FTDate		
Rock pressure lbs.	NAME OF SEI	RVICE COMPA	NY				
Oilbbls., 1st 24 }	urs. COAL WAS EN	NCOUNTERED	AT	_FEET_	INCHES		
Fresh waterfeetf	eetFEET.	INCH	ES	_FEET_	INCHES		
Salt water feet f	eet FEET.	INCH	ES	FEET_	INCHES		
Drillers' Names UDI 9							
				(4)			
Remarks:							

12-20-84

Stave Casey

DISTRICT WELL INSPECTOR

# DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

# INSPECTOR'S PLUGGING REPORT

Permit Ne				We	N No	
COMPANY			ADDRESS			
PARM	DISTRICTCOUNTY					
filling Material Used						
	eation	Azaoun	t Packer	Location		
PLUGS USED AND DEPTH PLACED			BRIDGES	CASING AND TUBING		
CEMENT-THREENESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
					(C)	2081
			#8.	12-16		
			1001	12:20		
			2 2 2			
		3	The second with the second with	1 - 1000		
			The second of the second			
	****		or for the first of the section of t			
					-	
			South Complete Contraction and	×		
						-
illers' Names						
marks:				7777	, <u>v</u>	
			and the second s			

DISTRICT WELL INSPECTOR

RECL. - CHAS.
9 SEP 85 12 16

IV-20 O' erse 1 4

30-Jan-85

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OFFICE OF OIL AND GAS
CHARLESTON 25305
FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT

Company: PETROLEUM DEVE CORP
Farm: FARIS, ROBT. & MARJORIE Well: FARIS 31

Permit No. 47County:HARRISON

(12-03-84)
Permit No. 47- 33-3124
County: HARRISON

Rule	Description		Yes Compl:	iance No
23.05	Notification prior to starting work			
25.04	Prepred before drilling to prevent waste			
25.03	High pressure drilling			
16.01	Required permits at wellsite			
15.03	Adequate Fresh Water Casing			
15.02	Adequate Coal Casing			The state of the s
15.01	Adequate Production Casing			
15.04	Adequate Cement Strength			
15.05	Cement Type			
23.02	Maintained Access Roads			
3 71	Necessary Equipment to Prevent Waste			
	Reclaimed Drilling Pits			
23.05	No Surface or Underground Pollution			
23.07	Requirements for Production & Gathering F	Pipelines		
	Well Records on Site			
16.92	Well Records Filed			THE RESIDENCE OF THE PARTY OF T
7.05	Identification Markings			
				and the second of the second o
I HAVI	E INSPECTED THE ABOVE CAPTIONED WELL AND F	RECOMMEND	THAT IT BE	RELEASED:
		SIGN	NED Stave	Casey
		DATE	9-6-8	55

Your well record was received and reclamation requirements approved. In accordance with Chapter 22, Article 4, Section 2, the above well will remain under bond coverage for the life of the well.

September 13, 1985

Date

Administrator

