

1)	Date:		, 19_			
2)	Operator's	Belasco	#1			

Well No. 47 - 033 - 3188

State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

A WELL					T DICATIO	N FOR A WELL	E WORK I ERWIT		
4) WELL TY	PE: A C	il	/ Gr	as	xx /				
			Production		XX /	Underground s	torage	/ Deep	_/ ShallowXX_/)
5) LOCATIO		vation:		11	32'	Watershed:	Ann Run	/ Deep	_/ Shanow/)
s, zoemie		strict:		Simps	on		Harrison	Oundranala	Rosemont 7½'
6) WELL OF	EPATOP	ETROLI	EUM DEV	VELOP	MENT COL	RPORATTON		DAGENT STEVEN	R. WILLIAMS
Addres	s PO	BOX 2	5, 103	EAST	MAIN S'	TREET 382	Address		103 EAST MAIN STRE
	BRI	DGEPOI	RT, WV	263	30	- 026	O Address	BRIDGEPORT,	
OIL & GA	S INSPEC	TOR TO	BE NOTE	FIED			9) DRILLING C		Carrie
Name	CULT	PHEN (-			Name	ONTRACTOR.	M
Addres	MILT IN DESIGNATION OF	2, BOX	X 232-I)			Address		UF D
	A STATE OF THE PARTY OF THE PAR	E LEW	The state of the s	26378			ridaress		- 100 B
) PROPOSI	D WELL	WODK.	Drill	XX	_/ Drill	donner	/ Dodrill	/ Stimulate_>	. 0
, TROTOSI	D WELL	WORK.					ate new formation		T 5 5 6
						ell (specify)	tte new formation		7 70 6
GEOLOG	ICAL TAR	GET FOR				ii (specify)			1 8 8 A
12) Estim	ated denth o	of complet	ed well		5000	feet			Zº L
					110; 400		1350	feet	M Consession
							al being mined in th		No xx
) CASING						Is coa	ii oeing iiinieu iii tii	c area: Tes	LUJ 140 XX
CASING OR			CIFICATIONS		- 11	FOOTAGE IN	NTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	C!		Weight			1		OR SACKS	PACKERS
nductor	Size 11 3/4	Grade H-40	per ft. 42#	New X	Used	For drilling	Left in well	(Cubic feet)	
sh water			1-11	-		30		·	Kinds
al									
ermediate	8 5/8	J-55	20#	x		975'	975'	cement to su	rface(neat cement
duction	4 1/2		10.5#			5000'	5000'		66 8 soll quired
bing						3000	3000.	00 983. 00	la serieguirea
iers						/************************************	2774	by ru	Perforations:
		CARLES A	WILL COL	TRUE	KUR LI GZ	27073702390 (18	SI EV TO HAVE	B DECEMBER OF	Top Bottom
			- () pos		FICE USE O			Application recorded.
) [F-36] **		FICE USE O			Boy oras noracijas A
rmit number	47	-033-3	188	c)(1438); **				Ат	oril 16. 19 85
mit number_	47	-033-3	188	5)[163)a 51				A p	oril 16, 19 85
is permit cove	ering the we	ell operato	or and well	location	DR	Ow is evidence of	RMIT f permission grant	Date ed to drill in accordance	e ce with the pertinent legal re-
s permit coverements subje	ering the we	ell operato	or and well	nerein a	DR on shown belond on the rev	DE SE	RMIT f permission grant ification must be g	Date ed to drill in accordant iven to the District Oil	ce with the pertinent legal re-
s permit coverements subject 8) Prior to the	ering the we	ell operato	or and well contained h	nerein a	on shown belond on the rev	DOW IS EVIDENCE OF THE PERMITTER OF THE	f permission grant ification must be g In addition, the w	Date ed to drill in accordant iven to the District Oil	e ce with the pertinent legal re-
s permit coverements subjection 8) Prior to the rict oil and g	ering the we ext to the construction as inspector	ell operato enditions of tion of ros	or and well contained hads, location is before ac	nerein a ons and tual per	on shown beldend on the rev	ow is evidence of the erse hereof, Notice permitted work. has commenced	f permission grant ification must be g In addition, the w	Date of the District Oil cell operator or his control	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper
s permit coverements subjective (8) Prior to the crict oil and go be permitted w	ering the we ext to the construction as inspector	ell operato enditions of tion of ros	or and well contained hads, location is before ac	nerein a ons and tual per	on shown beldend on the rev	ow is evidence of the erse hereof, Notice permitted work. has commenced	f permission grant ification must be g In addition, the w	Date of the District Oil cell operator or his control	ce with the pertinent legal re-
is permit coverements subjective to the subjecti	ering the we ect to the co- he construc- as inspector ork is as de	ell operatorion of rost of the conditions of rost of rost of rost of rost of the condition of	or and well contained hads, location is before ac	ons and tual per	on shown beldend on the rev	ow is evidence of the series hereof, Notice permitted work. has commenced that, and reclamate	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the
is permit cove irements subje . 8) Prior to the trict oil and g e permitted we verse hereof.	ering the we ect to the co- he construc- as inspector ork is as de	ell operatorion of rost of the conditions of rost of rost of rost of rost of the condition of	or and well contained h ads, location s before ac	ons and tual per	on shown beldend on the rev	ow is evidence of the series hereof, Notice permitted work. has commenced that, and reclamate	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper
tis permit cover irements subject. 8) Prior to the strict oil and go the permitted waverse hereof.	ering the weeket to the construction as inspector ork is as de	ell operator onditions of tion of ros 24 hours scribed in ril 16	or and well contained hads, locations before action the Notice 5, 1987	nerein a ons and tual per e and A	on shown belond on the reversits for any printed work pplication, pl	ow is evidence of erse hereof, Notice permitted work. has commenced fat, and reclamate unless well w	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the
irements subject to the strict oil and g	ering the we ect to the co- he construc- as inspector ork is as de	ell operator onditions of tion of ros 24 hours scribed in ril 16	or and well contained h ads, location s before ac	ons and tual per	on shown belond on the rev pits for any printed work pplication, pl	ow is evidence of erse hereof. Notipermitted work. has commenced lat, and reclamat unless well w	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the
is permit covering in the state of the state	ering the weeket to the construction as inspector ork is as de	ell operator onditions of tion of ros 24 hours scribed in ril 16	or and well contained hads, locations before action the Notice 5, 1987	nerein a ons and tual per e and A	on shown belond on the reversits for any printed work pplication, pl	ow is evidence of erse hereof. Notipermitted work. has commenced lat, and reclamat unless well w	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the
is permit coverements subjective to il and go e permitted werse hereof. I mit expires	ering the weeket to the construction as inspector ork is as de	ell operator onditions of tion of ros 24 hours scribed in ril 16	or and well contained hads, locations before action the Notice 5, 1987	nerein a ons and tual per e and A	on shown belond on the rev pits for any printed work pplication, pl	ow is evidence of erse hereof. Notipermitted work. has commenced lat, and reclamat unless well w	f permission grante ification must be g In addition, the w) tion plan, subject t	Date of the District Oil operator or his control of any modifications are	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the

File

OFFICE USE ONLY

PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK

WELL OFFRATORPETMOLISM DEVELOPMENT COLECTION , DESIGNATED A GIVE N. WIGHTAGE AND STRVEN R. WIGHTAGE AND ARREST RESIGNATION OF STRVEN R. WIGHTAGE AND ARREST RESIGNATION OF STRVEN R. WIGHTAGE R. WIGHT

Address FO BOX 25, 103 BAST MAIN STREET BROSS

						RAM	MODELLO		A DAIBAD (8
	PERSONAL PROPERTY. IN PRACESS. IN PROPERTY OF STREET,	e ta viserier Hase en est			WS/C	EMITTE ACM AnglyW Minag	1992		CASTAL OR
						#27		15/8 1	
om urface(neatycement	e of frequen	975"					17-35	8 5/8	
o as required		10000	\$10000			10.54	Tec-t		an maganari
10/0/201	100 100	OFFIC	E USE ONLY	7					State Bull
		Date						Date	e(s)
			Follow-	in inche	ction(c)			
Application received			I DALLIN		otron(
Well work started			,,		,,		8-880-	- 124	
Completion of the drilling	ig Rozozon ai filto di fa C'asirio 1 ast cristal	pic permission at an	aniedive a sile						ins parmi cove ilirement subject
Well Record received			ent label to the comment of the comm		"		Phophic	opanski si R insnegor	es bus the torifor
Reclamation completed			"		, ,,		0.1 Pår		200 1911 921929 100 1911 921929 20 1911/1971 (11192)
OTHER INSPECTIONS	3	~	2 1 2					gras As	
Reason:	A cinku	9/1/1	807.	188	ar	H	N	M8	911
Reason:	190 - 190 - 190 - 191 -	w.t.	1		33/6				
	λ								OTE: Keepler

See the reverse side of the APPLICANUS COPL for hotenestone of the well operator.

(Rev 8-81)

State of Mest Mirginia API NO. 47


		The same of the sa			-	. 12	1
WELL	NO	Belas	SCO	No.1			
DATE	Apri	1 2,	198	5			-

DESIGNATED AGENT Steven Williams

DEPT. DF MIN CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Petroleum Development Corp.

Address P.O. Box 5, Bridgeport, WV 26330	Address P.O. Box 5, Bridgeport, WV 26330
Telephone 842-6256	Telephone 842-6256
LANDOWNER Belasco Mobile Home Sales, Inc.	SOIL CONS. DISTRICT West Fork
Revegetation to be carried out by Sec	eding Contractor (Agent)
This plan has been reviewed by Wes	st Fork SCD. All corrections
and additions become a part of this plan:	4 1185
EVIEW IS MADE FOR SITE AS SHOWN, A SE OF ELEVATION OF PLUS OR MINUS 10 FT. OPE OF PLUS OR MINUS 3 PERCENT MAKES AN NOT ACCEPTABLE TO WESCD.	methe Sight ON SITE REVI
ACCESS ROAD	LOCATION
Structure Culvert (A) (accord, to OGG Manual)(at natural drain	Structure Diversion Ditch (1)
Spacing 24" diameter	Material earth
Page Ref. Manual 2.7 rapped outlet	Page Ref. Manual 2.12
Structure (B)	Structure Rip-rap (2)
Spacing	Material stone
Page Ref. Manual	Page Ref. Marual 2.14
Structure(C)	structure Sediment Barrier (3)
Spacing	Material Hay boles (stake)
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a	
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be wrk begins.
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo. REVECTIATE	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be wrk begins.
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be ork begins. TON Field Treatment Area II
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be ark begins. TON Field Treatment Area II
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I Time 3 Tons/acre or correct to pH 6.5 Pertilizer 600 lbs/acre	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be ark begins. TON Field Treatment Area II Treatment Area II Tons/acre or correct to pH 6.5
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I ime 3 Tons/acre or correct to pH 6.5 ertilizer 600 lbs/acre (10-20-20 or equivalent)	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be ark begins. TON Field Treatment Area II Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETATE Field Treatment Area I ime 3 Tons/acre or correct to pH 6.5 Pertilizer 600 lbs/acre (10-20-20 or equivalent) ulch Hay 2 Tons/acre	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II Treatment to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent)
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT: Field Treatment Area I ime 3 Tons/acre or correct to pH 6.5 ertilizer (10-20-20 or equivalent) hulch Hay 2 Tons/acre eed* Orchard grass 12 lbs/acre	Page Ref. Manual 2-16 Ply and repaired if necessary. All and all brush and small timber to be ork begins. TON Field Treatment Area II ** Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I Time 3 Tons/acre or correct to pH 6.5 Pertilizer (10-20-20 or equivalent) Aulch Hay 2 Tons/acre eed* Orchard grass 12 lbs/acre Landino clover 3 lbs/acre	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II ** Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed* Orchard grass 12 lbs/acre
Page Ref. Manual All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I ime 3 Tons/acre or correct to pH 6.5 Pertilizer 600 lbs/acre (10-20-20 or equivalent) ulch Hay 2 Tons/acre eed* Orchard grass 12 lbs/acre Landino clover 3 lbs/acre Alsike clover 4 lbs/acre	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II ** Lime Or correct to pH 6.5 Fertilizer (10-20-20 or equivalent) Mulch Hay Seed* Orchard grass Landino clover Alsike clover 4 lbs/acre 4 lbs/acre
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I Time 3 Tons/acre or correct to pH 6.5 Sertilizer (10-20-20 or equivalent) Mulch Hay 2 Tons/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Landino clover 3 lbs/acre Alsike clover 4 lbs/acre Timothy *Inoculate all legumes such as weeks.	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II ** Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed* Orchard grass 12 lbs/acre Landino clover 3 lbs/acre Alsike clover 4 lbs/acre
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo removed from the site before dirt wo recorrect to ph Area I reatment Area I reatment Area I reatment from the field freed from the site before dirt wo recorrect to ph 6.5 Tertilizer 600 lbs/acre (10-20-20 or equivalent) Alch Hay 2 Tons/acre from the field from	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II ** Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed* Orchard grass 12 lbs/acre Landino clover 3 lbs/acre Alsike clover 4 lbs/acre Timohty 3 lbs/acre Timohty 3 lbs/acre and clovers with the proper bacterium.
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo removed from the site before dirt wo record to pH 4 1 1 2 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II ** Lime Or correct to pH 6.5 Fertilizer (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed* Orchard grass Landino clover Alsike clover Alsike clover Timohty 3 lbs/acre Timohty 3 lbs/acre And clovers with the proper bacterium.
All structures should be inspected regular commercial timber is to be cut and stacked a cut and removed from the site before dirt wo REVEGETAT. Field Treatment Area I Lime 3 Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) fulch Hay 2 Tons/acre Landino clover Alsike clover Alsike clover 4 lbs/acre Timothy *Inoculate all legumes such as vetch, trefoil moculate with 3X recommended amount. ** Lime according to pH test	Page Ref. Manual 2-16 Ply and repaired if necessary. All all brush and small timber to be ark begins. TON Field Treatment Area II The area III The area III Treatment Area III Tons/acre or correct to pH 6.5 Fertilizer 600 lbs/acre (10-20-20 or equivalent) Mulch Hay 2 Tons/acre Seed* Orchard grass 12 lbs/acre Landino clover 3 lbs/acre Alsike clover 4 lbs/acre Timohty 3 lbs/acre Timohty 3 lbs/acre and clovers with the proper bacterium.




ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.

Access Road

Well site

CNEDET



FORM IV-1(A)			1) Date:	,19
Obverse			2) Operator's	
[8-83]			Well No Belas	sco #1
\checkmark			3) API Well No. 47	-033-3188
			State	e County Permit
	STATE OF WEST VI			-
	DEPARTMENT OF MINES, OFFI	CE OF OIL	& GAS	
	NOTICE OF APPLICATION FOR A	WETT WOOD	Z DE'DMTM	
A) CIDENCE OU		William Word	(FIMII	
4) SURFACE OW	NER(S) OF RECORD TO BE SERVED	5(i) CO2	AL OPERATOR	
(i) Name Be	lasco Mobile Home Sales, Inc.	- Add	iress	
	1201 West Main Street			
	Bridgeport, West Virginia 26330	5(ii) cor	L OWNER(S) WITH DECLA	RATION ON RECORD:
(ii) Name		Nan	ne Belasco Mohile Home	Sales, Inc.
Address		P	ddress 1201 West Main	
				t Virginia 26330
(iii) Name		Nan		
Address		A	ddress	
		5(111) COA	L LESSEE WITH DECLARA	TION ON RECORD:
		Nam		
		A	ddress	
	TO THE PERSON(S) NAMED ABOVE: You should have re-	ceived this For	m and the following dogments	
	(1) The Application for a Well Work Permit on	Form TV-2(B)	lor For 71 4 15 11	
	cementing program:	ind, if applica	ble, the proposed casing and	
	(2) The plat (surveyor's map) showing the well	l location on :	Form IV-6; and	
	(3) The Construction and Reclamation Plan on plug a well), which sets out the plan for reclamation for the site and are reclamation		ess the well work is only to	
	Total Total Site and access road.			
	THE REASON YOU RECEIVED THESE DOCUMENTS IS THE	AT YOU HAVE RIC	HTS RECARDING THE APPLICATION	
	WHICH ARE SIMMARIZED IN THE "INSTRUCTIONS" ON THE (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWE ACTION AT ALL.			
	Take notice that under Chapter 22 of the West	Virginia Cada	α :	
544404000				
ON STATE	Department of Mines, with respect to a well at the	ne Office of Oi	l and Gas, West Virginia	
3個個型目3	by hand to the person(s) named above (or by million	by registered		
	before the day of mailing or delivery to the Admin	istrator.	and the second second	
3	6) EXTRACTION RIGHTS			
38 3	Check and provide one of the following:		9	
OFFICIAL SEAL NOTARY PUBLIC STATE OF WEST VIRGINIA DEBORAH ALESSIO DESCRIPTION OF THE CONTROL OF	Included is the lease or leases or other cont I hold the right to extract oil or gas.	inuing contrac	t or contracts by which	Const.
OFFICIA NOTARY ATE OF WI EBORAH P. O. B Bridgeport, mission Exp	The requirement of Code 22-4-1-(c) (1) through	(4) (See ron	or contracts by which	A
RY PI F WEST O. Box: Expire	7) ROYALTY PROVISIONS	. (4). (See levi		· R (7)
NEW 2 PER	Is the right to extract, produce or market the	il or are brew	, man a lana	S GI
HEAL UBLIC VIRGINIA LESSIO 252 26330 8 August 6			upon a lease or leases or any similar provision	01 [-]
S S S S S S S S S S S S S S S S S S S	for compensation to the owner of the oil or gas i to the volume of oil or gas so extracted, produc	n place which i		18 A
35 3				
3	If the answer above is No, nothing addityou may use Affidavit Form IV-60.	ional is needed	. If the answer is Yes,	5 (1717)
		- W	Lil.	Taxanana (
	See the reverse side for line item instruct	ions, and for i	6 19	(Company Control of the Control of
	the required copies of the Notice and Applia Reclamation Plan.	cation, plat, a	nd Construction and	
The truth of	the information on the	WELL		
Notice and Ar	plication is verified	OPERATOR/	7	
and sworn to	and the Notice is	OPERATOR	Petroleum Developme	nt Corporation
signed on beh	alf of the Well Operator	D. 17	- 1/ /k/.	
in my County	and State by	Its		·
Deternal	I. Milliams.	Address	President	111
this 9th day of		ALULESS_	P.O. Box 26,	
	ion expires Quant 6, 1992.	Telephor	Bridgeport, West Vi	rginia 26330
6	Chan I Al.	rereprior	ne 304/842-6256	
Notari	2 misser)			2/00/0000
Notary Pub			12	2/29/2023
State of _	Stat Wygnia			

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

(Thomas D. Belasco, Pres.)

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2a, and 22-4-2b.


INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page

Belasco Mobile Home Sales, Inc. Petroleum Development .125 1146/397



OIL & GAS DIVISION



1)	Date:			_, 19
2)	Operator's Well No.	Beas	sco #1	
3)	API Well No.	47		
,		State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

DE	EPT.	DF N	INE	SA	PPLICA	TION FOR A WEL	L WORK PERMIT		
4) WELL TY			/ Ga		XX /				
	В (1	If "Gas",	Production	n	XX	/ Underground	storage	/ Deep	/ Shallow/)
5) LOCATIO		evation: _			137.	Watershed: _	ADD KUD	Bungalow	
	Di	strict:		Simp		County:	Harrison	Quadrangle:	dosemont 74'
6) WELL OP	ERATOR	THERUM:		VELU	PRENI	CORPURALION	7) DESIGNATE	DAGENT	K. WILLIAMS
Address	88	BOX 2		EAD	2 200	N SIKEEL VOY	Address	PO BUX 25, 1	D3 EAST MAIN STRE
	TOY SELDEN	LL WILL GI	LTT # 31 A	49	330	nuo-olganiza en ale	allad antiquimans	BRIDGEPORT,	MA 60330
8) OIL & GA	S INSPEC	TOR TO	BE NOTII	FIED			9) DRILLING C	ONTRACTOR:	
Name	RT	2, BO	232-)			Name		
Address	A STATE OF THE STATE OF	WE LEW		2637	8	- bol bi vis tipism seon	Address	grande de la companya	AND DUD ON THE OWNER.
		Harris Barris		MM				X	W to men remarke here set
10) PROPOSE	D WELL	WORK:	Drill		_/ Dril		/ Redrill	/ Stimulate	TO THE WAY STORY
					formatio		ate new formation	/	
					change	in well (specify)			andress of the transfer
11) GEOLOGI				,	50	00			
12) Estima				40:	110:	400 feet	1350		
13) Appro						feet; salt		feet.	
14) Appro						ls co	al being mined in the	e area? Yes	/ No/
15) CASING A	II TOBI					II FOOTAGE !	10.856 (0.00)	N consense process I	
CASING OR TUBING TYPE		1	Weight		1-11-11	FOOTAGE I	I management to be a second	OR SACKS	PACKERS
	1 Size /4	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	ALL DESIGNATION AS THE PROPERTY OF THE
Conductor									Kinds
Fresh water	NC TOTAL STATE OF THE PARTY OF					metric as a storage		A STATE OF THE STA	German of the land sens
Coal Intermediate	8 5/8	J-55	20#	A		9751	975	cement to su	Sizes (neat cement)
Production	4 1/2	J-55	10.5#	X.		50001	50001	400 sks.	Depths set
Tubing									Depths set
Liners									Perforations:
									Top Bottom
									Top Bottom
Liver Report District	Belieb on	2011 YELE	Oto strong	914/199	20.0053	Remarks at havings t	ownith netting	Section Section 3 Ages	ana Feetith Sat 25 off 286
Market Street									
							STREET, SECTION OF THE STREET,	DOMESTICAL SUSPECTION	31-21-91-14-2 (11-14-14-14-14-14-14-14-14-14-14-14-14-1
Sala marina		is not asset	(TEXA)		and the	gita (m.s.) i inglimagita.	OVERS SERVICE AT A	or off and had	STORAGE OF THE SECURITY OF THE
iaborova g	The la	w requires	a commer	nt perio	od for sur	face owners. Howev	er, the permit can b	re issued in less than 15	days from

on a facsimile of this surface owner's copy of the Application.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by a	corporation, partnership, et	<u>c.</u>)	(For execution by natural persons)	Stural persons) Beloseo Paus Date: 4/12/85 (Signature)	
/ By	SW	837208	Olhomor Delaseo (Signature)	Pare: 4/12/85	
Its		Date	(Signature)	Date:	

INSTRUCTIONS TO SURFACE OWNERS AND EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22, Article 4 of the W. Va. Code. Permits are valid for 24 months.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, West Virginia 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be delivered on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

- "(1) The proposed well work will constitute a hazard to the safety of persons; or
- "(2) The plan for soil erosion and sediment control is not adequate or effective; or
- "(3) Damage would occur to publicly owned lands or resources; or
- "(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

List of Water Testing Laboratories. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.



1) Date:			, 19
2) Operator's Well No.	Bela	sco #1	
3) API Well No.	47		
	State	County	Permit

Coal Owner

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY					XX			to the device of the second		-
		If "Gas",	Production	n	321	/ Underground s	Ann Run	/ Deep	_/ Shallow	/)
5) LOCATIO		evation: _ strict:		Simps	on	Watershed:	Harrison	Ouadrangle:	Rosemont 75	
6) WELL OF		PERROLI	ZUM DE	VELOP	MENT	CORPORATION	7) DESIGNATE	Quadrangle: _	R. WILLIAM	S
Addres	s PO	BOX 20		EAST	MAI	STREET SAZ	Address	PO BOX 26,	103 EAST MA	IN STREE
	BRI	IDGEPOI	RT, WV	263	30	15 M. P. P. L. P.	Q	BRIDGEPORT,	WV 06330	
8) OIL & GA	S INSPEC	THE PROPERTY STATE OF THE PARTY STATE OF	BE NOTI	FIED			9) DRILLING C	ONTRACTOR:		
Name	RT		232-	D		grade de se de se	Name			
Addres		WE LEW		26378		******	Address	- Charles		
10) PROPOSE	D WELL	WORK.	Drill	XX	/ Drill	deeper	/ Dadrill	/ Stimulate	ζ,	
io) i koi osi	D WELL	WORK.		ff old fo		n/ Perfora				
						n well (specify)				
11) GEOLOG	ICAL TAR	GET FOR	MATION	,	500					
12) Estim				40; 1		Ieet 400	1250			
13) Appro			110311,	MU; 1	110;	400 feet; salt,		feet.		
14) Appro						Is coa	l being mined in th	e area? Yes	/ No33	
CASING OR	II I I CDI		IFICATIONS	S	1	FOOTAGE IN	TERVALS	CEMENT FILL-UP	PACKERS	
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)		
Conductor	11 3/4	H-40	42#	X		30.	Property of the state of the	(Cubic Issue)	Kinds	
Fresh water										
Coal	8 5/8	J-55	20#	97		975*	975!	acmont to a	Sizes	o amon to
Intermediate	4 1/2		10.5#	X		50001	50001	cement to su	rface(near	cement)
Production Tubing							The same of the sa	100 0000	Depths set	Charles of the
Liners						11/		1 truly re	Perforations:	
						Deliama	RI		Тор	Bottom
							Wellese			
								TREE.	4/	
			_						7/12/85	
	are required of this App T v	d to make olication by	operator, by Code § y the Depa ing waiver corded a d	coal own 22-4-3 m artment.	ner(s), a nust be fi e comple on under	iled with the Departm eted by the coal oper r Code §22-4-20, if th	eby notified that a tent of Mines within	LESSEE Iny objection they wish in fifteen (15) days afte oal owner or coal lesses ssued within fifteen (15)	er the receipt	
						WAIVER				
The undersigne examined this pro undersigned has n the West Virginia	posed well to objection	location. I	f a mine n	nap exist	owner s which done at	covers the area of the	e well location, the	/ of the co	added to the mine	man The
116	2/4	1 4			83	7208 7	BELAS	go Mobilo	Lamo Sales	, Ivc.
Date:	J UV	- /		172	mead	Ву	Dekom	m Belas	in the	Cold Shirt Survey
						Ite	Here	4		
						Its	701-2	1	12/29/2	023



DECENVE

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

Sinte of Mest Airginia DEPARTMENT OF ENERGY Oil und Gas Aivision

Date .	12	/10/8	5	
Operator's	5 .			
Well No		1		
Farm	BEL.	ASCO		
API No.47	-	033	-	3188

WELL OPERATOR'S REPORT

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL TYPE: Oil / Gas xx / Liquid Injection / Waste Disposal / (If "Gas," Production xx / Underground Storage / Deep / Shallow xx /)							
TOCAT	TON:	Elevation: 1132' Watershed	ANN	RUN			
I.C.I.	10.11	District: SIMPSON County			Quadrangle	e ROSEMO	ONT
COMPA	ANY PE	TROLEUM DEVELOPMENT CORPORATION					
ADDRE	SS PO	BOX 26, BRIDGEPORT, WV 26330	T	Casing	Used in	Left	Cement
DESIG	NATED	AGENT STEVEN R. WILLIAMS		Tubing	Drilling		fill up Cu. ft.
ADDRE	ess Po	BOX 26, BRIDGEPORT, WV 26330	-	Size			011 241
SURF7	ACE OW	NER BELASCO MOBILE HOME SALES, INC.		20-16			
ADDRE	SS120	1 W. MAIN ST. BRIDGEPORT, WV 26330		Cond.	28'	28'	surface
MINE	RAL RI	GHTS OWNER same as surface owner	V	9 5/8	20	20	Surrace
ADDRE	ess			8 5/8	971'	971'	165 sks
OIL A	AND GA	S INSPECTOR FOR THIS WORK STEPHEN RT 2, BOX 232-D		7			
CA	ASEY	ADDRESS JANE LEW, WV 26378		5 1/2			
PERM	PERMIT ISSUED 04/16/85 4 1/2 4471 4471' 510 sks.						
DRIL	DRILLING COMMENCED 11/18/85 3						
DRILL	LING O	OMPLETED 11/24/85		2			
CONT		BLE: PLUGGING OF DRY HOLE ON PROGRESSION FROM DRILLING OR VERBAL PERMISSION OBTAINED		Liners used			
CENT	CTCAT	TARGET FORMATION BENSON			Daniel	-b 5000	
GENER			Po	tame vv	Dept		
	-				/ Cable feet	10015_	
		seam depths:				od in the	2
							area:
OPEN		DATA					
		cing formation BENSON					8 feet
	Gas:	Initial open flow not taken Mcf/d					
		Final open flow 852 Mcf/d					
		Time of open flow between in					
		c rock pressure 2000 psig(surf			ent) after	72 hou	rs shut in
		pplicable due to multiple completi				12/2	29/2023
		d producing formation				h_	feet
	Gas:	Initial open flow Mcf/d					
		Final open flow Mcf/d					
		Time of open flow between in					
	Stati	c rock pressurepsig(surfa	ace m	easurene	nt) after_	hou	rs shut in

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

 PERFS
 ACID
 80/100
 20/40
 NITROGEN
 BSLF

 12(4284-88)
 500 GAL. ACID
 15,000
 40,000
 68,000
 625

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

WELL LOG

			7 776
	Perm	BOTTOM FEET	REMARKS Including indication of all fresh
FORMATION COLOR HARD OR SOFT	TOP FEET	BUTTON FLAT	and salt water, coal, oil and gas
	0	10	
KB - GL		1197	hole damp @ 94'
sand, shale, RR	10	1213	Hoze samp
Little Lime	1197	1213	
sand, shale	1213	1387	
Big Lime	1253		
Keener	1387	1351	
Big Injun	1351	1412	gas check @ 1415' 2/10 - 1" H20
sand, shale	1412	1750	gas check e 1712
Gantz	1750	1768	Artist the second of the secon
sand, shale	1768	1788	gas check @ 1789' 2/10 - 1" H20
50 ft	1788	1844	gas check @ 1/09 2/10
sand, shale	1844	1848	0 10511 1/10 = 2" H20
30 ft	1848	1871	gas check @ 1851' 1/10 - 2" H2O
sand, shale	1871	1884	
Gordon Stray	1884	1895	
sand, shale	1895	1925	
Gordon	1925	1944	- 107/1 0/10 - 2" H2O
	1944	2097	gas check @ 1974' 2/10 - 2" H2O
sand, shale 4th	2097	2108	
	2108	2156	
sand, shale	2156	2207	1" 420
4th A	2207	2277	gas check @ 2257' 14/10 - 1" H20
sand, shale	2277	2324	
5th	2324	2846	gas check @ 2351' 14/10 - 1" H20
sand, shale	2846	2907	
Upper Speechley	2907	2933	
sand, shale	2933	2993	
Speechley	2993	3107	gas check @ 3040' 12/10 - 1" H20
sand, shale	3107	3216	840
Balltown	3216	3475	
sand, shale	3475	3588	
Bradford		4068	
sand, shale	3588	4109	gas check @ 4072'10/10 - 1" H20
Riley	4068	4268	gas check @ 4195' 12/10 - 1" H20
sand, shale	4109	4268	gas check @ 4321' 5/10 - 2" H20
Benson .	4268	4538	Driller TD 10/10 - 2" H20
sand, shale	4333	4536	gas check @ collars 8/10 - 2" 1
		4547	Logger TD
		4547	rogger 12

(Attach separate sheets as necessary)

PETROLEUM DEVELOPMENT	CORPORATION
By: The land	12/29/2023
Date: 12/10/85	,

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including ora!, encountered in the drilling of a well."

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION



FINAL INSPECTION REQUEST

INSPECTOR'S COMPLIANCE REPORT

4-16-85

JUN 1 1 1986

Permit No.	33-3188 Strol Devel. Co.	County Han.	~	
Company	graf Gerey. Co.			MACAGE MA
Inspector		Well No.		SCHOOL PROCESSOR PROCESSOR
Date				
			LM COMPLI	ANCE
RULE	DESCRIPTION	e. Distribution of section in 1985 (State of the state agree of the 2 Addition distribution of the state of the section of the	Yes	No
23.06	Notification Prior to starting World	lc		- Committee Control
25.04	Prepared before Drilling to prevent	t waste		www.cochdefierageADW
25.03	High-Pressure Drilling		No. at the contract of the	
16.01	Required Permits at vellsite			
15.03	Adequate Fresh Water Casing		entrangetican diseign	***************************************
15.02	Adequate Coal Casing			www.computerodor/wit/EUP
15.01	Adequate Production Casing		elanges retrosper	
15.04	Adequate Cement Strength			
23.02	Maintained Access Roads		***************************************	
25.01	Necessary Equipment to prevent Wast	te	water the state of	AND DESCRIPTION OF THE PERSON
23.03	Reclaimed Drilling Site			
23.04	Reclaimed Drilling Pits		***************************************	
23.05	No surface or underground Pollution	n	disease and decimalists	na compani in time attende
7.03	Identification Markings			
COMENTS	,			
COMMENTS:				and the second comparison of the second compar
				decend annual system of the first state of the system of t
Management of the second secon			articus de la company de la co	ggrand consumprished Printer
I have inspe	cted the above well and (HAVE/HAVE No	OT) found it to be ing	compliance	with of
•	West Virginia.			
	SIGNED:	She Casu)	
	DATE:	6-6-86.		12/29/20

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

INICL	. C. ID LIC	THE THIT OR THE				
1.0 API well number: (If not assigned, leave blank, 14 digits.)	-	47	-033 -3188	_		
2.0 Type of determination being sought:	- i			18	THE POST	P
	1		103	B	1000	64 W/ 1891
(Use the codes found on the front of this form.)	1	500	nion o' NGPA	Category Code		A / 1
	- 1	Sec	110110 11017	Caregory Body	DEC	9 100F
3.0 Depth of the deepest completion	1		U 2	88 feet L	Mus	1 1839
location: (Only needed if sections 103	i		16	feet L	DASTON OF	UIL x. Care
or 107 in 2.0 above.)	<u> </u>			UE	PARTMENT	OF ENERGY
4.0 Name, address and code number of	1					014902
applicant: (35 letters per line	Pet	roleum Develor	ment corporat	.10n		-
moximum. If code number not	Name					Seller Code
available, leave blank.)	P.C). Box 26, 103	East Main Str	eet		
	Street					
	Bri	dgeport	- W	<u>v</u> 2	6330	
	City		St	ate	Zip Code	
5.0 Location of this well: [Complete (a)	1 //	/				
or (b).]	! 0	nnamed				
(a) For onshore wells	Field !	Name	,	/		
(35 letters maximum for field	i /	Harrison	U	UV		
name.)	Count		St	ate	-	
(b) For OCS wells:	1					
	1					
	Area N	ame		Blo	ock Number	
	1					
	1	Dar	e of Lease:			
	1	1 1 1	1 1 1 1			
	1	Mo.	Day Yr.	OCS Lease Nui		
(c) Name and identification number	-1	WG.	Day II.	OCS LEESE NO	nber	
of this well: (35 iemers and digits	$i \mathcal{R}$	ELASCO	# /			
maximum.)	1	20/130	,			
(d) If code 4 or 5 in 2.0 above, name	1			*/		
of the reservoir: (35 letters	; <i>/</i>	BENSON				
maximum_)	i) Fre de				
6.0 (a) Name and code number of the	1					
	1	11 /	/	11	/	
purchaser: (35 letters and digits	1	= UNION (AN	PRINE 3 H	tope GA	2 laic	
maximum. If code number not		+ UNION (111	VIDE / //	VIL OI	5,100	
available, leave blank.)	Name					Buyer Code
(b) Date of the contract:	· ·		1/12/11	0		
•	!		Mo. Day	Yr.		
(c) Estimated total annual production	i			2 2		
from the welt:	7			Milli	on Cubic Feet	
		T	T	1 (1) 411 0-1		
	1		61-	(c) All Oth	1 10	Total of (a),
9. 0	1	(a) Base Price	(b) Tax	Prices [Indi	; (b) and (c)
	1			(+) or (-).]		
7.0 Contract price:	i	10. Ti	103 + Ta	100		
(As of filing date. Complete to 3	S/MMBTU	Juna	100.1/0	41.5	_	
decimal places)	i	P		-		
8.0 Maximum lawful rate:	1	la tais	103 + Ta	100		
(As of filing date. Complete to 3	S/MMBTU	becom	103.7 10	Mes	_	
decimal places.)	-					
9.0 Person responsible for this application:	1 64	Aron D William	7.0	D	esident	
	!	even R. William	n p			
Agency Use Only	Name	1 11/1		Title		
Date Received by Juris, Agency	1	L. WO				
DEC 1 7 1985	Signatus	1.100				
Date Received by FERC	/	2/11/85		(304)	842-625	6

FERC-121 (8-82)

(304) 842-6256

Phone Number

JAN 15 1986 DEPARTMENT OF MINES, OIL AND GAS DIVISION COVER SHEET, STATE APPLICATION FOR WELL CLASSIFICATION ,1985 AGENCY USE ONLY Date: 38200 Applicant's Name: Petroleum Development Corporation WELL DETERMINATION FILE NUMBER Address: P.O. Box 26 851217 -1030-033 - 3188 Bridgeport, WV 26330 Use Above File Number on all Gas Purchaser Contract No. Communications Relating to This Well Date of Contract (Month, day and year) Designated Agent: Steven R. Williams First Purchaser: Union (arbido) HOPE Address: P.O. Box 26 Address: P.O. Box 2170 (Street or P.O. Box) Bridgeport, WV 26330 26302 Clarksburg, WV 2630) --(State) (Zip (Tode) FERC Seller Code 014902 FERC Buyer Code NAME AND TITLE OF PERSON TO WHOM QUESTIONS CONCERNING THIS APPLICATION SHALL BE ADDRESSED: Name: Steven R. Williams President (Print/ (Title) Signature: P.O. Box 26 Address: (Street or P.O. Box) 26330 Bridgeport, WV (State) 842-3597 (City) (Zip Code) Telephone: 304 (Area Code) (Phone Number) (Certificate of Proof of Service to Purchaser) NGPA Catagory Applied For NGPA SECTION/SUBSECTION 102 New Natural Gas 108 Stripper Well Natural Gas 102-2 2.5 Mile Test 108- Stripper Well 102-3 1000 Foot Deeper Test 108-1 Seasonally Affected 108-2 Enhanced Recovery 102-4 New Onshore Reservoir Enhanced Recovery 108-3 Temporary Pressure Buildup 103 New Onshore Production Well X 103 New Onshore Production Well 107 High Cost Natural Gas AGENCY USE DNLY 107-0 Deep (more than 15,000 feet) 107-1 Geopressured Brine 107-2 Coal Seams QUALIFIED 107-3 Devonian Shale 107-5 Production enhancement 107-6 New Tight Formation 107-7 Recompletion Tight Formation 12/29/2023

DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

hate Perejued

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES, OIL AND GAS DIVISION

Date	12/11/	1985
Operator's Well No.	11	
No. 47 State	033 -	3/88 ·

WELL CLASSIFICATION FORM

NEW ONSHORE PRODUCTION WELL

MGPA Section 103

	DESIGNATED AGENT Petroleum Development Corporation
	ADDRESS 103 Fast Main Street
	Bridgeport, WV 26301
WELL OPERATOR Petroleum Development Co	TPLOCATION: Elevation //32
ADDRESS 103 Fast Main Street	Watershed ann Run
Bridgeport, WV 26301	Disc SIMPSON COUNTY HARRISON QUAC. ROSemont
CAS PURCHASER //NON (ARBIDE	
ADDRESS P.O. BOX 2170 CLANKEBURE	Gas Purchase Contract No. Pending
ADDRESS TO. DOX 2110 CCARCEBOOR	Meter Chart Code
and Hope Has One. 445W.M	O'Date of Contract
Clarksburg, WV 26330	
* * * * * * * /	* * * * * * * * * *
Date surface drilling was begun:	8/85
Indicate the bottom hole pressure of the well	and explain how this was calculated
$P_{ws}=P_{ts}$ (e) $\frac{0.01875 \text{ GH}}{2T}$	
31	
Pws= Static Bottom Hole Pressure=	2253 psia
Pts=Static Wellhead Pressure =	2000 psia
Bottom Hole Temperature = G= Specific Gravity of Gas =	98°F
E= Well Depth to Center Perfs. =	17 46
-	metic Mean Temperature & Pressure= , 765
T= Arithmetic Mean TemperaturéFFIDA	
surface drilling of the well for which this de 1977; the well satisfies applicable state or f within a proration unit, in existence at the t reservoir from which gas is or will be produce in commercial quantities or on which surface of was capable of producing gas in commercial qua- the best of my information, knowledge and beli	termination is sought was begun on or after February 19. The ederal well spacing requirements and the well is not time surface drilling began, which was applicable to the ed and which applied to any other well producing was writting began on or after February 19, 1977, and which mitties. I state, further, that I have concluded, to ef. that the well for which this determination is sought anot aware of any information not described in the inclusion.
	M N N
STATE OF WEST VIRGINIA.	
COUNTY OF Harrison TO WIT:	
I. Deborah Alessio, a Not	ary Public in and for the state and county aforesaid.
	me is signed to the writing above, bearing date
the 12th day of Newsoll . 1985, has	acknowledged the same before me, in my county aforesaid.
Civen under my hand and official	seal this 12th ear of Nicember . 1985.
My term of office expires on the	6th day of August . 1992.
•	
	\sim
(1)(7)(7)(1)	Neboran alexir
[NOTARIAL SEAL]	Notary Public
	12/29/2023

APPLICATION FOR DETERMINATION OF THE MAXIMUM LAWFUL PRICE UNDER THE NATURAL GAS POLICY ACT (NGPA)

	PRICE	UNDER THE NATURAL GAS POLICY ACT (NGPA)		
1.0	API well number.	47-033-3188 - 10115-		
	(If not assigned, leave blank, 14 digits.)		FIRST WOING	
2.0	Type of determination being sought:	107 6	20 TE 181	
	(Use the codes found on the front		100E	
	of this form.)	Section of NGPA Category Code	16.39	
3.0	Depth of the deepest completion	4788 DEPARTMENT	TIL & HAE	
	location: (Only needed if sections 103	4288 Teet DEPARTMENT	I LNERGY	
	or 107 in 2.0 above.)		.,	
4.0	Name, address and code number of		014902	
	applicant: (35 letters per line	Petroleum Development Corporation		
	moximum. If code number not	Name	Seller Code	
	available, leave blank.)	P.O. Box 26, 103 East Main Street		
		Street		
		Bridgeport WV 26330		
		City State Zp Code		
5.0	Location of this well: [Complete (a)	1 //		
	or (b).]	Unnamed		
	(a) For onshore wells	Field Name		
	(35 letters maximum for field	Harrison		
	name.)	County . State -		
	(b) For OCS wells:			
		Area Name Block Number		
		1		
		Date of Lease:		
	(-) 1	Mo. Day Yr. OCS Lease Number		
	(c) Name and identification number	Belasco #1		
	of this well: (35 letters and digits maximum.)	i Delasee "		
	(d) If code 4 or 5 in 2.0 above, name	!		
	of the reservoir: (35 letters	Benson		
	maximum.)	1		
50	(a) Name and code number of the	1		
0.0	purchaser: (35 letters and digits			
	maximum. If code number not	UNION (AMBIDE / HOPE GAS, INC		
	available, leave blank.)	Name		
	(b) Date of the contract:	1 Note	Buyer Code	
	to bate of the contract.	! 0 /		
		Pending Mo. Day Yr.		
-	(c) Estimated total annual production	Mo. Day Yr.		
	from the well:	30 Million Cubic Feet	* 1	
	The French	1		
-		Ic) All Other		
		(d) Base Price (b) Tax Prices [Indicate	Total of (a),	
	2.2	(b)	and (c)	
7.0	Contract price:	17/01-1.)		
	(As of filing date. Complete to 3	IS/MMBTU Section 103 + Taxes		
	decimal places.)		•	
-	Maximum lawful rate:			
	(As of filing date. Complete to 3	S/MMBTU Section 103+ Tuxes		
	decimal places.)	1 2.1 1	•	
	Person responsible for this application:			
	this eppincetion.	Steven R. Williams President		
	Agency Use Only	Name Title		
Date	Received by Juris, Agency	ATV. W		

FERC-121 (8-82)

STATE OF WEST VIRGINIA

840043 - 7/
DEPARTMENT OF MINES, OIL AND GAS DIVISION

JAN 15 1986

COVER SHEET, STATE APPLICATION FOR	WELL CLASSIFICATION
Cate: /2/11/,1985 38200	AGENCY USE ONLY
applicant's Name: Petroleum Development Corporation	WELL DETERMINATION FILE NUMBER
ddress: P.O. Box 26	
Bridgeport, WV 26330	85/2/7 -1076-033-3188
Sas Purchaser Contract No. Pending	Use Above File Number on all Communications Relating to This Well
ate of Contract (Month, day and year)	
irst Purchaser: UNION (arbide HOPE GAS INC	Designated Agent: Steven R. Williams Address: P.O. Box 26
(Street or P.O. Box) Clarksburg, WU 26302	Bridgeport, WV 26330
(City) (State) (Zip Code) ERC Seller Code 014902	FERC Buyer Code
NAME AND TITLE OF PERSON TO WHOM OUESTIONS CONCERNI	NG THIS APPLICATION SHALL
Name: Steven R. Williams	President
Signature: (Print)	(Title)
Address: P.O. Box 26 (Street or P.O. Box) Bridgeport, WV	26330
(City) (State) Telephone: (304) 842-3597 (Area Code) (Phone No.	(Zip Code)
(Certificate of Proof of Service to Purcha	ser)
NGPA Catagory App	lied For
GPA SECTION/SUBSECTION	
02 New Natural Gas 102-2 2.5 Mile Test 102-3 1000 Foot Deeper Test 102-4 New Onshore Reservoir 03 New Onshore Production Well	108 Stripper Well Natural Gas 108- Stripper Well 108-1 Seasonally Affected 108-2 Enhanced Recovery 108-3 Temporary Pressure Buildu
103 New Onshore Production Well	
107-0 Deep (more than 15,000 feet) 107-1 Geopressured Brine	AGENCY USE ONLY
107-2 Coal Seams 107-3 Devonian Shale 107-5 Production enhancement 107-6 New Tight Formation 107-7 Recompletion Tight Formation DEC 17 1095 DIVISION OF DIL & GAS	12/29/2023 QUALIFIED
DEPARTMENT OF ENERGY	

DET X	AND GAS DIVISIAN NO. 1
	API NO. 47 State County
Kar C	LASSIFICATION FORM
HIGH-COST G	45 - NEW TICHT FORMATION
: NE	PA SECTION 107
NEU CPERIOR Petroleum Development Corp.	Designated Agent Petroleum Development Co
loiress 103 East Main St., P.O. Box 26	
Bridgeport, WV 26330	Bridgeport, WV 26330
Ges Purchaser UNWA (AMBIDA) HOPE GAS, INC.	Matersiza ann Nun Quis . Rosemon
Clarksburg, WU 26302 Clarksburg, WV 26	
The sound for the state of the	Contract No. Pending
	Hater Chart Orde
	Date of Contract
Date surface drilling bagan //////	/ * * * * 85
indicate the bottom hole pressure of well as	no explain how this was calculated:
O.01875 GH Pws = Pts(e) Pws = Static Bottom Hole Pressure = 225 Pts = Static Wellhead Pressure = 200 Bottom Hole Temperature = 98 G = Specific Gravity of Gas = .Ul H = Well Depth to Center Perfs = 4286 Compressibility Factor at Arithmetic Mean Temperature = 53 I, STEUEN R. Williams , having	O psia . OF
have no knowledge of any information not des with a conclusion that the well qualifies as	en in the explication which is incursists a high-most ratural gas well.
	Str. R. Win
SERTE OF WEST VURGINIA	
COLVEN OF EASTISON , TO-AUT:	
I, DEBORAR ALESSIO , a Nicar	
efoleseid, do certain that whose, has admoviedged the same before ma,	in the county eformed. 12/29/2023
Given under my hand this 12th	33 05 Accenter , 1985.
My cardissian expires: ANGO	
	Strong alusio

