

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street SE Charleston, WV 25304 (304) 926-0450 (304) 926-0452 fax Earl Ray Tomblin, Governor Randy C. Huffman, Cabinet Secretary www.dep.wv.gov

July 09, 2013

WELL WORK PERMIT

Horizontal 6A Well

This permit, API Well Number: 47-3305743, issued to PDC MOUNTAINEER LLC, is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to all conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

In addition to the applicable requirements of this permit, and the statutes and rules governing oil and gas activity in WV, this permit may contain specific conditions which must be followed. Permit conditions are attached to this cover letter.

Per 35CSR-4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0499 ext. 1654.

James Martin

Chief

Operator's Well No: MAXWELL 5HM

Farm Name: LYNCH FARM LLC

API Well Number: 47-3305743

Permit Type: Horizontal 6A Well

Date Issued: 07/09/2013

Promoting a healthy environment.

PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than fifty (50) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
- 2. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the fill material shall be within plus or minus 2% (unless soil test results show a greater range of moisture content is appropriate and 95% compaction can still be achieved) of the optimum moisture content as determined by the standard proctor density test, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort. Each lift must meet 95% compaction of the optimum density based on results from the standard proctor density test of the actual soils used in specific engineered fill sites. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
- 3. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
- 4. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
- 5. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS WELL WORK PERMIT APPLICATION

		<u>WEL</u>	L WORK PE	RMIT APPLICAT			\mathcal{A}^{Q}
1) Well Operator:	PDC Mo	untainee	r. LLC	494494839	Harrison	Union	Mount Clare 7.5'
1) Well Operator.			.,	Operator ID	County	District	Quadrangle
2) Operator's Well	Number:	5HM		W	ell Pad Nam	ne: Maxwell	/
3 Elevation, curren	t ground:	1462'	Ele	vation, proposed p	oost-construc	tion:	1459' 1
4) Well Type: (a) C	as	•	Oil	Underground	l Storage		
	Other	_					
(b) I		hallow		Deep			
5) Existing Pad? Ye		orizontal No					
6) Proposed Target Marcellus Shale, 7600' TV		•	•	ed Thicknesses and		Pressure(s):	
7) Proposed Total V	ertical Dep	oth: 7	'600'				
8) Formation at Tot	al Vertical	Depth:	Marcellus Shale				
9) Proposed Total N	leasured D	epth:	15,422'		/		
10) Approximate Fr	esh Water	Strata Dep	oths: 302	2', 369', 396', & 429'			
11) Method to Deter	rmine Fresl	n Water D	epth: Re	ported Wells: 47-033-0477	5, 04559, 04575, &	05556	
12) Approximate Sa	ltwater De	pths:	628', 1261'				
13) Approximate Co	oal Seam D	epths:	361', 540'	/			
14) Approximate De	epth to Pos	sible Void	(coal mine, l	carst, other):	Not known		
15) Does proposed vadjacent to an ac		If so, indi	icate name an	d depth of mine:	No		
16) Describe propos	ed well wo	rk: D	rill and stimulate a r	new horitzontal Marcellus w	Cocaived el following all stat	e & Federal guidelin	es. All casing
used in the well bore will b	e new casing. Co	entralizers will b	e used contingent up	on final log of well. Product	ion string cement wi	ll be at least 100 feet	into the
intermediate string. Cemer			1 1 1 1 1				
17) Describe fractur	_	_		ly 10,000 bbl of water and 40	0.000 pounds of san	d. Frac additives, ch	emical names.
and CAS #s are provided of							<u> </u>
18) Total area to be	disturbed, i	including	roads, stockp	ile area, pits, etc, (acres):	= (4.4)	16,59AC
19) Area to be distu	rbed for we	ll pad onl	y, less access	road (acres):			1,23 AC
							Page 1 of 3

WW - 6B (3/13)

20)

CASING AND TUBING PROGRAM



ТҮРЕ	Size	New or Used	<u>Grade</u>	Weight per ft.	FOOTAGE: For Drilling	INTERVALS: Left in Well	CEMENT: Fill -up (Cu. Ft.)
Conductor	20"	New	H-40	94#	65'	65'	Cement to surface
Fresh Water	13 3/8"	New	J-55	54.5#	500'	500'	Cement to surface
Coal							
Intermediate	9 5/8"	New	J-55	40#	2850'	2850'	Cement to surface
Production	5 1/2"	New	P-110	20#	15,422'	15,422'	2820 minimum
Tubing							
Liners						-	

ТҮРЕ	Size	Wellbore Diameter	Wall Thickness	Burst Pressure	Cement Type	Cement Yield
Conductor	20"	24"	0.756	1500	1	1.06
Fresh Water	13 3/8"	17 1/2"	0.66	1730	1	1.18
Coal	<u> </u>				<u> </u>	
Intermediate	9 5/8"	12 1/4"	0.704	3520	1	1.18
Production	5 1/2"	8.5"/8.75"	0.722	12,460	Н	1.18
Tubing						
Liners		_				

PACKERS

Kind:		Received
Sizes:		Office of Oil & Gas
Depths Set:		(L-5) (Q4)

Page 2 of 3

21) Describe centralizer placement for each casing string.	Conductor: None
Surface 13 3/8": Centralizers every 90' & 1 Basket	
Intermediate 9 5/8": Centralizers every 7 joints & 1 Basket	
Production 5 1/2": Centralizers every 12 joints in the vertical sea	ction & every 2 joints in the horizontal section
00\ D	
22) Describe all cement additives associated with each cement	type. **See additional sheet for description of additives**
Conductor: Type 1 Cement	
Surface: Type 1 Cement + 2% CaCl + 1/4 #/sack Cello Flake	
Intermediate: Pre-Flush - Mud Clean 1 ahead of Type 1 cement	+ 2% CaCl + 1/4 #/sack Cello Flake
Production: Pre-Flush - Mud Clean 1 ahead of Lead Cement Ty	pe 1 + 0.4% bwoc R-3 + 0.3% bwoc CD-32 +
1% bwoc FL-62 + 0.15% bwoc ASA-301 + 50.5% Fresh Water &	followed by a Tail Cement Class H + 0.1% bwoc
R-3 CD-32 + 1.2% bwoc FL-62 + 0.1% bwoc ASA-301 + 0.4% b	woc Sodium Metasilicate + 50.5% Fresh Water
23) Proposed borehole conditioning procedures. Surface	and intermediate holes are cleaned with air.
Production hole is circulated with mud for at least 4 hours with hi	gh viscosity sweeps ran occasionally.
	
Note: Attach additional sheets as needed	

Received Office of Oil & Gas

7.37.45

22) Description of Cement Additives (Continued)

CaCl – Calcium Chloride – Accelerator
Cello Flake – Lost circulation control agent
R-3 – Retarder
CD-32 – Dispersant
FL-62 – Fluid – loss control agent
ASA-301 – Sodium Metasillicate – Free water control + Solid Suspension

Flags yed Office of Oil 1, that

Frac Additives, Chemical Names, and CAS #'s


Vendor	Product	Code Number	Component	CAS-NO.
Schlumberger	100-mesh Sand	S100	Crystalline silica	14808-60-7
Schlumberger	30/50 mesh sand	S012-3050	Crystalline silica	14808-60-7
Schlumberger	40/70 mesh sand	S012-4070	Crystalline silica	14808-60-7
Schlumberger	Corrosion Inhibitor	A264	Methanol	67-56-1
			Prop-2-yn-1-ol	107-19-7
Schlumberger	Surfactant	F108	Methanol	67-56-1
Schlumberger	HCL	H028	Hydrochloric Acid	7647-01-0
Schlumberger	Gelling Agent	J590	Propan-2-ol	67-63-0
Schlumberger	Friction Reducer	J609	Ammonium sulfate	7783-20-2
Schlumberger	Iron Stabilizer	L058	Sodium erthorbate	6381-77-7
XCHEM	Scale Inhibitor	TS-30	Sodium polycarboxylate	ND
XCHEM	Bleach	449610	Sodium chloride	7647-14-5
			Sodium hydroxide	1310-73-2
			Sodium Hypochlorite	7681-52-9
XCHEM	Chlorite	ADOX 3125/8125	Sodium chlorite	7758-19-2


Flerelynd Gffug Gl Oli & Gas

The same

PDC Mountaineer Maxwell 5HM Well Plan Harrison County, WV







	Page	of	
API Number 47 - 33	<i>o</i> s	743	
Operator's Well 1	Vo. 5нм	_	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name PDC Mountaineer, LLC	OP Code 494494839
Watershed (HUC 10) West Fork River	Quadrangle Mount Clare 7.5'
Elevation 1,462 County Harrison	District_ Union
Do you anticipate using more than 5,000 bbls of water to con Will a pit be used for drill cuttings? Yes No	
If so, please describe anticipated pit waste:	. N/A
Will a synthetic liner be used in the pit? YesX	No If so, what ml.? 60
Proposed Disposal Method For Treated Pit Wastes:	
Reuse (at API Number Off Site Disposal (Supply form W	nit Number) /W-9 for disposal location) /ill be removed offsite to Meadow Fill Landfill
Will closed loop system be used?	
Drilling medium anticipated for this well? Air, freshwater, o	Il based, etc. Synthetic Mud
-If oil based, what type? Synthetic, petroleum, etc	
	me, Perma-Lose, Xan-plex, Walnut Hulls, Super Sweep, Caustic Soda, Bar, X-cide
Drill cuttings disposal method? Leave in pit, landfill, remove	
-If left in pit and plan to solidify what medium will be -Landfill or offsite name/permit number? Meadow Fill	Landfill - Massellus profile# 100 678WV
on August 1, 2005, by the Office of Oil and Gas of the West provisions of the permit are enforceable by law. Violations law or regulation can lead to enforcement action. I certify under penalty of law that I have personal application form and all attachments thereto and that, bas obtaining the information, I believe that the information is penalties for submitting false information, including the possi Company Official Signature Company Official Title Designated Agent	OFFICIAL SEAL Notary Public, State of West Virginia DEANNA S McVICKER 4230 Dusk Camp Run Hoad Sand Fork, WV 28430 My commission expires January 22, 2023
Subscribed and sworn before me this day of	
My commission expires	Notary Public

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by:

Field Reviewed?

North N Pit: cut walls Pit: compacted fill walls Water wells Area for Land Application of Pit Waste						330	S 74:	3
Road = = Spring Wet Spot Planned Fence X			L	EGEND				
Existing Fence — X — X — X — Wet Spot Planned Fence — / / / Drain Pipe with size in Inches Stream	Property Boundary			Diversion	1 ((((())))	441111		11111
Planned Fence	Road = = = = = =			Spring	\longrightarrow			_
Open Ditch Cross Drain Artificial Filter Strip XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	•			Wet Spot	4			
Open Ditch Open Ditch Rock SSSS North North Pit: cut walls Pit: compacted fill walls Area for Land Application of Pit Waste Drill site Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON Ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 1-5 ANNUAL RYE 15 ANNUAL RYE 15	Planned Fence /	/ /	-	Drain Pip	e with size in inche	s <u></u>	(2)	_
Open Ditch Rock Rock Seed Type Artificial Filter Strip Artificial	Stream		`, ਜ				-	
Artificial Filter Strip XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX				_				
Pit: cut walls Buildings Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	Rock 85588					V V V V V V		
Buildings Water wells Water wells Drill site Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 1-5 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	North N)			1	,	\	XXXX
Area for Land Application of Pit Waste Drill site Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15				I IL. CUL W	ans Euro			
Drill site Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type Ibs/acre Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	Buildings			Pit: comp	acted fill walls			
Proposed Revegetation Treatment: Acres Disturbed 21.18 +/- Prevegetation pH Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON ibs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type ibs/acre Seed Type ibs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	Water wells (W)			Area for	Land Application of	Pit Waste		
Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	Drill site				./-			
Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15								
Lime 3 Tons/acre or to correct to pH 6.5 Fertilizer (10-20-20 or equivalent) 1/3 TON lbs/acre (500 lbs minimum) Mulch HAY 2 Tons/acre Seed Mixtures Area I Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15	Proposed Revegetation Treat	ment: Acres Dist	urbed2	21.18 +/-	- Prevege	tation pH		0
Fertilizer (10-20-20 or equivalent) 1/3 TON _ ibs/acre (500 lbs minimum) Mulch _ HAY						•		
Mulch HAY 2 Tons/acre Seed Mixtures Area I Area II Seed Type Ibs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15 Attach:					•			
Seed Mixtures Area I	75				oo los minimini			
Area I Seed Type Ibs/acre Seed Type Ibs/acre	ividicit HAT		10	ns/acre				
Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 1-5 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15 Attach:	•		See	d Mixtures			8	1
Seed Type lbs/acre Seed Type lbs/acre KY-31 40 ORCHARD GRASS 15 ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15 Attach:		ea I				Area II		
ALSIKE CLOVER 5 ALSIKE CLOVER 5 ANNUAL RYE 15 Attach:	Seed Type	lbs/acre			Seed Type	Alea II	Ibs/acre	
ANNUAL RYE 15 Attach:	. KY-31	40			ORCHARD GRASS	<u> </u>	<u>1</u> -5	
ANNUAL RYE 15 Attach:	ALSIKE CLOVER	5			ALSIKE CLOVER	-	5	
Attach:	ANNUAL RYE	15					_ _	
Attach:			•			···		
	Attach	· }		- <u></u>				
		pit and proposed	area for land	application	ι.			10

Received Office of Oil & Gas

Date: 22APR13

west virginia department of environmental protection



Water Management Plan: Primary Water Sources



WMP-01231

API/ID Number:

047-033-05743

Operator:

PDC Mountaineer

Maxwell 5HM

Important:

For each proposed primary water source (including source intakes for purchased water sources) identified in your water management plan, and summarized herein, DEP has made an evaluation concerning water availability over the specified date range. DEP's assessment is based on the following considerations:

- •Statistical analysis of historical USGS stream gauge data (transferred to un-gauged locations as necessary);
- •Identification of sensitive aquatic life (endangered species, mussels, etc.);
- •Quantification of known existing demands on the water supply (Large Quantity Users);
- Minimum flows required by the Army Corps of Engineers; and
- •Designated stream uses.

Based on these factors, DEP has provided, for each intake location (and origination point for purchased water), a reference gauge location and discharge flow reading which must be surpassed prior to withdrawals. Additionally, DEP has established a minimum passby flow at the withdrawal location which must also be surpassed prior to withdrawals. These thresholds are considered terms of the permit and are enforceable as such.

DEP is aware that some intake points will be used for mutiple wells and well sites. In these cases, the thresholds set by the Water Management Plan are to be interepreted as total withdrawal limits for each location over the specified date range regardless of how many wells are supported by that intake.

For all purchased water intakes, determinations of water availability are made at the original source intake location. It is the responsibility of the Oil and Gas Operator, not the seller, to cease withdrawal of water from the seller when flows are less than the minimum gauge reading at the stream gauge referenced by the Water Management Plan in order to protect stream uses.

Note that the determinations made herein are based on the best available data, but it is impossible to predict water availability in the future. While the DEP has carefully established these minimum withdrawal thresholds, it remains the operator's responsibility to protect aquatic life at all times. Approval to withdrawal is contingent upon permission from the land owner. It is the responsibility of the operator to secure and maintain permission prior to any withdrawals.

The operator is reminded that 24-48 hours prior to withdrawing (or purchasing) water, DEP must be notified by email at DEP.water.use@wv.gov.

APPROVED JUN 1 2 2013

west virginia department of environmental protection

6/12/2013 10:18:52 AM

Source Summary

WMP-01231

AP! Number:

047-033-05743

Operator:

PDC Mountaineer

Maxwell 5HM

Stream/River

Source

West Fork River @ WBM Heirs Properties Withdrawal Site

Owner:

WBM Heirs Properties

Start Date

End Date

Total Volume (gal) Max. daily purchase (gal)

Intake Latitude: Intake Longitude:

3/1/2014

3/1/2015

8,850,000

39.223184

-80.374736

Regulated Stream? Stonewall Jackson Dam Ref. Gauge ID:

3061000

WEST FORK RIVER AT ENTERPRISE, WV

Max. Pump rate (gpm):

2,000

Min. Gauge Reading (cfs):


175.94

Min. Passby (cfs)

111.68

DEP Comments:

Source Detail



"Threshold", as depicted in the chart above is meant only to indicate the calculated base threshold at the proposed withdrawal location. This value does not include the proposed pump rate or existing demand on the stream. Refer to the monthly breakdown above for a more complete estimation of water availability by month.

- Threshold

10

11

12

maintain the minimum guaranteed flow requirements.

Median Monthly Flow

8

west virginia department of environmental protection

500

1

2

3

6/12/2013 10:18:52 AM

27.85

0.00

Headwater Safety (cfs):

Ungauged Stream Safety (cfs):

Min. Gauge Reading (cfs):

Passby at Location (cfs):

west virginia department of environmental protection



Water Management Plan: Secondary Water Sources



WMP-01231

API/ID Number

047-033-05743

Operator:

PDC Mountaineer

Maxwell 5HM

Important:

For each proposed secondary water source identified in your water management plan (i.e., groundwater well, lake/reservoir, recycled frac water, multi-site impoundment, out-of-state source), DEP makes no estimation of the availability of water. These sources may prove to be unsuitable water supplies. Please review the following notes:

- •For groundwater supply wells, DEP recommends that the operator contact the local health department prior to drilling any new well; and reminds the operator that all drinking water wells within 1,500 feet of a water supply well shall be flow- and quality-tested by the operator at the request of the drinking well owner prior to operation of the water supply well.
- •For each proposed multi-site impoundment water source identified in your water management plan (if applicable), DEP will review the withdrawal limits established in the referenced Water Management Plan for current suitability and provide to the operator these limits for each identified intake. Note that withdrawal limits may be modified as necessary based on changing demands upon that water supply.

Recycled Frac Water

Source ID:	17932	Source Name	Various		Source start date:	3/1/2014
					Source end date:	3/1/2015
		Source Lat:		Source Long:	County	
		Max. Daily Pur	chase (gal)		Total Volume from Source (gal):	250,000
	DEP Co	mments:				

