

State of West Virginia
Department of Environmental Protection - Office of Oil and Gas
Well Operator's Report of Well Work

API 47-033-05802 County HARRISON District TEN MILE
Quad SALEM 7.5' Pad Name J.M FULTZ Field/Pool Name WOLF SUMMIT
Farm name MYERS, EDGAR LEE JR. Well Number 147
Operator (as registered with the OOG) H.G. ENERGY LLC
Address 5260 DuPONT ROAD City PARKERSBURG State WV Zip 26101

As Drilled location NAD 83/UTM Attach an as-drilled plat, profile view, and deviation survey
Top hole Northing 4,346,934 M Easting 542,313 M
Landing Point of Curve Northing _____ Easting _____
Bottom Hole Northing 4,346,815 M Easting 542,538 M

Elevation (ft) 1,281' GL Type of Well New Existing Type of Report Interim Final
Permit Type Deviated Horizontal Horizontal 6A Vertical Depth Type Deep Shallow
Type of Operation Convert Deepen Drill Plug Back Redrilling Rework Stimulate
Well Type Brine Disposal CBM Gas Oil Secondary Recovery Solution Mining Storage Other _____
Type of Completion Single Multiple Fluids Produced Brine Gas NGL Oil Other _____
Drilled with Cable Rotary

Drilling Media Surface hole Air Mud Fresh Water Intermediate hole Air Mud Fresh Water Brine
Production hole Air Mud Fresh Water Brine
Mud Type(s) and Additive(s)
N/A

Date permit issued 2/4/14 Date drilling commenced 4/8/14 Date drilling ceased 4/11/14
Date completion activities began 4/25/14 Date completion activities ceased 5/8/14
Verbal plugging (Y/N) N Date permission granted _____ Granted by _____

Please note: Operator is required to submit a plugging application within 5 days of verbal permission to plug

Freshwater depth(s) ft None Open mine(s) (Y/N) depths _____
Salt water depth(s) ft None Void(s) encountered (Y/N) depths _____
Coal depth(s) ft 646'-654' Cavern(s) encountered (Y/N) depths _____
Is coal being mined in area (Y/N) N

RECEIVED
Office of Oil and Gas
JUN 13 2014
Reviewed by:
WV Department of
Environmental Protection
06/27/2017

API 47-033 - 05802 Farm name MYERS, EDGAR LEE JR. Well number 147

CASING STRINGS	Hole Size	Casing Size	Depth	New or Used	Grade wt/ft	Basket Depth(s)	Did cement circulate (Y/N) * Provide details below*
Conductor	12 1/4"	11 5/8"	30'	Used	LS		Sand In
Surface	8 3/4"	7"	717'	New	LS	64'	Y
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	6 1/2"	4 1/2"	3299'	New	J-55		Y
Tubing							
Packer type and depth set							

Comment Details Circulated Est. 15 sks to surface on 7" surface cement job. Circulated Est. 35 sks to surface on 4 1/2" cement job.

CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurry wt (ppg)	Yield (ft ³ /sks)	Volume (ft ³)	Cement Top (MD)	WOC (hrs)
Conductor							
Surface	Reg Neat	185	15.6	1.18	218	Surface	8
Coal							
Intermediate 1							
Intermediate 2							
Intermediate 3							
Production	50:50 Pozmix/ Econo	200/95	14.2/11.8	1.27/2.93	254/278	75'	8
Tubing							

Drillers TD (ft) 3348' Loggers TD (ft) 3330'
 Deepest formation penetrated Fifth Sand Plug back to (ft) N/A
 Plug back procedure N/A

Kick off depth (ft) 850'

Check all wireline logs run caliper density deviated/directional induction
 neutron resistivity gamma ray temperature sonic

Well cored Yes No Conventional Sidewall Were cuttings collected Yes No

DESCRIBE THE CENTRALIZER PLACEMENT USED FOR EACH CASING STRING _____

20 Centralizers every 64' from bottom on 4 1/2", Centralizer placed mid string on 7"

WAS WELL COMPLETED AS SHOT HOLE Yes No DETAILS _____

WAS WELL COMPLETED OPEN HOLE? Yes No DETAILS _____

WERE TRACERS USED Yes No TYPE OF TRACER(S) USED _____

RECEIVED
Office of Oil and Gas
JUN 13 2014
WV Department of
Environmental Protection
06/27/2017

API 47- 033 - 05802 Farm name MYERS, EDGAR LEE JR. Well number 147

PRODUCING FORMATION(S)	DEPTHS	
Fifth Sand	2933'-2936'	TVD 3128'-3132' MD

Please insert additional pages as applicable.

GAS TEST Build up Drawdown Open Flow OIL TEST Flow Pump
 SHUT-IN PRESSURE Surface _____ psi Bottom Hole _____ psi DURATION OF TEST _____ hrs
 OPEN FLOW Gas _____ mcfpd Oil _____ bpd NGL _____ bpd Water _____ bpd GAS MEASURED BY
 Estimated Orifice Pilot

LITHOLOGY/ FORMATION	TOP DEPTH IN FT NAME TVD	BOTTOM DEPTH IN FT TVD	TOP DEPTH IN FT MD	BOTTOM DEPTH IN FT MD	DESCRIBE ROCK TYPE AND RECORD QUANTITY AND TYPE OF FLUID (FRESHWATER, BRINE, OIL, GAS, H ₂ S, ETC)
Sand/Shale	0	646	0	646	
Pittsburgh Coal	646	654	646	654	
Sand/Shale	654	2002	654	2072	
Big Lime	2002	2085	2072	2169	
Big Injun	2085	2125	2169	2216	
Shale	2125	2526	2216	2667	
Fifty Foot	2526	2547	2667	2691	
Shale	2547	2616	2691	2768	
Sand	2616	2770	2768	2944	
Shale	2770	2932	2944	3128	
Fifth Sand	2932	2936	3128	3132	Drilled directional S 68 degrees E a distance of 860'
Shale	2936	3134	3132	3348	
TD	3134		3348		

Please insert additional pages as applicable.

Drilling Contractor Decker Drilling
 Address 11565 State Route 676 City Vincent State OH Zip 45784

Logging Company Weatherford International
 Address 777 North River Avenue City Weston State WV Zip 26452

Cementing Company Baker Hughes
 Address 2228 Philippi Pike City Clarksburg State WV Zip 26301

Stimulating Company Producers Service Corp.
 Address 109 South Graham Street City Zanesville State OH Zip 43701

Please insert additional pages as applicable.

Completed by Roger Heldman Telephone 304-420-1107
 Signature  Title Operations Mgr Date 6/9/14
 WV Department of Environmental Protection

Submittal of Hydraulic Fracturing Chemical Disclosure Information Attach copy of FRACFOCUS Registry

06/27/2017



