



---

west virginia department of environmental protection

---

Office of Oil and Gas  
601 57<sup>th</sup> Street, S.E.  
Charleston, WV 25304  
(304) 926-0450  
fax: (304) 926-0452

Jim Justice , Governor  
Austin Caperton , Cabinet Secretary  
www.dep.wv.gov

Friday, August 18, 2017  
WELL WORK PERMIT  
Horizontal 6A / New Drill

ARSENAL RESOURCES LLC  
6031 WALLACE ROAD EXTENSION SUITE 300

WEXFORD, PA 15090

Re: Permit approval for PRITT SOUTH 203  
47-033-05889-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Please be advised that form WR-35, Well Operators Report of Well Work is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926- 0450.



James A. Martin  
Chief

Operator's Well Number: PRITT SOUTH 203  
Farm Name: PRITT, IRA & LAURA  
U.S. WELL NUMBER: 47-033-05889-00-00  
Horizontal 6A / New Drill  
Date Issued: 8/18/2017

Promoting a healthy environment.

08/18/2017

# PERMIT CONDITIONS

West Virginia Code § 22-6A-8(d) allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

## CONDITIONS

---

1. This proposed activity may require permit coverage from the United States Army Corps of Engineers (USACE). Through this permit, you are hereby being advised to consult with USACE regarding this proposed activity.
2. If the operator encounters an unanticipated void, or an anticipated void at an unanticipated depth, the operator shall notify the inspector within 24 hours. Modifications to the casing program may be necessary to comply with W. Va. Code § 22-6A-5a (12), which requires drilling to a minimum depth of thirty feet below the bottom of the void, and installing a minimum of twenty (20) feet of casing. Under no circumstance should the operator drill more than one hundred (100) feet below the bottom of the void or install less than twenty (20) feet of casing below the bottom of the void.
3. When compacting fills, each lift before compaction shall not be more than 12 inches in height, and the moisture content of the fill material shall be within limits as determined by the Standard Proctor Density test of the actual soils used in specific engineered fill, ASTM D698, Standard Test Method for Laboratory Compaction Characteristics of Soil Using Standard Effort, to achieve 95 % compaction of the optimum density. Each lift shall be tested for compaction, with a minimum of two tests per lift per acre of fill. All test results shall be maintained on site and available for review.
4. Operator shall install signage per § 22-6A-8g (6) (B) at all source water locations included in their approved water management plan within 24 hours of water management plan activation.
5. Oil and gas water supply wells will be registered with the Office of Oil and Gas and all such wells will be constructed and plugged in accordance with the standards of the Bureau for Public Health set forth in its Legislative rule entitled *Water Well Regulations*, 64 C.S.R. 19. Operator is to contact the Bureau of Public Health regarding permit requirements. In lieu of plugging, the operator may transfer the well to the surface owner upon agreement of the parties. All drinking water wells within fifteen hundred feet of the water supply well shall be flow tested by the operator upon request of the drinking well owner prior to operating the water supply well.
6. Pursuant to the requirements pertaining to the sampling of domestic water supply wells/springs the operator shall, no later than thirty (30) days after receipt of analytical data provide a written copy to the Chief and any of the users who may have requested such analyses.
7. 24 hours prior to the initiation of the completion process the operator shall notify the Chief or his designee.
8. During the completion process the operator shall monitor annular pressures and report any anomaly noticed to the chief or his designee immediately.
9. If any explosion or other accident causing loss of life or serious personal injury occurs in or about a well or well work on a well, the well operator or its contractor shall give notice, stating the particulars of the explosion or accident, to the oil and gas inspector and the Chief, within 24 hours of said accident.
10. During the casing and cementing process, in the event cement does not return to the surface, the oil and gas inspector shall be notified within 24 hours.

## PERMIT CONDITIONS

11. The operator shall provide to the Office of Oil and Gas the dates of each of the following within 30 days of their occurrence: completion of construction of the well pad, commencement of drilling, cessation of drilling, completion of any other permitted well work, and completion of the well. Such notice shall be provided by sending an email to [DEPOOGNotify@wv.gov](mailto:DEPOOGNotify@wv.gov).

WW-68  
(04/15)

API NO. 47-033 - 05989  
OPERATOR WELL NO. 203  
Well Pad Name: Pritt South

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
WELL WORK PERMIT APPLICATION

1) Well Operator: Arsenal Resources

<u>494519412</u>	<u>Harrison</u>	<u>Simpson</u>	<u>Brownton</u>
------------------	-----------------	----------------	-----------------

  
Operator ID      County      District      Quadrangle

2) Operator's Well Number: 203      Well Pad Name: Pritt South

3) Farm Name/Surface Owner: Ira Pritt      Public Road Access: County Route 17

4) Elevation, current ground: 1,343.30'      Elevation, proposed post-construction: 1,345.90'

5) Well Type (a) Gas  Oil  Underground Storage   
Other

(b) If Gas Shallow  Deep   
Horizontal

*SDW*  
*5/10/2017*

6) Existing Pad: Yes or No No

7) Proposed Target Formation(s), Depth(s), Anticipated Thickness and Expected Pressure(s):  
Marcellus Shale, 7790.0ft (TVD Heel) - 7790.0ft (TVD Toe), 100ft, 0.5 psi/ft Base of Marcellus Shale, 7890.0ft (TVD Heel) - 7890.0ft (TVD Toe)

8) Proposed Total Vertical Depth: 7,878 ft

9) Formation at Total Vertical Depth: Marcellus shale

10) Proposed Total Measured Depth: 14,169 ft

11) Proposed Horizontal Leg Length: 5920 ft

12) Approximate Fresh Water Strata Depths: 400 ft

13) Method to Determine Fresh Water Depths: Offsetting wells reported water depths (033-00660, 033-00950, 033-00960, 033-00976, 033-00980, 033-03262)

14) Approximate Saltwater Depths: 800'-1400'

15) Approximate Coal Seam Depths: Bakerstown 483', Brush Creek 562', Upper Freeport 643', Lower Freeport 703', Upper Kittanning 778', Middle Kittanning 838', Lower Kittanning 851'

16) Approximate Depth to Possible Void (coal mine, karst, other): None

17) Does Proposed well location contain coal seams directly overlying or adjacent to an active mine?      Yes       No

(a) If Yes, provide Mine Info: Name: \_\_\_\_\_  
Depth: \_\_\_\_\_  
Seam: \_\_\_\_\_  
Owner: \_\_\_\_\_

**RECEIVED**  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

08/18/2017

WW-6B  
(04/15)

API NO. 47- 033 - 05889  
 OPERATOR WELL NO. 203  
 Well Pad Name: Pritt South

18)

CASING AND TUBING PROGRAM

TYPE	Size (in)	New or Used	Grade	Weight per ft. (lb/ft)	FOOTAGE: For Drilling (ft)	INTERVALS: Left in Well (ft)	CEMENT: Fill-up (Cu. Ft.)/CTS
Conductor	24"	New	H-40	94#	80'	80'	CTS
Fresh Water	13.375"	New	J-55	54.5#	450'	450'	CTS
Coal							
Intermediate	9.625"	New	J-55	40#	1500'	1500'	CTS
Production	5.5"	New	P-110	20#	14,169'	14,169'	TOC @ 1,350'MD
Tubing							
Liners							

*SDW  
5/10/2017*

TYPE	Size (in)	Wellbore Diameter (in)	Wall Thickness (in)	Burst Pressure (psi)	Anticipated Max. Internal Pressure (psi)	Cement Type	Cement Yield (cu. ft./k)
Conductor	24"	36"			0	Type 1, 3% Calcium	1.20
Fresh Water	13.375"	17.5"	0.38"	2730	0	Class A, 3% CaCl2	1.20
Coal					0		
Intermediate	9.625"	12.25"	0.395"	3950psi	0	Class A, 2% CaCl2	1.29
Production	5.5"	8.5-8.75	0.361"	12,640psi	9500	Type 1	1.64/1.32
Tubing					5000		
Liners					N/A		

PACKERS

Kind:				
Sizes:				
Depths Set:				

RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

~~BEDEWER~~  
Office of Oil and Gas

WW-6B  
(10/14)

MAY 13 2017

API NO. 47-033 - 05889

OPERATOR WELL NO. 203

Well Pad Name: Pritt South

WV Department of  
Environmental Protection

19) Describe proposed well work, including the drilling and plugging back of any pilot hole:

The well will be started with a conductor rig drilling a 36" hole to Conductor programmed depth then running 24" casing and grout cement back to surface. The conductor rig will move out and the drilling rig will move in and rig up. The drilling rig will then spud a 17 1/2" hole and drill to fresh water casing (Surface) to the programmed depth, Run 13- 3/8" casing and cement to surface. The rig will continue drilling a 12- 1/4" intermediate hole to the programmed depth, run 9- 5/8" casing and cement to surface. The rig will then continue to drill a 8- 3/4" hole to a designed Pilot Hole Depth, log the well, and then set a cement kick-off plug from Pilot hole TD to designed kick-off point. Once the plug has cured, the plan is to then start drilling the curve and lateral section to the programmed total measured depth, run 5 1/2" casing and cement according to the program.

20) Describe fracturing/stimulating methods in detail, including anticipated max pressure and max rate:

The well will be completed using a plug and perforation method and stimulated with a slickwater and sand slurry. The anticipated maximum rate will be 90 bpm and the maximum pressure will be 9,500 psi.

21) Total Area to be disturbed, including roads, stockpile area, pits, etc., (acres): 28.43

22) Area to be disturbed for well pad only, less access road (acres): 5.54

23) Describe centralizer placement for each casing string:

20" - No centralizers 13 3/8" - one bow spring centralizer on every other joint 9 5/8" - one bow spring centralizer every third joint from TD to surface 5 1/2" - one semi rigid centralizer on every joint from TD of casing to end of curve. Then every other joint to KOP. Every third joint from KOP to 1,400'; there will be no centralizers from 1,400' to surface.

24) Describe all cement additives associated with each cement type:

24" will be grouted from surface. The 13-3/8" casing will be cemented to surface with Class A cement and no greater than 3% CaCl (calcium chloride). The 9-5/8" casing will be cemented to surface with Type 1 cement, & no greater than 3% calcium chloride. The 5-1/2" production string will be cemented back to 1,150' (+/- 200' above the casing shoe for the 9-5/8") with Type 1 or Class A cement retarder (to extend pumpability) cellophane flaked for fluid loss, Bentonite gel as an extender (increased pumpability and fluid loss), a defoaming agent to decrease cement foaming during mixing to insure the cement is of proper weight to placement and possibly a gypsum gas blocking additive to aid in blocking/gas migration (in combination with other additive mentioned here, helps cement achieve a "right-angle" set) during the plastic phase of the cement set-up.

25) Proposed borehole conditioning procedures:

Top holes will be drilled with fresh water to KOP. At KOP, the wellbore will be loaded with synthetic oil based mud, barite-weighted mud system with such properties as to build a filter-cake on the face to the bore-hole. This will provide lubricity as well as stabilizing the well bore. We will begin rotating the drill string and mud will be circulated upon reaching TD until no further cuttings are observed coming across the shaker screens. Once clean mud is circulated back to surface, we will pull three stands of drill pipe, load the hole, pull three stands and load the hole. The weight indicator on the rig will be monitored for any occurrences of drag and if any are notices, we will re-run the previous stand of pipe pulled across and circulate 2X bottoms up while watching the shakers for signs of cuttings. Once at the base of the curve, the string will be continuously rotated while pumping 2X bottoms up. We will pull three stands and fill the hole until we reach the vertical section of the well.

\*Note: Attach additional sheets as needed.




Arsenal Resources  
Pritt 203  
Casing Design  
Directional Plan # 2 QES

33-05889

Other Names:	N/A
Surface Location:	TBD
Bottom Hole Location:	TBD
Total Depth:	14,169 MD (ft) 7,878 TVD- Pilot Hole (ft)

County:	Harrison	
State:	West Virginia	
AFE #:	XX	API #: XX
RKB:	27	
Ground Level:	1,346	


Logs	Significant Formations (TVD)	Depth (ft) MD	Depth (ft) TVD	Hole Size	Casing and Cement	Mud	Directional & Surveys
							Dirg / Csg. Point




Revision 1  
Note: Not drawn to scale  
Cement Outside Casing Seal Assembly in Annulus  
Date Last Revised: 10-May-17  
Jarrett Toms

RECEIVED  
Office of Oil and Gas  
MAY 18 2017  
WV Department of  
Environmental Protection  
08/18/2017

# PRITT NORTH & PRITT SOUTH PADS NEAREST PERMITTED COAL MINES AS OF 07-20-16 PER WVDEP MAPPING



				TOPO SECTION OF: BROWNTON WV 7.5' QUAD		OPERATOR: MOUNTAINEER KEYSTONE, LLC 6031 WALLACE RD. EXT, SUITE 300 WEXFORD, PA 15090	
DRAWN BY C.P.M.	FILE NO. 8383	DATE 07-20-16	CADD FILE: 8383CADD-REV.DWG	COUNTY HARRISON	DISTRICT SIMPSON		



MAY 12 2017

WV Department of  
Environmental Protection



## **Purpose**

The purpose of this pad-specific Hydraulic Fracturing Monitoring Plan is to identify and notify conventional well operators near Arsenal Resources hydraulic fracturing in Harrison County, WV prior to hydraulic fracturing at the following Arsenal Resources wells on the Pritt South 203 Pad.

Due to the apparent presence of unique geological conditions, the potential for communication between deep geologic zones exists in this area. This potential communication, via natural gas, water, or both, may occur between hydraulically fractured wells in the Marcellus formation (approximately 7,900' TVD) and existing conventional natural gas wells in the partially-depleted, relatively high permeability Benson formation (approximately 4,610' TVD).

The plan is being implemented as an additional safety measure to be utilized in conjunction with best management practices and emergency action plans for this site. These additional measures include pre-notification of conventional well operators of the timing and location of the hydraulic fracturing, establishment of measures conventional well operators should implement, and assurance that the Division of Oil and Gas is notified of the timeline, as well as any issues that may arise during fracturing.

### **1. Communications with Conventional Operators.**

Arsenal Resources, using available data (WV Geological Survey, WVDEP Website, and IHS data service), has identified all known conventional wells and well operators within 500 feet of this pad and the lateral sections. A map showing these wells along with a list of the wells and operators is included in Attachment A.

Upon approval of this plan, Arsenal Resources will notify these operators, via letter, of the hydraulic fracturing schedule for these wells. A copy of this letter is included in Attachment B.

The letter provides recommendations to these conventional operators to 1) increase their monitoring of their wells during that time period, 2) ensure that their well head equipment is sound, and 3) provide immediate notification to Arsenal Resources and the OOG in the event of any changes in their well conditions.

Specifically, the letter recommends that conventional well operators conduct the following activities during and after fracturing operations:

1. Inspect their surface equipment prior to fracturing to establish integrity and establish pre-frac well conditions.
2. Observe wells closely during and after fracturing and monitor for abnormal increases in water, gas or pressure.
3. Inspect or install master valves rated to 3,000 psi or other necessary equipment for wellhead integrity.
4. Notify the OOG and Arsenal Resources if any changes in water, gas production, pressure or other anomalies are identified.

33-05889



## 2. Reporting

Arsenal Resources will provide information relating to the hydraulic fracturing schedule, communication with conventional operators, and ongoing monitoring of the work upon request of OOG or immediately after any event of any noted abnormalities.

RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

Area of Review Report - Pritt South Pad, 203 Lateral, Harrison County, WV

Well Name	API Number	Operator Name / Address	Well Type	Latitude	Longitude	Total Depth	Perforated Formation(s)	Producing Zones not Perforated
Drainer & Stewart 1	033-00465	Alliance Petroleum Corporation	Vertical	39.236885	-80.182313	4408	Benson	NA
Thompson 5	033-03469	Alliance Petroleum Corporation	Vertical	39.238346	-80.182511	4468	Benson	NA
Stella Crim 2	033-00960	Alliance Petroleum Corporation	Vertical	39.242981	-80.185295	4602	Gantz, Fourth, Fifth, Riley, Benson	NA

**RECEIVED**  
 Office of Oil and Gas  
 FEB 07 2017  
 WV Department of  
 Environmental Protection

33-05889

Area of Review Report - Pritt South Pad, 203 Lateral, Harrison County, WV

Well Name	API Number	Operator Name / Address	Well Type	Latitude	Longitude	Total Depth	Perforated Formation(s)	Producing Zones not Perforated
Drainer & Stewart 1	033-00465	Alliance Petroleum Corporation	Vertical	39.236885	-80.182313	4408	Benson	NA
Thompson 5	033-03469	Alliance Petroleum Corporation	Vertical	39.238346	-80.182511	4468	Benson	NA
Stella Crim 2	033-00960	Alliance Petroleum Corporation	Vertical	39.242981	-80.185295	4602	Gantz, Fourth, Fifth, Riley, Benson	NA

RECEIVED  
Office of Oil and Gas

FEB 07 2017

WV Department of  
Environmental Protection

33-05889

WW-9  
(4/16)

MAY 12 2017

API Number 47 - 033 - 05889  
Operator's Well No. 203

STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION  
OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name Arsenal Resources OP Code 494519412

Watershed (HUC 10) Beards Run & Pigtail Run Quadrangle Brownnton

Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes  No

Will a pit be used? Yes  No

If so, please describe anticipated pit waste: Produced Water

Will a synthetic liner be used in the pit? Yes  No  If so, what ml.? 60 ml

Proposed Disposal Method For Treated Pit Wastes:

- Land Application
- Underground Injection ( UIC Permit Number \_\_\_\_\_ )
- Reuse (at API Number Various )
- Off Site Disposal (Supply form WW-9 for disposal location)
- Other (Explain \_\_\_\_\_)

SDW  
5/3/2017

Will closed loop system be used? If so, describe: Yes. The closed loop system will contain all of the drilling medium and drill cuttings on location to than be taken to a landfill.

Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Vertical: Freshwater Horizontal: Synthetic oil based mud

-If oil based, what type? Synthetic, petroleum, etc. Synthetic

Additives to be used in drilling medium? Bentonite, Soap and Polymer sticks, Soda Ash, Sodium Bicarbonate, Defoamer, Base Oil, Emulsifiers, Lime, & Barite

Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Landfill

-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) N/A

-Landfill or offsite name/permit number? Advanced Disposal Services, Chestnut Valley Landfill

Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.

I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on August 1, 2005, by the Office of Oil and Gas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action.

I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.

Company Official Signature *William Veigel*


Company Official (Typed Name) William Veigel

Company Official Title Designated Agent

Subscribed and sworn before me this 19<sup>th</sup> day of April, 20 17

Kelly A. Eddy

My commission expires September 18, 2018



Arsenal Resources

Proposed Revegetation Treatment: Acres Disturbed 28.43 Prevegetation pH 6.8 average

Lime 4 Tons/acre or to correct to pH 6.0-7.5

Fertilizer type 10-20-20

Fertilizer amount 500 lbs/acre

Mulch 2 Tons/acre

Seed Mixtures

Temporary		Permanent	
Seed Type	lbs/acre	Seed Type	lbs/acre
Annual Rye	40	Swisher Meadow Mix	100
Field Bromegrass	40		
Winter Rye	168		
Winter Wheat	180		

Attach:

Maps(s) of road, location, pit and proposed area for land application (unless engineered plans including this info have been provided). If water from the pit will be land applied, include dimensions (L x W x D) of the pit, and dimensions (L x W), and area in acreage, of the land application area.

Photocopied section of involved 7.5' topographic sheet.

Plan Approved by: [Signature]

Comments: Pre-seed / mulch all disturbed areas as soon as reasonably possible per regulation. Upgrade E&S where needed per WV DEP E&S manual, if necessary.

~~DEPEIVED~~  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

Title: OO& Inspector Date: 5/3/2017

Field Reviewed?  Yes  No



# SITE SAFETY PLAN

## Pritt South #203 WELL PAD

*S Dew  
5/3/2017*

### 911 Address:


3460 Green Valley Road  
Bridgeport, WV 26330


RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

# PRITT SOUTH 201-206 & 301 POSSIBLE WATER PURVEYORS




 Land & Energy Development Solutions from the ground up.				TOPO SECTIONS OF:		<b>OPERATOR:</b> <b>ARSENAL RESOURCES</b> <b>65 PROFESSIONAL PLACE</b> <b>BRIDGEPORT, WV 26330</b>
				ROSEMONT & BROWNTON WV 7.5' QUADS		
DRAWN BY:	FILE NO.:	DATE:	CADD FILE:	COUNTY:	DISTRICT:	MAY Office of Planning & Grants
C.P.M.	8383	04-06-17	3330120107994017.dwg	HARRISON	SIMPSON	

08/18/2017



2017





TRACT #	SURFACE OWNER	SURFACE ACREAGE	OIL & GAS LEASE #
351-4	IRA & LAURA PRITT	69.096±	00006622
351-15.8	JULIA CRIM	31±	00003826
351-20	WILLIAM WEBB ET AL	40.25±	00005198
351-21	ECOSYSTEM INVESTMENT PARTNERS III, LLC	20.474±	00005011 & 00005012
351-31	ECOSYSTEM INVESTMENT PARTNERS III, LLC	120.728±	00003553
371-6	ECOSYSTEM INVESTMENT PARTNERS III, LLC	99.83±	00005712

**PRITT SOUTH PAD LAYOUT**



**PRITT SOUTH 203 WELL TIES**

LINE	BEARING	DISTANCE
L1	N 12°01' E	1447.10'
L2	S 68°53' E	4235.20'
L3	S 80°47' W	114.36'
L4	S 18°55' E	638.69'
L5	S 18°54' E	5919.76'

**ARSENAL RESOURCES  
PRITT SOUTH 203**

(S.P.C. NORTH ZONE) (UTM(M) ZONE 17 NORTH)

NAD'83 S.P.C.(FT) N. 272,369.3 E. 1,773,918.8  
 NAD'83 GEO. LAT-(N) 39.245757 LONG-(W) 80.187062  
 NAD'83 UTM (M) N. 4,344,363.9 E. 570,150.1


**LANDING POINT**

NAD'83 S.P.C.(FT) N. 271,748.6 E. 1,774,012.3  
 NAD'83 GEO. LAT-(N) 39.244055 LONG-(W) 80.186715  
 NAD'83 UTM (M) N. 4,344,175.3 E. 570,181.7

**BOTTOM HOLE**

NAD'83 S.P.C.(FT) N. 266,148.3 E. 1,775,930.5  
 NAD'83 GEO. LAT-(N) 39.228719 LONG-(W) 80.179793  
 NAD'83 UTM (M) N. 4,342,478.8 E. 570,794.5


**LEGEND**



**NOTES ON SURVEY**

1. NO WATER WELLS WERE FOUND WITHIN 250' OF PROPOSED GAS WELL. NO AGRICULTURAL BUILDINGS ≥ 2500 SQ. FT. OR DWELLINGS WERE FOUND WITHIN 625' OF THE CENTER OF PROPOSED WELL PAD.

**REFERENCES**



Land & Energy Development  
 Solutions from the ground up.  
 P.O. Box 150 • 12 Vanhorn Drive • Glenville, WV 26351 • (304) 462-5634  
 www.slsurveys.com

I THE UNDERSIGNED, HEREBY CERTIFY THAT THIS PLAT IS CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF AND SHOWS ALL THE INFORMATION REQUIRED BY LAW AND THE REGULATIONS ISSUED AND PRESCRIBED BY THE DIVISION OF ENVIRONMENTAL PROTECTION.

P.S.  
677

*Gregory A. Smith*



(+) DENOTES LOCATION OF WELL ON UNITED STATES TOPOGRAPHIC MAPS.  
 DATE JANUARY 23, 20 17  
 REVISED APRIL 6, 20 17  
 OPERATORS WELL NO. PRITT SOUTH 203  
 API WELL NO. 47 — 033 — 05889H6A  
 STATE COUNTY PERMIT

MINIMUM DEGREE OF ACCURACY 1 / 2500 FILE NO. 8383P203R2.dwg  
 HORIZONTAL & VERTICAL CONTROL DETERMINED BY DGPS (SURVEY GRADE TIE TO CORS NETWORK) SCALE 1" = 2000'

STATE OF WEST VIRGINIA  
 DIVISION OF ENVIRONMENTAL PROTECTION  
 OFFICE OF OIL AND GAS



WELL TYPE: OIL  GAS  LIQUID WASTE IF INJECTION  DISPOSAL  "GAS" PRODUCTION  STORAGE  DEEP  SHALLOW   
 LOCATION: ELEVATION EXISTING: 1,343.30' / PROPOSED: 1,345.90' WATERSHED BEARDS RUN & PIGTAIL RUN  
 DISTRICT SIMPSON COUNTY HARRISON QUADR. ANGLE BROWNTON 7 5'  
 SURFACE OWNER IRA & LAURA PRITT ACREAGE 69.096±  
 ROYALTY OWNER IRA & LAURA PRITT ET AL ACREAGE 69.096± **08/18/2017**  
 PROPOSED WORK: DRILL  CONVERT  DRILL DEEPER  REDRILL  FRACTURE OR STIMULATE  PLUG OFF OLD FORMATION  PERFORATE NEW FORMATION  PLUG AND ABANDON  CLEAN OUT AND REPLUG  OTHER   
 PHYSICAL CHANGE IN WELL (SPECIFY) \_\_\_\_\_ TARGET FORMATION MARCELLUS  
 ESTIMATED DEPTH 14,169' TMD / 7,878' TVD

WELL OPERATOR ARSENAL RESOURCES DESIGNATED AGENT WILLIAM VEIGEL  
 ADDRESS 6031 WALLACE RD. EXT. SUITE 300 ADDRESS 65 PROFESSIONAL PLACE  
WEXFORD, PA 15090 BRIDGEPORT, WV 26330

COUNTY NAME PERMIT

**INFORMATION SUPPLIED UNDER WEST VIRGINIA CODE  
Chapter 22, Article 6A, Section 5(a)(5)  
IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)**

Under the oath required to make the verification on page 1 of this Notice and Application, I depose and say that I am the person who signed the Notice and Application for the Applicant, and that –

- (1) the tract of land is the same tract described in this Application, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Lease Name or Number	Grantor, Lessor, etc.	Grantee, Lessee, etc.	Royalty	Book/Page
----------------------	-----------------------	-----------------------	---------	-----------

\* See Attached


RECEIVED  
Office of Oil and Gas  
MAY 12 2017  
WV Department of  
Environmental Protection

**Acknowledgement of Possible Permitting/Approval  
In Addition to the Office of Oil and Gas**

The permit applicant for the proposed well work addressed in this application hereby acknowledges the possibility of the need for permits and/or approvals from local, state, or federal entities in addition to the DEP, Office of Oil and Gas, including but not limited to the following:

- WV Division of Water and Waste Management
- WV Division of Natural Resources WV Division of Highways
- U.S. Army Corps of Engineers
- U.S. Fish and Wildlife Service
- County Floodplain Coordinator

The applicant further acknowledges that any Office of Oil and Gas permit in no way overrides, replaces, or nullifies the need for other permits/approvals that may be necessary and further affirms that all needed permits/approvals should be acquired from the appropriate authority before the affected activity is initiated.

Well Operator: Arsenal Resources  
 By: William Veigel   
 Its: Designated Agent

**Agreement to Drill, Complete and Operate Oil & Gas Wells**

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Arsenal Resources LLC, a West Virginia limited liability company ("Arsenal"), River Ridge Energy, LLC, a Delaware limited liability company ("River Ridge"), and River Ridge Energy, Holdings, LLC, a Delaware limited liability company ("River Ridge Holdings"), is effective as of March 1, 2017 (the "Effective Date") and sets forth the terms pursuant to which Arsenal will drill, complete and operate the Wells (as defined below) on behalf of River Ridge and River Ridge Holdings. Arsenal, River Ridge, and River Ridge Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

1. **Term:** This Agreement is effective from the Effective Date until terminated by Arsenal on the one hand or River Ridge and River Ridge Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
2. **Authorization to Operate:** River Ridge and River Holdings authorize Arsenal to undertake and perform, on River Ridge and River Ridge Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by River Ridge or River Ridge Holdings. River Ridge, River Ridge Holdings and Arsenal are affiliates with a common parent. Arsenal was formed to operate oil and gas leasehold acreage held by River Ridge, River Ridge Holdings and certain other affiliates. Arsenal agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by River Ridge or River Ridge Holdings from time to time as directed by River Ridge or River Ridge Holdings (collectively, the "Wells").
3. **No Third Party Beneficiary:** This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
4. **Counterparts:** This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]

RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

IN WITNESS WHEREOF, Arsenal, River Ridge, and River Ridge Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

**ARSENAL RESOURCES LLC**

By: Joel E. Symonds  
Name: Joel E. Symonds  
Title: Vice President - Land

**RIVER RIDGE ENERGY, LLC**

By: Joel E. Symonds  
Name: Joel E. Symonds  
Title: Vice President - Land

**RIVER RIDGE HOLDINGS, LLC**

By: Joel E. Symonds  
Name: Joel E. Symonds  
Title: Vice President - Land

RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection



33-05889

People Powered. Asset Strong.

April 18, 2017

Mr. James Martin, Chief of Oil and Gas  
West Virginia Department of Environmental Protection  
601 57<sup>th</sup> Street, SE  
Charleston, WV 25304

RE: Ownership of Roadways; Pritt South Pad

Mr. Martin:

In preparation of filing a permit application for the above referenced well, the Title Department of Arsenal Resources has conducted a thorough title examination in order to determine the ownership of the oil and gas underlying all roadways crossed by the proposed wells. The findings of the title examinations show that that the roadways crossed by the proposed wells are right of ways, with the oil and gas being owned and covered by the leaseholds identified on the plat for the proposed wells.

If you have any questions, concerns or need further information, please do not hesitate to contact me at the address listed below.

Sincerely,

A handwritten signature in blue ink that reads 'Coty Brandon'.

Coty Brandon  
Senior Title Attorney

RECEIVED  
Office of Oil and Gas

MAY 12 2017

WV Department of  
Environmental Protection

6031 Wallace Road Ext, Suite 300  
Wexford, PA 15090  
P: 724-940-1100  
F: 800-428-0981  
www.arsenalresources.com

08/18/2017

33-05889

Attachment to WW-6A1, Pritt South 203

Letter Designation/Number Designation on Plat	Grantor, Lessor, Assignor, etc.	Grantee, Lessee, Assignee, etc.	Royalty	Book/Page	Acreage
00006622 (WVL03143.000)	Ira Pritt and Laura E. Pritt, Husband and Wife	Carrizo ( Marcellus) LLC	15.00%	848 / 804	92.06
	Carrizo (Marcellus) LLC	ACP II Marcellus LLC and Carrizo (Marcellus) LLC		579/26	
	Carrizo (Marcellus) LLC and ACP II Marcellus LLC	PDC Mountaineer, LLC		60/1083	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		18/395	
00003826 (WVL00289.001)	Stella P. Crim, widow	Union Carbide Corporation	12.50%	953/83	151
	Union Carbide Corporation	Creslenn Oil Company		97/286	
	Creslenn Oil Company	Delta Producing Corporation		175/629	
	Delta Producing Corporation	Petroleum Corporation of America		967/575	
	Petroleum Corporation of America	Petroleum Development Corporation		977/168	
	Petroleum Development Corporation	PDC Mountaineer, LLC		977/153	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		1440/364	
00005198 (WVL01058.000)	Rebecca S. Tennant, Jeffery A. Morrison, Freddie F. Morrison, Russell L. Crouse, Roy A. Crouse, Ronald R. Crouse, Robert D. Crouse, Kathryn Caldwell, Margaret Crouse Smith	PDC Mountaineer, LLC	14.50%	1522/592	40.25
	PDC Mountaineer, LLC	River Ridge Energy, LLC			
00005011 (WVL00928.001)	James D. Barr	PDC Mountaineer, LLC	12.50%	1481/548 1582/1128	20.474
	PDC Mountaineer, LLC	River Ridge Energy, LLC			
00005012 (WVL00928.002)	Jeffery S. Barr	PDC Mountaineer, LLC	12.50%	1481/551 1582/1129	20.474
	PDC Mountaineer, LLC	River Ridge Energy, LLC			

RECEIVED  
Office of Oil and Gas  
FEB 07 2017

WV Department of Environmental Protection

33-05887

00003555 (WVL00103.000)	Lydia Drainer, widow	Union Carbide Corporation	12.50%	853/91	380
	Union Carbide Corporation	Creslenn Oil Company		897/286	
	Creslenn Oil Company	Delta Producing Corporation		925/629	
	Delta Producing Corporation	Petroleum Corporation of America		967/578	
	Petroleum Corporation of America	Petroleum Development Corporation		977/1688	
	Petroleum Development Corporation	PDC Mountaineer, LLC		977/1688	
	PDC Mountaineer, LLC	River Ridge Energy, LLC		1400/354	
00005712 (WVL002221.000)	John Stewart, Blanche Stewart, Hollie Stewart	Union Drilling, Inc. and Allerton Miller	12.50%	1101/790 (Harrison)	100
	Allerton Miller	Union Drilling, Inc.		71/432 (Barbour)	
	Union Drilling, Inc.	Equitable Resources Exploration, Inc.		98/110 (Barbour)	
	Equitable Resources Exploration, Inc.	Equitable Resources Energy Company		1107/1040 (Harrison)	
	Equitable Resources Energy Company	Fuel Resources Production and Development, Inc.		88/259 (Barbour)	
	Fuel Resources Production and Development Company, Inc.	The Houston Exploration Company		1189/1209 (Harrison)	
	The Houston Exploration Company	Keyspan Natural Fuel, LLC.		325/171 (Barbour)	
	Keyspan Natural Fuel, LLC.	The Houston Exploration Company		1199/642 (Harrison)	
	The Houston Exploration Company	Seneca-Upshur Petroleum, Inc.		328/171 (Barbour)	
	Seneca-Upshur Petroleum, Inc.	Seneca-Upshur Petroleum, LLC		116/81 (Barbour)	
				136/162 (Barbour)	
				383/187 (Barbour)	
				1289/821	
				1351/1260 (Harrison)	
				1367/1084 (Harrison)	
				404/381 (Barbour)	
				139/48 (Barbour)	
				1467/119 (Harrison)	
				59/1032 (Harrison)	
				447/129 (Barbour)	
				16/637 (Barbour)	

RECEIVED  
Office of Oil and Gas  
SEP 07 2017

WV Department  
Environmental Protection

**West Virginia Secretary of State — Online Data Services**

**Business and Licensing**

Online Data Services Help

**Business Organization Detail**

*NOTICE: The West Virginia Secretary of State's Office makes every reasonable effort to ensure the accuracy of information. However, we make no representation or warranty as to the correctness or completeness of the information. If information is missing from this page, it is not in the The West Virginia Secretary of State's database.*

**RIVER RIDGE ENERGY, LLC**

Organization Information								
Org Type	Effective Date	Established Date	Filing Date	Charter	Class	Sec Type	Termination Date	Termination Reason
LLC   Limited Liability Company	11/3/2009		11/3/2009	Foreign	Profit			

Organization Information			
<b>Business Purpose</b>	2111 - Mining, Quarrying, Oil & Gas Extraction - Oil and Gas Extraction - Crude Oil and Natural Gas Extraction		<b>Capital Stock</b>
<b>Charter County</b>		<b>Control Number</b>	99H90
<b>Charter State</b>	DE	<b>Excess Acres</b>	
<b>At Will Term</b>	A	<b>Member Managed</b>	MBR
<b>At Will Term Years</b>		<b>Par Value</b>	
<b>Authorized Shares</b>			

Addresses	
Type	Address
<b>Designated Office Address</b>	65 PROFESSIONAL PLACE SUITE 200 BRIDGEPORT, WV, 26330
<b>Mailing Address</b>	6031 WALLACE ROAD EXTENSION SUITE 300 WEXFORD, PA, 15090 USA
<b>Notice of Process Address</b>	CORPORATION SERVICE COMPANY 209 WEST WASHINGTON STREET CHARLESTON, WV, 25302
<b>Principal Office</b>	6031 WALLACE ROAD EXTENSION SUITE 300

RECEIVED  
Office of Oil and Gas

FEB 07 2017

WV Department of  
Environmental Protection

08/18/2017



1/31/2017

WVSOS - Business and Licensing - Corporations - Online Data Services

<b>Address</b>	WEXFORD, PA, 15090 USA
<b>Type</b>	<b>Address</b>

<b>Officers</b>	
<b>Type</b>	<b>Name/Address</b>
<b>Member</b>	PDC MOUNTAINEER HOLDINGS, LLC 6031 WALLACE ROAD EXTENSION, SUITE 300 WEXFORD, PA, 15090
<b>Type</b>	<b>Name/Address</b>

<b>Name Changes</b>	
<b>Date</b>	<b>Old Name</b>
1/12/2017	PDC MOUNTAINEER, LLC
<b>Date</b>	<b>Old Name</b>

<b>Date</b>	<b>Amendment</b>
1/12/2017	NAME CHANGE: FROM PDC MOUNTAINEER, LLC
6/13/2016	AMEND FILED TO CHNGE MGR TO MBR MANAGED & RMV ALL MBRS AND ADD PDC KA2
<b>Date</b>	<b>Amendment</b>

<b>Annual Reports</b>	
<b>Date filed</b>	
6/20/2016	
6/30/2015	
5/27/2014	
6/21/2013	
6/21/2012	
6/15/2011	
5/5/2010	
<b>Date filed</b>	

For more information, please contact the Secretary of State's Office at 304-558-8000.

Tuesday, January 31, 2017 — 1:29 PM

© 2017 State of West Virginia

**RECEIVED**  
**Office of Oil and Gas**

**FEB 07 2017**

**WV Department of  
Environmental Protection**

08/18/2017

### Agreement to Drill, Complete and Operate Oil & Gas Wells

This Agreement to Drill, Complete and Operate Oil & Gas Wells (this "Agreement"), by and among Mountaineer Keystone LLC, a West Virginia limited liability company ("Mountaineer Keystone"), PDC Mountaineer, LLC, a Delaware limited liability company ("PDC"), and PDC Mountaineer Holdings, LLC, a Delaware limited liability company ("PDC Holdings"), is effective as of **October 15, 2014**. (the "Effective Date") and sets forth the terms pursuant to which Mountaineer Keystone will drill, complete and operate the Wells (as defined below) on behalf of PDC and PDC Holdings. Mountaineer Keystone, PDC, and PDC Holdings are each a "Party" and are collectively the "Parties". In consideration of the foregoing and the respective agreements hereinafter set forth and the mutual benefits to be derived therefrom, the Parties, intending to be legally bound, hereby agree as follows:

1. **Term:** This Agreement is effective from the Effective Date until terminated by Mountaineer Keystone on the one hand or PDC and PDC Holdings on the other hand with 30 days' written notice to the other Party or Parties, as applicable (the "Term").
2. **Authorization to Operate:** PDC and PDC Holdings authorize Mountaineer Keystone to undertake and perform, on PDC and PDC Holdings behalf, all operations, including without limitation permit applications, well pad preparation, drilling and completing wells, and marketing gas, oil and other hydrocarbons therefrom with respect to all oil and gas wells to be drilled on oil and gas leasehold acreage held by PDC or PDC Holdings. PDC, PDC Holdings and Mountaineer Keystone are affiliates with a common parent. Mountaineer Keystone was formed to operate oil and gas leasehold acreage held by PDC, PDC Holdings and certain other affiliates. Mountaineer Keystone agrees that it shall, in a good and workmanlike manner and in accordance with industry standards as they prevail in the area, drill, complete and operate oil and gas wells on leasehold acreage owned by PDC or PDC Holdings from time to time as directed by PDC or PDC Holdings (collectively, the "Wells").
3. **No Third Party Beneficiary:** This Agreement is for the benefit of the Parties and is not for the benefit of any third party.
4. **Counterparts:** This Agreement may be simultaneously executed in several counterparts and via facsimile or similar electronic transmittal, each of which shall be deemed to be an original and taken together shall constitute one and the same instrument.

[Signature Page Follows]


**RECEIVED**  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

IN WITNESS WHEREOF, Mountaineer Keystone, PDC, and PDC Holdings have caused their duly authorized representatives to execute this Agreement as of the Effective Date.

**MOUNTAINEER KEYSTONE LLC**

By:   
Name: Robert Koel  
Title: CEO

**PDC MOUNTAINEER, LLC**

By:   
Name: Robert Koel  
Title: CEO

**PDC MOUNTAINEER HOLDINGS, LLC**

By:   
Name: Robert Koel  
Title: CEO

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE CERTIFICATION**

Date of Notice Certification: 02/02/2017

API No. 47- 033 - \_\_\_\_\_

Operator's Well No. 203 \_\_\_\_\_

Well Pad Name: Pritt South \_\_\_\_\_

**Notice has been given:**

Pursuant to the provisions in West Virginia Code § 22-6A, the Operator has provided the required parties with the Notice Forms listed below for the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>570,150.1</u>
County:	<u>Harrison</u>		Northing:	<u>4,344,363.9</u>
District:	<u>Simpson</u>	Public Road Access:	<u>County Route 17</u>	
Quadrangle:	<u>Brownton</u>	Generally used farm name:	<u>Ira Pritt</u>	
Watershed:	<u>Beards Run &amp; Pigtail Run</u>			

Pursuant to West Virginia Code § 22-6A-7(b), every permit application filed under this section shall be on a form as may be prescribed by the secretary, shall be verified and shall contain the following information: (14) A certification from the operator that (i) it has provided the owners of the surface described in subdivisions (1), (2) and (4), subsection (b), section ten of this article, the information required by subsections (b) and (c), section sixteen of this article; (ii) that the requirement was deemed satisfied as a result of giving the surface owner notice of entry to survey pursuant to subsection (a), section ten of this article six-a; or (iii) the notice requirements of subsection (b), section sixteen of this article were waived in writing by the surface owner; and Pursuant to West Virginia Code § 22-6A-11(b), the applicant shall tender proof of and certify to the secretary that the notice requirements of section ten of this article have been completed by the applicant.

<p>Pursuant to West Virginia Code § 22-6A, the Operator has attached proof to this Notice Certification that the Operator has properly served the required parties with the following:</p> <p>*PLEASE CHECK ALL THAT APPLY</p> <p><input type="checkbox"/> 1. NOTICE OF SEISMIC ACTIVITY or <input checked="" type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NO SEISMIC ACTIVITY WAS CONDUCTED</p> <p><input type="checkbox"/> 2. NOTICE OF ENTRY FOR PLAT SURVEY or <input checked="" type="checkbox"/> NO PLAT SURVEY WAS CONDUCTED</p> <p><input checked="" type="checkbox"/> 3. NOTICE OF INTENT TO DRILL or <input type="checkbox"/> NOTICE NOT REQUIRED BECAUSE NOTICE OF ENTRY FOR PLAT SURVEY WAS CONDUCTED or</p> <p style="padding-left: 40px;"><input type="checkbox"/> WRITTEN WAIVER BY SURFACE OWNER (PLEASE ATTACH)</p> <p><input checked="" type="checkbox"/> 4. NOTICE OF PLANNED OPERATION</p> <p><input checked="" type="checkbox"/> 5. PUBLIC NOTICE</p> <p><input checked="" type="checkbox"/> 6. NOTICE OF APPLICATION</p>	<p><b>OOG OFFICE USE ONLY</b></p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED/ NOT REQUIRED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED</p> <p><input type="checkbox"/> RECEIVED</p>
---	---

**Required Attachments:**

The Operator shall attach to this Notice Certification Form all Notice Forms and Certifications of Notice that have been provided to the required parties and/or any associated written waivers. For the Public Notice, the operator shall attach a copy of the Class II Legal Advertisement with publication date verification or the associated Affidavit of Publication. The attached Notice Forms and Certifications of Notice shall serve as proof that the required parties have been noticed as required under West Virginia Code § 22-6A. Pursuant to West Virginia Code § 22-6A-11(b), the Certification of Notice to the person may be made by affidavit of personal service, the return receipt card or other postal receipt for certified mailing.


RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

33-05889

**Certification of Notice is hereby given:**

THEREFORE, I William Veigel, have read and understand the notice requirements within West Virginia Code § 22-6A. I certify that as required under West Virginia Code § 22-6A, I have served the attached copies of the Notice Forms, identified above, to the required parties through personal service, by registered mail or by any method of delivery that requires a receipt or signature confirmation. I certify under penalty of law that I have personally examined and am familiar with the information submitted in this Notice Certification and all attachments, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the information is true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Well Operator:	<u>Arsenal Resources</u>	Address:	<u>6031 Wallace Road Extension, Suite 300</u>
By:	<u>William Veigel</u>		<u>Wexford, PA 15090</u>
Its:	<u>Designated Agent</u>	Facsimile:	<u>304-848-9134</u>
Telephone:	<u>724-940-1204</u>	Email:	<u>ecarder@arsenalresources.com</u>



Subscribed and sworn before me this 18<sup>th</sup> day of April 2017  
Kelly A. Eddy Notary Public  
 My Commission Expires September 18, 2018

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

RECEIVED  
Office of Oil and Gas  
MAY 12 2017  
WV Department of  
Environmental Protection

**STATE OF WEST VIRGINIA**  
**DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS**  
**NOTICE OF APPLICATION**

**Notice Time Requirement:** notice shall be provided no later than the **filing date of permit application.**

**Date of Notice:** 2/2/2017 **Date Permit Application Filed:** 2/6/2017

**Notice of:**

- PERMIT FOR ANY WELL WORK
- CERTIFICATE OF APPROVAL FOR THE CONSTRUCTION OF AN IMPOUNDMENT OR PIT

**Delivery method pursuant to West Virginia Code § 22-6A-10(b)**

- PERSONAL SERVICE
- REGISTERED MAIL
- METHOD OF DELIVERY THAT REQUIRES A RECEIPT OR SIGNATURE CONFIRMATION

Pursuant to W. Va. Code § 22-6A-10(b) no later than the filing date of the application, the applicant for a permit for any well work or for a certificate of approval for the construction of an impoundment or pit as required by this article shall deliver, by personal service or by registered mail or by any method of delivery that requires a receipt or signature confirmation, copies of the application, the erosion and sediment control plan required by section seven of this article, and the well plat to each of the following persons: (1) The owners of record of the surface of the tract on which the well is or is proposed to be located; (2) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for roads or other land disturbance as described in the erosion and sediment control plan submitted pursuant to subsection (c), section seven of this article; (3) The coal owner, operator or lessee, in the event the tract of land on which the well proposed to be drilled is located [sic] is known to be underlain by one or more coal seams; (4) The owners of record of the surface tract or tracts overlying the oil and gas leasehold being developed by the proposed well work, if the surface tract is to be used for the placement, construction, enlargement, alteration, repair, removal or abandonment of any impoundment or pit as described in section nine of this article; (5) Any surface owner or water purveyor who is known to the applicant to have a water well, spring or water supply source located within one thousand five hundred feet of the center of the well pad which is used to provide water for consumption by humans or domestic animals; and (6) The operator of any natural gas storage field within which the proposed well work activity is to take place. (c)(1) If more than three tenants in common or other co-owners of interests described in subsection (b) of this section hold interests in the lands, the applicant may serve the documents required upon the person described in the records of the sheriff required to be maintained pursuant to section eight, article one, chapter eleven-a of this code. (2) Notwithstanding any provision of this article to the contrary, notice to a lien holder is not notice to a landowner, unless the lien holder is the landowner. W. Va. Code R. § 35-8-5.7.a requires, in part, that the operator shall also provide the Well Site Safety Plan ("WSSP") to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Application Notice  WSSP Notice  E&S Plan Notice  Well Plat Notice is hereby provided to:

SURFACE OWNER(s)  
Name: Ira H. Pritt & Laura E. Pritt  
Address: 3444 Green Valley Road  
Bridgeport, WV 26330

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

SURFACE OWNER(s) (Road and/or Other Disturbance)  
Name: See Attached List  
Address: \_\_\_\_\_

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

SURFACE OWNER(s) (Impoundments or Pits)  
Name: Oran Lee Warder  
Address: 2381 Silverado Drive  
Weatherford, TX 76087

COAL OWNER OR LESSEE  
Name: See Attached List  
Address: \_\_\_\_\_

COAL OPERATOR  
Name: \_\_\_\_\_  
Address: \_\_\_\_\_

SURFACE OWNER OF WATER WELL AND/OR WATER PURVEYOR(s)  
Name: See Attached List  
Address: \_\_\_\_\_

OPERATOR OF ANY NATURAL GAS STORAGE FIELD  
Name: \_\_\_\_\_  
Address: \_\_\_\_\_

\*Please attach additional forms if necessary.

RECEIVED  
Office of Oil and Gas

FEB 07 2017

08/18/2017  
WV Department of  
Environmental Protection

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-10(b), notice is hereby given that the undersigned well operator has applied for a permit for well work or for a certificate of approval for the construction of an impoundment or pit.

**This Notice Shall Include:**

Pursuant to W. Va. Code § 22-6A-10(b), this notice shall include: (1) copies of the application; (2) the erosion and sediment control plan required by section seven of this article; and (3) the well plat.

Pursuant to W. Va. Code § 22-6A-10(f), this notice shall include: (1) a statement of the time limits for filing written comments; (2) who may file written comments; (3) the name and address of the secretary for the purpose of filing the comments and obtaining additional information; and (4) a statement that the persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

Pursuant to W. Va. Code R. § 35-8-5.7.a, the operator shall provide the Well Site Safety Plan to the surface owner and any water purveyor or surface owner subject to notice and water testing as provided in section 15 of this rule.

Pursuant to W. Va. Code R. § 35-8-15.2.c, this notice shall: (1) contain a statement of the surface owner's and water purveyor's right to request sampling and analysis; (2) advise the surface owner and water purveyor of the rebuttable presumption for contamination or deprivation of a fresh water source or supply; advise the surface owner and water purveyor that refusal to allow the operator to conduct a pre-drilling water well test constitutes a method to rebut the presumption of liability; (3) advise the surface owner and water purveyor of his or her independent right to sample and analyze any water supply at his or her own expense; advise the surface owner and water purveyor whether or not the operator will utilize an independent laboratory to analyze any sample; and (4) advise the surface owner and or water purveyor that he or she can obtain from the Chief a list of water testing laboratories in the subject area capable of and qualified to test water supplies in accordance with standard acceptable methods.

Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Well Location Restrictions**

Pursuant to W. Va. Code § 22-6A-12, Wells may not be drilled within two hundred fifty feet measured horizontally from any existing water well or developed spring used for human or domestic animal consumption. The center of well pads may not be located within six hundred twenty-five feet of an occupied dwelling structure, or a building two thousand five hundred square feet or larger used to house or shelter dairy cattle or poultry husbandry. This limitation is applicable to those wells, developed springs, dwellings or agricultural buildings that existed on the date a notice to the surface owner of planned entry for surveying or staking as provided in section ten of this article or a notice of intent to drill a horizontal well as provided in subsection (b), section sixteen of this article was provided, whichever occurs first, and to any dwelling under construction prior to that date. This limitation may be waived by written consent of the surface owner transmitted to the department and recorded in the real property records maintained by the clerk of the county commission for the county in which such property is located. Furthermore, the well operator may be granted a variance by the secretary from these distance restrictions upon submission of a plan which identifies the sufficient measures, facilities or practices to be employed during well site construction, drilling and operations. The variance, if granted, shall include terms and conditions the department requires to ensure the safety and protection of affected persons and property. The terms and conditions may include insurance, bonding and indemnification, as well as technical requirements. (b) No well pad may be prepared or well drilled within one hundred feet measured horizontally from any perennial stream, natural or artificial lake, pond or reservoir, or a wetland, or within three hundred feet of a naturally reproducing trout stream. No well pad may be located within one thousand feet of a surface or ground water intake of a public water supply. The distance from the public water supply as identified by the department shall be measured as follows: (1) For a surface water intake on a lake or reservoir, the distance shall be measured from the boundary of the lake or reservoir. (2) For a surface water intake on a flowing stream, the distance shall be measured from a semicircular radius extending upstream of the surface water intake. (3) For a groundwater source, the distance shall be measured from the wellhead or spring. The department may, in its discretion, waive these distance restrictions upon submission of a plan identifying sufficient measures, facilities or practices to be employed during well site construction, drilling and operations to protect the waters of the state. A waiver, if granted, shall impose any permit conditions as the secretary considers necessary. (c) Notwithstanding the foregoing provisions of this section, nothing contained in this section prevents an operator from conducting the activities permitted or authorized by a Clean Water Act Section 404 permit or other approval from the United States Army Corps of Engineers within any waters of the state or within the restricted areas referenced in this section. (d) The well location restrictions set forth in this section shall not apply to any well on a multiple well pad if at least one of the wells was permitted prior to the effective date of this article. (e) The secretary shall, by December 31, 2012, report to the Legislature on the noise, light, dust and volatile organic compounds generated by the drilling of horizontal wells as they relate to the well location restrictions regarding occupied dwelling structures pursuant to this section. Upon a finding, if any, by the secretary that the well location restrictions regarding occupied dwelling structures are inadequate or otherwise require alteration to address the items

RECEIVED  
Office of Oil and Gas  
FEB 16 2017  
WV Department of  
Environmental Protection

examined in the study required by this subsection, the secretary shall have the authority to propose for promulgation legislative rules establishing guidelines and procedures regarding reasonable levels of noise, light, dust and volatile organic compounds relating to drilling horizontal wells, including reasonable means of mitigating such factors, if necessary.

**Water Well Testing:**

Pursuant to West Virginia Code § 22-6A-10(d), notification shall be made, with respect to surface landowners identified in subsection (b) or water purveyors identified in subdivision (5), subsection (b) of this section, of the opportunity for testing their water well. The operator shall provide an analysis to such surface landowner or water purveyor at their request.

**Water Testing Laboratories:**

Pursuant to West Virginia Code § 22-6A-10(i), persons entitled to notice pursuant to subsection (b) of this section may contact the department to ascertain the names and locations of water testing laboratories in the subject area capable and qualified to test water supplies in accordance with standard accepted methods. In compiling that list of names the department shall consult with the state Bureau for Public Health and local health departments. A surface owner and water purveyor has an independent right to sample and analyze any water supply at his or her own expense. The laboratory utilized by the operator shall be approved by the agency as being certified and capable of performing sample analyses in accordance with this section.

**Rebuttable Presumption for Contamination or Deprivation of a Fresh Water Source or Supply:**

W. Va. Code § 22-6A-18 requires that (b) unless rebutted by one of the defenses established in subsection (c) of this section, in any action for contamination or deprivation of a fresh water source or supply within one thousand five hundred feet of the center of the well pad for horizontal well, there is a rebuttable presumption that the drilling and the oil or gas well or either was the proximate cause of the contamination or deprivation of the fresh water source or supply. (c) In order to rebut the presumption of liability established in subsection (b) of this section, the operator must prove by a preponderance of the evidence one of the following defenses: (1) The pollution existed prior to the drilling or alteration activity as determined by a predrilling or prealteration water well test. (2) The landowner or water purveyor refused to allow the operator access to the property to conduct a predrilling or prealteration water well test. (3) The water supply is not within one thousand five hundred feet of the well. (4) The pollution occurred more than six months after completion of drilling or alteration activities. (5) The pollution occurred as the result of some cause other than the drilling or alteration activity. (d) Any operator electing to preserve its defenses under subdivision (1), subsection (c) of this section shall retain the services of an independent certified laboratory to conduct the predrilling or prealteration water well test. A copy of the results of the test shall be submitted to the department and the surface owner or water purveyor in a manner prescribed by the secretary. (e) Any operator shall replace the water supply of an owner of interest in real property who obtains all or part of that owner's supply of water for domestic, agricultural, industrial or other legitimate use from an underground or surface source with a comparable water supply where the secretary determines that the water supply has been affected by contamination, diminution or interruption proximately caused by the oil or gas operation, unless waived in writing by that owner. (f) The secretary may order the operator conducting the oil or gas operation to: (1) Provide an emergency drinking water supply within twenty-four hours; (2) Provide temporary water supply within seventy-two hours; (3) Within thirty days begin activities to establish a permanent water supply or submit a proposal to the secretary outlining the measures and timetables to be used in establishing a permanent supply. The total time in providing a permanent water supply may not exceed two years. If the operator demonstrates that providing a permanent replacement water supply cannot be completed within two years, the secretary may extend the time frame on case-by-case basis; and (4) Pay all reasonable costs incurred by the real property owner in securing a water supply. (g) A person as described in subsection (b) of this section aggrieved under the provisions of subsections (b), (e) or (f) of this section may seek relief in court... (i) Notwithstanding the denial of the operator of responsibility for the damage to the real property owner's water supply or the status of any appeal on determination of liability for the damage to the real property owner's water supply, the operator may not discontinue providing the required water service until authorized to do so by the secretary or a court of competent jurisdiction.

**Written Comment:**

Pursuant to West Virginia Code § 22-6A-11(a), all persons described in subsection (b), section ten of this article may file written comments with the secretary as to the location or construction of the applicant's proposed well work within thirty days after the application is filed with the secretary. All persons described in West Virginia Code § 22-6A-10(b) may file written comments as to the location or construction of the applicant's proposed well work to the Secretary at:

Chief, Office of Oil and Gas  
Department of Environmental Protection  
601 57<sup>th</sup> St. SE  
Charleston, WV 25304  
(304) 926-0450

Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water. **NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT.**

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

08/18/2017



**Time Limits and Methods for Filing Comments.**

The law requires these materials to be served on or before the date the operator files its Application. You have **THIRTY (30) DAYS** after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Pursuant to West Virginia Code § 22-6A-11(c)(2), Any objections of the affected coal operators and coal seam owners and lessees shall be addressed through the processes and procedures that exist under sections fifteen, seventeen and forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article. The written comments filed by the parties entitled to notice under subdivisions (1), (2), (4), (5) and (6), subsection (b), section ten of this article shall be considered by the secretary in the permit issuance process, but the parties are not entitled to participate in the processes and proceedings that exist under sections fifteen, seventeen or forty, article six of this chapter, as applicable and as incorporated into this article by section five of this article.

**Comment Requirements**

Your comments must be in writing and include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

Disclaimer: All comments received will be placed on our web site <http://www.dep.wv.gov/oil-and-gas/Horizontal-Permits/Pages/default.aspx> and the applicant will automatically be forwarded an email notice that such comments have been submitted. The applicant will be expected to provide a response to comments submitted by any surface owner, water purveyor or natural gas storage operator noticed within the application.

**Permit Denial or Condition**

The Chief has the power to deny or condition a well work permit. Pursuant to West Virginia Code § 22-6A-8(d), the permit may not be issued or be conditioned, including conditions with respect to the location of the well and access roads prior to issuance if the director determines that:

- (1) The proposed well work will constitute a hazard to the safety of persons;
- (2) The plan for soil erosion and sediment control is not adequate or effective;
- (3) Damage would occur to publicly owned lands or resources; or
- (4) The proposed well work fails to protect fresh water sources or supplies.

A permit may also be denied under West Virginia Code § 22-6A-7(k), the secretary shall deny the issuance of a permit if the secretary determines that the applicant has committed a substantial violation of a previously issued permit for a horizontal well, including the applicable erosion and sediment control plan associated with the previously issued permit, or a substantial violation of one or more of the rules promulgated under this article, and in each instance has failed to abate or seek review of the violation within the time prescribed by the secretary pursuant to the provisions of subdivisions (1) and (2), subsection (a), section five of this article and the rules promulgated hereunder, which time may not be unreasonable.

Pursuant to West Virginia Code § 22-6A-10(g), any person entitled to submit written comments to the secretary pursuant to subsection (a), section eleven of this article, shall also be entitled to receive from the secretary a copy of the permit as issued or a copy of the order modifying or denying the permit if the person requests receipt of them as a part of the written comments submitted concerning the permit application. Such persons may request, at the time of submitting written comments, notice of the permit decision and a list of persons qualified to test water.

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

08/18/2017

WW-6A  
(8-13)


API NO. 47- 033 - OS 889  
OPERATOR WELL NO. 203  
Well Pad Name: Pritt South

Notice is hereby given by: Wm Eddy  
Well Operator: Arsenal Resources  
Telephone: 724-940-1204  
Email: ecarder@arsenalresources.com

Address: 6031 Wallace Road Extension, Suite 300  
Wexford, PA 15090  
Facsimile: 304-848-9134

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [deprivacyofficer@wv.gov](mailto:deprivacyofficer@wv.gov).



Subscribed and sworn before me this 18<sup>th</sup> day of April 2017.  
Kelly A. Eddy Notary Public  
My Commission Expires September 18, 2018

RECEIVED  
Office of Oil and Gas  
MAY 12 2017  
WV Department of  
Environmental Protection

08/18/2017

**Surface Owner (s) (Road and/or Other Disturbance):**

Ira H. Pritt & Laura E. Pritt  
3444 Green Valley Road  
Bridgeport, WV 26330

Julia Crim  
RR 1 Box 91  
Bridgeport, WV 26330

Sandy Crim  
75 Crim Lane  
Bridgeport, WV 26330

**Coal Owner (s):**

Heirs of Virginia A. Tetrick Estate  
James M. Sutton, John Y. Sutton, Willis G. Tetrick III  
And Amy T. Buckley, d/b/a, Tetrick Mineral Properties, J.V.  
92 16<sup>th</sup> Street  
Wheeling, WV 26003

I.L. Morris  
P.O. Box 397  
Glennville, WV 26351

Edith Gans Burns  
264 South Lake Road  
Columbia, SC 29223

Rebecca Turner, William Snyder and Robert Snyder  
Title Building, Suite 400  
110 Saint Paul Street  
Baltimore, MD 21202

Mike Ross, Inc.  
P.O. Box 219  
Coalton, WV 26257

Spartan Exploration Company  
P.O. Box 316  
Mt. Pleasant, MI 48858

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

Ryan C. Radtka  
205 Mystic Drive  
Morgantown, West Virginia 26508

Helen M. Burton  
P.O. Box 8179  
Nutter Fort, WV 26301

CoalQuest Development, LLC  
100 Tygart Drive  
Grafton, WV 26354

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

**Water Purveyors within 1500' of Pritt South 203:**

Kevin McNemar  
1048 Indiana Ave.  
Stonewood, WV 26301

Lucas Johnson etal C/O Thomas Johnson  
RR4 Box 560  
Bridgeport, WV 26330

Ira & Laura Pritt  
3444 Green Valley Road  
Bridgeport, WV 26330

Oran Warder etal  
2381 Silverado Drive  
Weatherford, TX 76087

Renee Johnson  
511 Beards Run Road  
Bridgeport, WV 26330

Ronald & Jody Crim  
2825 Green Valley Rd.  
Bridgeport, WV 26330

Julia Crim  
RR1 Box 91  
Bridgeport, WV 26330

Sandy Crim  
75 Crim Lane  
Bridgeport, WV 26330

Della R. Riffle  
11 Crim Lane  
Bridgeport, WV 26330

Ecosystem Investment  
Partners III, LLC  
2002 Clipper Park Road, Suite 201  
Baltimore, MD 21211

John & Cynthia Snider  
95 Beards Run Road  
Bridgeport, WV 26330

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

08/18/2017

33-05889

Wilma Suter  
RR1 Box 98C  
Bridgeport, WV 26330

Joshua Thompson  
RR1 Box 98  
Bridgeport, WV 26330

RECEIVED  
Office of Oil and Gas  
FEB 07 2017  
WV Department of  
Environmental Protection

08/18/2017

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE OF INTENT TO DRILL**

Pursuant to W. Va. Code § 22-6A-16(b), the Notice of Intent to Drill is only required if the notice requirements of W. Va. Code § 22-6A-10(a) have NOT been met or if the Notice of Intent to Drill requirement has NOT been waived in writing by the surface owner.

**Notice Time Requirement:** Notice shall be provided at least **TEN (10)** days prior to filing a permit application.

**Date of Notice:** 02/02/2017      **Date Permit Application Filed:** \_\_\_\_\_

**Delivery method pursuant to West Virginia Code § 22-6A-16(b)**

- HAND DELIVERY
- CERTIFIED MAIL RETURN RECEIPT REQUESTED

Pursuant to W. Va. Code § 22-6A-16(b), at least ten days prior to filing a permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner notice of its intent to enter upon the surface owner's land for the purpose of drilling a horizontal well: *Provided*, That notice given pursuant to subsection (a), section ten of this article satisfies the requirements of this subsection as of the date the notice was provided to the surface owner: *Provided, however*, That the notice requirements of this subsection may be waived in writing by the surface owner. The notice, if required, shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative.

**Notice is hereby provided to the SURFACE OWNER(s):**

Name: Ira H. Pritt & Laura E. Pritt  
Address: 3444 Green Valley Road  
Bridgeport, WV 26330

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-16(b), notice is hereby given that the undersigned well operator has an intent to enter upon the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>570,150.1</u>
County:	<u>Harrison</u>		Northing:	<u>4,344,363.9</u>
District:	<u>Simpson</u>	Public Road Access:	<u>County Route 17</u>	
Quadrangle:	<u>Brown-ton</u>	Generally used farm name:	<u>Ira Pritt</u>	
Watershed:	<u>Beards Run &amp; Pigtail Run</u>			

**This Notice Shall Include:**

Pursuant to West Virginia Code § 22-6A-16(b), this notice shall include the name, address, telephone number, and if available, facsimile number and electronic mail address of the operator and the operator's authorized representative. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

**Notice is hereby given by:**

Well Operator: Arsenal Resources  
Address: 6031 Wallace Road Extension, Suite 300  
Wexford, PA 15090  
Telephone: 724-940-1204  
Email: ecarder@arsenalresources.com  
Facsimile: 304-848-9134

Authorized Representative: Eddie Carder  
Address: 65 Professional Place, Suite 200  
Bridgeport, WV 26330  
Telephone: 724-940-1204  
Email: ecarder@arsenalresources.com  
Facsimile: 304-848-9134

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use or your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

Received  
Office of Oil & Gas

MAY 12 08/18/2017

**STATE OF WEST VIRGINIA  
DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS  
NOTICE OF PLANNED OPERATION**

**Notice Time Requirement:** notice shall be provided no later than the **filing date of permit application.**  
**Date of Notice:** 02/02/2017      **Date Permit Application Filed:** \_\_\_\_\_

Received  
Office of Oil & Gas

**Delivery method pursuant to West Virginia Code § 22-6A-16(c)**

MAY 12 2017

- CERTIFIED MAIL                       HAND  
RETURN RECEIPT REQUESTED              DELIVERY

Pursuant to W. Va. Code § 22-6A-16(c), no later than the date for filing the permit application, an operator shall, by certified mail return receipt requested or hand delivery, give the surface owner whose land will be used for the drilling of a horizontal well notice of the planned operation. The notice required by this subsection shall include: (1) A copy of this code section; (2) The information required to be provided by subsection (b), section ten of this article to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. (d) The notices required by this section shall be given to the surface owner at the address listed in the records of the sheriff at the time of notice.

**Notice is hereby provided to the SURFACE OWNER(s)**

(at the address listed in the records of the sheriff at the time of notice):

Name: Ira H. Pritt & Laura E. Pritt  
Address: 3444 Green Valley Road  
Bridgeport, WV 26330

Name: \_\_\_\_\_  
Address: \_\_\_\_\_

**Notice is hereby given:**

Pursuant to West Virginia Code § 22-6A-16(c), notice is hereby given that the undersigned well operator has developed a planned operation on the surface owner's land for the purpose of drilling a horizontal well on the tract of land as follows:

State:	<u>West Virginia</u>	UTM NAD 83	Easting:	<u>570,150.1</u>
County:	<u>Harrison</u>		Northing:	<u>4,344,363.9</u>
District:	<u>Simpson</u>	Public Road Access:	<u>County Route 17</u>	
Quadrangle:	<u>Brownlon</u>	Generally used farm name:	<u>Ira Pritt</u>	
Watershed:	<u>Bearde Run &amp; Pigtail Run</u>			

**This Notice Shall Include:**

Pursuant to West Virginia Code § 22-6A-16(c), this notice shall include: (1) A copy of this code section; (2) The information required to be provided by W. Va. Code § 22-6A-10(b) to a surface owner whose land will be used in conjunction with the drilling of a horizontal well; and (3) A proposed surface use and compensation agreement containing an offer of compensation for damages to the surface affected by oil and gas operations to the extent the damages are compensable under article six-b of this chapter. Additional information related to horizontal drilling may be obtained from the Secretary, at the WV Department of Environmental Protection headquarters, located at 601 57<sup>th</sup> Street, SE, Charleston, WV 25304 (304-926-0450) or by visiting [www.dep.wv.gov/oil-and-gas/pages/default.aspx](http://www.dep.wv.gov/oil-and-gas/pages/default.aspx).

Well Operator: Arsenal Resources  
Telephone: 724-940-1204  
Email: ecarder@arsenalresources.com

Address: 6031 Wallace Road Extension, Suite 300  
Wexford, PA 15090  
Facsimile: 304-848-9134

**Oil and Gas Privacy Notice:**

The Office of Oil and Gas processes your personal information, such as name, address and telephone number, as part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at [depprivacyofficer@wv.gov](mailto:depprivacyofficer@wv.gov).

08/18/2017



33-05889



WEST VIRGINIA DEPARTMENT OF TRANSPORTATION  
**Division of Highways**

1900 Kanawha Boulevard East • Building Five • Room 110  
Charleston, West Virginia 25305-0430 • (304) 558-3505

Jim Justice  
Governor

Thomas J. Smith, P. E.  
Secretary of Transportation/  
Commissioner of Highways

February 1, 2017

James A. Martin, Chief  
Office of Oil and Gas  
Department of Environmental Protection  
601 57<sup>th</sup> Street, SE  
Charleston, WV 25304

Subject: DOH Permit for the Pritt North & Pritt South Pads, Harrison County

47-033-05889

Dear Mr. Martin,

The West Virginia Division of Highways has issued Permit #04-2015-0617 for the subject site to Mountaineer Keystone, LLC for access to the State Road for the well site located off of Harrison County 77/6 SLS.

The operator has signed a DISTRICT WIDE OIL AND GAS ROAD MAINTENANCE BONDING AGREEMENT for DOH District 4 and provided the required Bond. This operator is currently in compliance with the DOH OIL AND GAS POLICY dated January 3, 2012.

Very Truly Yours,

A handwritten signature in blue ink that reads "Gary K. Clayton".

Gary K. Clayton  
Regional Maintenance Engineer  
Central Office Oil & Gas Coordinator

Cc: Eddie Carder  
Mountaineer Keystone, LLC  
CH, OM, D-4  
File

RECEIVED  
Office of Oil and Gas

FEB 07 2017

WV Department of  
Environmental Protection  
08/18/2017

<b>WellName #Pritt South #203</b>			
<b>FRACTURING ADDITIVES</b>			
	<b>PURPOSE</b>	<b>TRADE NAME</b>	<b>CAS #</b>
Additive #1:	Friction Reducer	WFRA-405	Proprietary
Additive #2:	Scale Inhibitor	SI-1000	7440-21-3
Additive #3:	Biocide	BIOCLEAR 2000	25314-61-8
Additive #4:	Gelling Agent	LGC-15	9000-30-0
Additive #5:	Corrosion Inhibitor	AI-300	111-76-2
Additive #6:	Gel Breaker	AP-One	7727-54-0
Additive #7:	Acid	HCl - 7.5%	7647-01-0

RECEIVED  
Office of Oil and Gas

FEB 07 2017

08/18/2017  
WV Department of  
Environmental Protection

**PROJECT INFORMATION**

PROJECT NAME: PRITT SOUTH  
 TAX PARCEL:  
 SIMPSON DISTRICT  
 MAP 351 PARCELS 4, 7, 15, 15.3, 15.5

SURFACE OWNER:  
 IRA PRITT  
 TM 351 PAR 4  
 TOTAL PROPERTY AREA: 69.06 AC  
 TOTAL DISTURBED AREA: 14.57 AC

ORAN WARDER  
 TM 351 PAR 7  
 TOTAL PROPERTY AREA: 47.40 AC  
 TOTAL DISTURBED AREA: 5.49 AC

JULIA CRIM  
 TM 351 PAR 15.8  
 TOTAL PROPERTY AREA: 31 AC  
 TOTAL DISTURBED AREA: 6.90 AC

JULIA CRIM  
 TM 351 PAR 15.3  
 TOTAL PROPERTY AREA: 4.19 AC  
 TOTAL DISTURBED AREA: 2.77 AC

SANDY CRIM  
 TM 351 PAR 15.5  
 TOTAL PROPERTY AREA: 2.05 AC  
 TOTAL DISTURBED AREA: 0.05 AC

**OPERATOR**

ARSENAL RESOURCES  
 65 PROFESSIONAL PLACE  
 SUITE 200  
 BRIDGEPORT, WV 26330  
 PHONE: (304) 842-3597

**ENGINEER**

LARSON DESIGN GROUP  
 2502 CRANBERRY SQUARE  
 MORGANTOWN, WV 26508  
 PHONE: (304) 777-2940

**SURVEYOR**

SMITH LAND SURVEYING, INC.  
 12 VANHORN DRIVE  
 GLENVILLE, WV 26351  
 PHONE: (304) 462-5634

**PRITT SOUTH SITE PLAN  
 ARSENAL RESOURCES**

(PROPOSED WELLS NO. 201, 202, 203, 204, 205, 206,  
 301, 211, 212, 213, 214, 215, 216, & 311)

SITUATE ON THE WATERS OF BEARDS RUN AND PIGTAIL RUN  
 IN SIMPSON DISTRICT, HARRISON COUNTY, WEST VIRGINIA



SCALE: 1" = 2000'

BROWNTON QUADRANGLE  
 WEST VIRGINIA

MISS Utility of West Virginia  
 1-800-245-4848  
 West Virginia State Law  
 (Section XIV: Chapter 24-C)  
 Requires that you call two  
 business days before you dig in  
 the state of West Virginia.  
 IT'S THE LAW!!

**APPROVED  
 WVDEP OOG**

6/2/2017



**LOCATION COORDINATES**

ACCESS ROAD ENTRANCE  
 LATITUDE: 39.241841 LONGITUDE: -80.192380 (NAD 83)

CENTER OF PRITT SOUTH WELL PAD  
 LATITUDE: 39.245319 LONGITUDE: -80.186800 (NAD 83)

CENTER OF ABOVEGROUND STORAGE TANK  
 LATITUDE: 39.244714 LONGITUDE: -80.185139 (NAD 83)

CENTER OF ASSOCIATED WASTE WATER PIT  
 LATITUDE: 39.245265 LONGITUDE: -80.183541 (NAD 83)

**GENERAL DESCRIPTION**

THE WELL PAD, ASSOCIATED PIT, AND ABOVEGROUND STORAGE TANK ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

**SITE DISTURBANCE COMPUTATIONS**

PRITT SOUTH WELL PAD = 9.15 AC  
 ABOVEGROUND STORAGE TANK PAD = 3.33 AC  
 ASSOCIATED WASTE WATER PIT = 4.98 AC  
 ACCESS ROAD TO WELL PADS = 10.67 AC  
 ACCESS ROAD TO AST / PIT = 1.65 AC  
 TOTAL SITE DISTURBANCE = 29.78 AC  
 TIMBER CLEARING AREA = 16.30 AC

**ENTRANCE PERMIT**

ARSENAL RESOURCES WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

**MISS UTILITY STATEMENT**

MISS UTILITY OF WEST VIRGINIA WAS NOTED FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN; TICKET #1509819364. IN ADDITION, MISS UTILITY WILL BE CONTACTED PRIOR TO START OF THE PROJECT.

**FLOODPLAIN NOTE**

THE PROPOSED LIMITS OF DISTURBANCE FOR THIS PROJECT IS NOT LOCATED WITHIN THE EXISTING FEMA 100-YEAR FLOODPLAIN. NO FEMA MAP EXISTS FOR THIS LOCATION IN HARRISON COUNTY.

**ENVIRONMENTAL NOTES**

WETLAND DELINEATIONS WERE PERFORMED ON MARCH 3, 2015, MARCH 11, 2015, APRIL 8, 2015, MAY 8, 2015 AND MARCH 17, 2017 BY ALLSTAR ECOLOGY TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE SOUTH) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

**GEOTECHNICAL NOTE**

A GEOTECHNICAL INVESTIGATION OF THE PROPOSED SITE WAS CONDUCTED BY G.A. COVEY ENGINEERING ON JULY 17 THROUGH JULY 20, 2012. THE REPORT PREPARED BY G.A. COVEY ENGINEERING, DATED JULY 2012 REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WAS USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY G.A. COVEY FOR ADDITIONAL INFORMATION.

**SHEET INDEX**

- 1 COVER SHEET
- 2-3 GENERAL NOTES
- 4 OVERALL PLAN SHEET INDEX
- 5-8 SITE LAYOUT
- 9 ACCESS ROAD PROFILE
- 10-14 ACCESS ROAD CROSS SECTIONS
- 15-18 WELL PAD CROSS SECTIONS
- 19-20 WASTE WATER PIT CROSS SECTIONS
- 21-24 RECLAMATION PLAN
- 25-37 DETAILS

**RESTRICTIONS NOTES:**

1. THERE ARE NO WETLANDS WITHIN 100 FEET OF THE WELL PAD LOD.
2. THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD LOD.
3. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
4. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
5. THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRILLED.
6. THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.
7. THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.



NO.	DATE	REVISIONS
01	7/1/15	FINAL DESIGN
02	7/1/15	FINAL DESIGN
03	7/1/15	FINAL DESIGN
04	7/1/15	FINAL DESIGN
05	7/1/15	FINAL DESIGN
06	7/1/15	FINAL DESIGN
07	7/1/15	FINAL DESIGN
08	7/1/15	FINAL DESIGN
09	7/1/15	FINAL DESIGN
10	7/1/15	FINAL DESIGN
11	7/1/17	FINAL DESIGN
12	7/1/17	FINAL DESIGN
13	7/1/17	FINAL DESIGN
14	7/1/17	FINAL DESIGN
15	7/1/17	FINAL DESIGN
16	7/1/17	FINAL DESIGN
17	7/1/17	FINAL DESIGN
18	7/1/17	FINAL DESIGN
19	7/1/17	FINAL DESIGN
20	7/1/17	FINAL DESIGN
21	7/1/17	FINAL DESIGN
22	7/1/17	FINAL DESIGN
23	7/1/17	FINAL DESIGN
24	7/1/17	FINAL DESIGN
25	7/1/17	FINAL DESIGN
26	7/1/17	FINAL DESIGN
27	7/1/17	FINAL DESIGN
28	7/1/17	FINAL DESIGN
29	7/1/17	FINAL DESIGN
30	7/1/17	FINAL DESIGN
31	7/1/17	FINAL DESIGN
32	7/1/17	FINAL DESIGN
33	7/1/17	FINAL DESIGN
34	7/1/17	FINAL DESIGN
35	7/1/17	FINAL DESIGN
36	7/1/17	FINAL DESIGN
37	7/1/17	FINAL DESIGN
38	7/1/17	FINAL DESIGN
39	7/1/17	FINAL DESIGN
40	7/1/17	FINAL DESIGN
41	7/1/17	FINAL DESIGN
42	7/1/17	FINAL DESIGN
43	7/1/17	FINAL DESIGN
44	7/1/17	FINAL DESIGN
45	7/1/17	FINAL DESIGN
46	7/1/17	FINAL DESIGN
47	7/1/17	FINAL DESIGN
48	7/1/17	FINAL DESIGN
49	7/1/17	FINAL DESIGN
50	7/1/17	FINAL DESIGN
51	7/1/17	FINAL DESIGN
52	7/1/17	FINAL DESIGN
53	7/1/17	FINAL DESIGN
54	7/1/17	FINAL DESIGN
55	7/1/17	FINAL DESIGN
56	7/1/17	FINAL DESIGN
57	7/1/17	FINAL DESIGN
58	7/1/17	FINAL DESIGN
59	7/1/17	FINAL DESIGN
60	7/1/17	FINAL DESIGN
61	7/1/17	FINAL DESIGN
62	7/1/17	FINAL DESIGN
63	7/1/17	FINAL DESIGN
64	7/1/17	FINAL DESIGN
65	7/1/17	FINAL DESIGN
66	7/1/17	FINAL DESIGN
67	7/1/17	FINAL DESIGN
68	7/1/17	FINAL DESIGN
69	7/1/17	FINAL DESIGN
70	7/1/17	FINAL DESIGN
71	7/1/17	FINAL DESIGN
72	7/1/17	FINAL DESIGN
73	7/1/17	FINAL DESIGN
74	7/1/17	FINAL DESIGN
75	7/1/17	FINAL DESIGN
76	7/1/17	FINAL DESIGN
77	7/1/17	FINAL DESIGN
78	7/1/17	FINAL DESIGN
79	7/1/17	FINAL DESIGN
80	7/1/17	FINAL DESIGN
81	7/1/17	FINAL DESIGN
82	7/1/17	FINAL DESIGN
83	7/1/17	FINAL DESIGN
84	7/1/17	FINAL DESIGN
85	7/1/17	FINAL DESIGN
86	7/1/17	FINAL DESIGN
87	7/1/17	FINAL DESIGN
88	7/1/17	FINAL DESIGN
89	7/1/17	FINAL DESIGN
90	7/1/17	FINAL DESIGN
91	7/1/17	FINAL DESIGN
92	7/1/17	FINAL DESIGN
93	7/1/17	FINAL DESIGN
94	7/1/17	FINAL DESIGN
95	7/1/17	FINAL DESIGN
96	7/1/17	FINAL DESIGN
97	7/1/17	FINAL DESIGN
98	7/1/17	FINAL DESIGN
99	7/1/17	FINAL DESIGN
100	7/1/17	FINAL DESIGN

COVER SHEET  
 PRITT SOUTH SITE PLAN  
 HARRISON COUNTY, WEST VIRGINIA


ARSENAL RESOURCES  
 65 Professional Place  
 Bridgeport, WV 26330  
 PHONE: 304.842.3597

Larson Design Group • Architects Engineers Surveyors  
 2502 Cranberry Sq.  
 Morgantown, WV 26508  
 PHONE: 304.777.2940 TOLL FREE 877.323.6603  
 PHONE: 304.777.2940 • www.larsondesign.com

Smith Land Surveying  
 P.O. Box 150  
 12 Vanhorn Drive  
 Glenville, West Virginia 26351  
 PHONE: 304.462.5634 FAX: 724.779.5044 • www.larsondesign.com



SHEET NO:  
**1** OF 37  
 PROJECT NO.:  
 10793-005



NOTE: SEE RIG MAT DETAIL ON SHEET 34 FOR MORE INFORMATION



**APPROVED**  
**WVDEP OOG**  
3/20 6/2/2017




NO.	DATE	COMMENTS	ISSUE / REVISIONS
1	5/31/17	FINAL DESIGN	
2	7/7/15	FINAL DESIGN	
3			
4			
5			
6			
7			
8			
9			
10			
11	5/31/17	FINAL DESIGN	
12	5/31/17	FINAL DESIGN	
13	5/31/17	FINAL DESIGN	
14	5/31/17	FINAL DESIGN	
15	5/31/17	FINAL DESIGN	
16	5/31/17	FINAL DESIGN	
17	5/31/17	FINAL DESIGN	
18	5/31/17	FINAL DESIGN	
19	5/31/17	FINAL DESIGN	
20	5/31/17	FINAL DESIGN	
21	5/31/17	FINAL DESIGN	
22	5/31/17	FINAL DESIGN	
23	5/31/17	FINAL DESIGN	
24	5/31/17	FINAL DESIGN	
25	5/31/17	FINAL DESIGN	
26	5/31/17	FINAL DESIGN	
27	5/31/17	FINAL DESIGN	
28	5/31/17	FINAL DESIGN	
29	5/31/17	FINAL DESIGN	
30	5/31/17	FINAL DESIGN	
31	5/31/17	FINAL DESIGN	
32	5/31/17	FINAL DESIGN	
33	5/31/17	FINAL DESIGN	
34	5/31/17	FINAL DESIGN	
35	5/31/17	FINAL DESIGN	
36	5/31/17	FINAL DESIGN	
37	5/31/17	FINAL DESIGN	
38	5/31/17	FINAL DESIGN	
39	5/31/17	FINAL DESIGN	
40	5/31/17	FINAL DESIGN	
41	5/31/17	FINAL DESIGN	
42	5/31/17	FINAL DESIGN	
43	5/31/17	FINAL DESIGN	
44	5/31/17	FINAL DESIGN	
45	5/31/17	FINAL DESIGN	
46	5/31/17	FINAL DESIGN	
47	5/31/17	FINAL DESIGN	
48	5/31/17	FINAL DESIGN	
49	5/31/17	FINAL DESIGN	
50	5/31/17	FINAL DESIGN	
51	5/31/17	FINAL DESIGN	
52	5/31/17	FINAL DESIGN	
53	5/31/17	FINAL DESIGN	
54	5/31/17	FINAL DESIGN	
55	5/31/17	FINAL DESIGN	
56	5/31/17	FINAL DESIGN	
57	5/31/17	FINAL DESIGN	
58	5/31/17	FINAL DESIGN	
59	5/31/17	FINAL DESIGN	
60	5/31/17	FINAL DESIGN	
61	5/31/17	FINAL DESIGN	
62	5/31/17	FINAL DESIGN	
63	5/31/17	FINAL DESIGN	
64	5/31/17	FINAL DESIGN	
65	5/31/17	FINAL DESIGN	
66	5/31/17	FINAL DESIGN	
67	5/31/17	FINAL DESIGN	
68	5/31/17	FINAL DESIGN	
69	5/31/17	FINAL DESIGN	
70	5/31/17	FINAL DESIGN	
71	5/31/17	FINAL DESIGN	
72	5/31/17	FINAL DESIGN	
73	5/31/17	FINAL DESIGN	
74	5/31/17	FINAL DESIGN	
75	5/31/17	FINAL DESIGN	
76	5/31/17	FINAL DESIGN	
77	5/31/17	FINAL DESIGN	
78	5/31/17	FINAL DESIGN	
79	5/31/17	FINAL DESIGN	
80	5/31/17	FINAL DESIGN	
81	5/31/17	FINAL DESIGN	
82	5/31/17	FINAL DESIGN	
83	5/31/17	FINAL DESIGN	
84	5/31/17	FINAL DESIGN	
85	5/31/17	FINAL DESIGN	
86	5/31/17	FINAL DESIGN	
87	5/31/17	FINAL DESIGN	
88	5/31/17	FINAL DESIGN	
89	5/31/17	FINAL DESIGN	
90	5/31/17	FINAL DESIGN	
91	5/31/17	FINAL DESIGN	
92	5/31/17	FINAL DESIGN	
93	5/31/17	FINAL DESIGN	
94	5/31/17	FINAL DESIGN	
95	5/31/17	FINAL DESIGN	
96	5/31/17	FINAL DESIGN	
97	5/31/17	FINAL DESIGN	
98	5/31/17	FINAL DESIGN	
99	5/31/17	FINAL DESIGN	
100	5/31/17	FINAL DESIGN	


**EROSION AND SEDIMENT CONTROL PLAN**  
**PRITT SOUTH SITE PLAN**  
HARRISON COUNTY, WEST VIRGINIA

**Larson Design Group - Architects Engineers Surveyors**  
2502 Cranberry Sq.  
Morgantown, WV 26508  
PHONE 304.777.2940 TOLL FREE 877.323.6603  
FAX 724.779.5044 • www.larsondesigngroup.com

**Smith Land Surveying**  
P.O. Box 150  
Morgantown, WV 26505  
PHONE 304.462.5634 FAX 724.779.5044






				TOPO SECTIONS OF:		OPERATOR	
				ROSEMONT & BROWNTON WV 7.5' QUADS		MOUNTAINEER KEYSTONE, LLC	
DRAWN BY	FILE NO.	DATE	CADD FILE:	COUNTY	DISTRICT	6031 WALLACE RD. EXT, SUITE 300	
C.P.M.	8383	08-08-16	8383LOC001.DWG	HARRISON	SIMPSON	WEXFORD, PA 15090	

# SITE PLAN RESOURCES

203, 204, 205, 206,  
15, 216, & 311)

PRITT SOUTH RUN AND PIGTAIL RUN  
HARRISON COUNTY, WEST VIRGINIA



LOCATION COORDINATES

ACCESS ROAD ENTRANCE  
LATITUDE: 39.241841 LONGITUDE: -80.192380 (NAD 83)

CENTER OF PRITT SOUTH WELL PAD  
LATITUDE: 39.245319 LONGITUDE: -80.186800 (NAD 83)

CENTER OF ABOVEGROUND STORAGE TANK  
LATITUDE: 39.244714 LONGITUDE: -80.185139 (NAD 83)

CENTER OF ASSOCIATED WASTE WATER PIT  
LATITUDE: 39.245265 LONGITUDE: -80.183541 (NAD 83)

GENERAL DESCRIPTION

THE WELL PAD, ASSOCIATED PIT, AND ABOVEGROUND STORAGE TANK ARE BEING CONSTRUCTED TO AID IN THE DEVELOPMENT OF INDIVIDUAL MARCELLUS SHALE GAS WELLS.

SITE DISTURBANCE COMPUTATIONS

PRITT SOUTH WELL PAD = 9.15 AC  
ABOVEGROUND STORAGE TANK PAD = 3.33 AC  
ASSOCIATED WASTE WATER PIT = 4.98 AC  
ACCESS ROAD TO WELL PADS = 10.67 AC  
ACCESS ROAD TO AST / PIT = 1.65 AC  
TOTAL SITE DISTURBANCE = 29.78 AC  
TIMBER CLEARING AREA = 16.30 AC

ENCROACHMENT PERMIT

ARSENAL RESOURCES WILL OBTAIN AN ENCROACHMENT PERMIT (FORM MM-109) FROM THE WEST VIRGINIA DEPARTMENT OF TRANSPORTATION DIVISION OF HIGHWAYS, PRIOR TO COMMENCEMENT OF CONSTRUCTION ACTIVITIES.

MISS UTILITY STATEMENT

MISS UTILITY OF WEST VIRGINIA WAS NOTED FOR THE LOCATING OF UTILITIES PRIOR TO THIS PROJECT DESIGN; TICKET #1509819364. IN ADDITION, MISS UTILITY WILL BE CONTACTED PRIOR TO START OF THE PROJECT.

FLOODPLAIN NOTE

THE PROPOSED LIMITS OF DISTURBANCE FOR THIS PROJECT IS NOT LOCATED WITHIN THE EXISTING FEMA 100-YEAR FLOODPLAIN. NO FEMA MAP EXISTS FOR THIS LOCATION IN HARRISON COUNTY.

ENVIRONMENTAL NOTES

WETLAND DELINEATIONS WERE PERFORMED ON MARCH 3, 2015, MARCH 11, 2015, APRIL 8, 2015, MAY 8, 2015 AND MARCH 17, 2017 BY ALLSTAR ECOLOGY TO REVIEW THE SITE FOR WATERS AND WETLANDS THAT ARE MOST LIKELY WITHIN THE REGULATORY PURVIEW OF THE U.S. ARMY CORPS OF ENGINEERS (USACE SOUTH) AND/OR THE WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION (WVDEP). IT IS STRONGLY RECOMMENDED THAT THE AFOREMENTIONED AGENCIES BE CONSULTED IN AN EFFORT TO GAIN WRITTEN CONFIRMATION OF THE DELINEATION SHOWN ON THIS EXHIBIT PRIOR TO ENGAGING CONSTRUCTION ON THE PROPERTY DESCRIBED HEREIN. THE DEVELOPER SHALL OBTAIN THE APPROPRIATE PERMITS FROM THE FEDERAL AND/OR STATE REGULATORY AGENCIES PRIOR TO ANY PROPOSED IMPACTS TO WATERS OF THE U.S., INCLUDING WETLAND FILLS AND STREAM CROSSINGS.

GEOTECHNICAL NOTE

A GEOTECHNICAL INVESTIGATION OF THE PROPOSED SITE WAS CONDUCTED BY G.A. COVEY ENGINEERING ON JULY 17 THROUGH JULY 20, 2012. THE REPORT PREPARED BY G.A. COVEY ENGINEERING, DATED JULY 2012 REFLECTS THE RESULTS OF THE SUBSURFACE INVESTIGATION. THE INFORMATION AND RECOMMENDATIONS CONTAINED IN THIS REPORT WAS USED IN THE PREPARATION OF THESE PLANS. PLEASE REFER TO THE SUBSURFACE INVESTIGATION REPORT BY G.A. COVEY FOR ADDITIONAL INFORMATION.



Larson Design Group

**ARSENAL RESOURCES**

65 Professional Place  
Suite 200  
Bridgeport, WV 26330  
PHONE 304.842.3597

NO.	DATE	COMMENTS	ISSUE / REVISIONS		
			BY	CHK	
9	4/6/17	FINAL DESIGN	JWD	BMP	
8	2/28/17	FINAL DESIGN	JWD	BMP	
0	7/1/15	FINAL DESIGN	JWD	THK	

**COVER SHEET  
PRITT SOUTH SITE PLAN**

HARRISON COUNTY, WEST VIRGINIA

Larson Design Group - Architects Engineers Surveyors  
2502 Cranberry Sq.  
Morgantown, WV 26508  
PHONE 304.777.2940 TOLL FREE 877.323.6603  
FAX 724.779.5044 - www.larsondesigngroup.com

Smith Land  
Surveying  
P.O. Box 150  
12 Vanhorn Drive  
Glennville, WV 26351  
PHONE 304.462.5634



SHEET NO. 1 OF 67 08/18/2017

PROJECT NO.: 10793-005

West Virginia  
848  
State Law  
Chapter 24-C)  
call two  
you dig in  
Virginia.  
!!!

MAY 12 2017

# PRITT SOUTH ARSENAL RE

(PROPOSED WELLS NO. 201, 202,  
301, 211, 212, 213, 214,

## PROJECT INFORMATION

PROJECT NAME: PRITT SOUTH

TAX PARCEL:

SIMPSON DISTRICT

MAP 351 PARCELS 4, 7, 15, 15.3, 15.5

SURFACE OWNER:

IRA PRITT

TM 351 PAR 4

TOTAL PROPERTY AREA: 69.06 AC

TOTAL DISTURBED AREA: 14.57 AC

ORAN WARDER

TM 351 PAR 7

TOTAL PROPERTY AREA: 47.40 AC

TOTAL DISTURBED AREA: 5.49 AC

JULIA CRIM

TM 351 PAR 15.8

TOTAL PROPERTY AREA: 31 AC

TOTAL DISTURBED AREA: 6.90 AC

JULIA CRIM

TM 351 PAR 15.3

TOTAL PROPERTY AREA: 4.19 AC

TOTAL DISTURBED AREA: 2.77 AC

SANDY CRIM

TM 351 PAR 15.5

TOTAL PROPERTY AREA: 2.05 AC

TOTAL DISTURBED AREA: 0.05 AC

WV Department of  
Environmental Protection

## OPERATOR

ARSENAL RESOURCES

65 PROFESSIONAL PLACE

SUITE 200

BRIDGEPORT, WV 26330

PHONE: (304) 842-3597

## ENGINEER

LARSON DESIGN GROUP

2502 CRANBERRY SQUARE

MORGANTOWN, WV 26508

PHONE: (304) 777-2940

## SURVEYOR


SMITH LAND SURVEYING, INC.

12 VANHORN DRIVE

GLENVILLE, WV 26351

PHONE: (304) 462-5634

SITUATE ON THE WATERS OF BEAVER CREEK  
IN SIMPSON DISTRICT, HARRISON COUNTY, WEST VIRGINIA



## SHEET INDEX

- 1 COVER SHEET
- 2-3 GENERAL NOTES
- 4 OVERALL PLAN SHEET INDEX
- 5-8 SITE LAYOUT
- 9 ACCESS ROAD PROFILE
- 10-14 ACCESS ROAD CROSS SECTIONS
- 15-18 WELL PAD CROSS SECTIONS
- 19-20 WASTE WATER PIT CROSS SECTIONS
- 21-24 RECLAMATION PLAN
- 25-37 DETAILS

SCALE: 1" = 200'

BROWNTON QUADRANGLE  
WEST VIRGINIA

MISS Utility of West Virginia  
1-800-245-5858  
West Virginia State  
(Section XIV: Chapter 20)  
Requires that you obtain a permit  
before drilling a well in  
the state of West Virginia.  
IT'S THE LAW



SDW  
5/3/2017

## RESTRICTIONS NOTES:

1. THERE ARE NO WETLANDS WITHIN 100 FEET OF THE WELL PAD LOD.
2. THERE ARE NO PERENNIAL STREAMS, LAKES, PONDS, OR RESERVOIRS WITHIN 100 FEET OF THE WELL PAD LOD.
3. THERE ARE NO NATURALLY PRODUCING TROUT STREAMS WITHIN 300 FEET OF THE WELL PAD AND LOD.
4. THERE ARE NO GROUNDWATER INTAKE OR PUBLIC WATER SUPPLY FACILITIES WITHIN 1000 FEET OF THE WELL PAD AND LOD.
5. THERE ARE NO APPARENT EXISTING WATER WELLS OR DEVELOPED SPRINGS WITHIN 250 FEET OF THE WELL(S) BEING DRILLED.
6. THERE ARE NO OCCUPIED DWELLING STRUCTURES WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.
7. THERE ARE NO AGRICULTURAL BUILDINGS LARGER THAN 2,500 SQUARE FEET WITHIN 625 FEET OF THE CENTER OF THE WELL PAD.

08/18/2017