WR-35 Rev. 8/23/13

## State of West Virginia State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

API 47 - 033 - 05956 County Harrison  Quad Shinnston Pad Name Ice Page  NTO Energy Inc.	
Operator (as registered with the OOG)  Operator (as registered with the OOG)  City  January	
As Drilled location NAD 83/UTM Attach an as-drilled Top hole Northing NA NA NORTHING NA NO	Easting NA  New   Existing   Type of Report Interim   Final    ontal 6A   Vertical   Depth Type   Deep   Shallow    Plug Back   Redrilling   Rework   Stimulate    econdary Recovery   Solution Mining   Storage   Other    duced   Brine   Gas   NGL   Oil   Other    Water   Intermediate hole   Air   Mud   Fresh Water   Brine
Date permit issued 8/27/2019 Date drilling co	Date completion activities ceased
Verbal plugging (Y/N) Date permission gran	nted Granted by
Please note: Operator is required to submit a plugging app	RECEIVED Office of Oil and Gas
Freshwater depth(s) ft None reported.  Salt water depth(s) ft None reported.  Coal depth(s) ft None reported.  Is coal being mined in area (Y/N) N	Open mine(s) (Y/N) depths  Void(s) encountered (Y/N) depths  Cavern(s) encountered (Y/N) depths  N  MAR 0 4 2024  WV Department of N Environmental Protection N





.35 . 8/23/13	05956	Farm na	me XTO En	ergy Inc.		Wel	l number		Did coment	circulate (1/14)
47-033	00000			New or	Grade		Basket Depth(s)		* Provide	details below
SING	Hole	Casing	Depth	Used	wt/ft PE&B	95#	NA			N
RINGS	Size	Size 24"	20'	New	PEQU					
ductor	32"	24								
face							-	+++	1	
al							-	$\Box$		
ermediate 1							+			
termediate 2							+			
termediate 3										
oduction										
ubing	outh set							$\Box$		
acker type and de	eptii set									
CEMENT DATA	Class/Typof Cemer	nt of	Sacks	Slurry wt (ppg)	Yield (ft³/sks)		lume t <u><sup>3</sup>)</u>		ement (MD)	WOC (hrs)
Conductor	А	2	ards	+				Ш		
Surface										
Coal										
Intermediate 1										
Intermediate 2										
Intermediate 3										
Production										
Tubing										
Drillers TD Deepest for Plug back p	nation penetra	nted NA		LogPlu	ggers TD (ft) by g back to (ft)	NA				
Kick off de	pth (ft) NA				deviated/dire	ational	□ indu	ction		
Check all w	vireline logs ru	ın □ ca □ ne			gamma ray		□ tem	peratu		onic
	□ Yes 📱		nventional	Sidewall			cuttings co	llecte	d □Yes	■ No
DESCRIBI	E THE CENT	RALIZER PLA	CEMENT US	SED FOR EA	ACH CASING	3 S I KII	NG <u>IV</u>			
WAS WEI	LL COMPLET	TED AS SHOT	HOLE - Y	les ■ No	DETAIL	S NA				RECEIVE Office of Oil ar
WAS WEI	LL COMPLET	TED OPEN HO	LE? □ Yes	. • No	DETAILS	NA				MAR 0 4
WERE TR	ACERS USE	D □ Yes ■	No TYP	E OF TRAC	CER(S) USED	·NA				WV Departme Environmental Pr

WR-	35
Rev	8/23/13

	0
Page	of

API 47- 033 <sub>-</sub> 05956	Farm name_XTO Energy Inc.	Well number Ice East Unit 13H
--------------------------------	---------------------------	-------------------------------

## PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD ft.	Number of Perforations	Formation(s)
NA					

Please insert additional pages as applicable.

## STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
NA								
								RECEIVED Office of Oil and Gas
								MAR O A 2014
								MAK # 4 2074
								W Denartment
								WV Department of Environmental Protection

Please insert additional pages as applicable.

WR-35 Rev. 8/23/13								Page of
API 47- 033	_ 05956	Fan	<sub>n name</sub> XTO En	ergy Inc.		Well numbe	r_Ice East Unit	13H
PRODUCING 1	FORMATIC	N(S)	DEPTHS					
NA				_ TVD _		MD		
,								
Please insert ad	lditional nag	as as applicable		-				
					OH TEST -	Elaw = Dum	_	
GAS TEST	-		□ Open Flow					
SHUT-IN PRE	SSURE S	Surface NA	psi Botto	om Hole NA	psi	DURATION	OF TEST NA	hrs
OPEN FLOW	Gas NA	Oil mcfpd NA	NGL bpd NA	_ bpd _ <u>N</u>		GAS MEAS		Pilot
LITHOLOGY/ FORMATION	TOP DEPTH IN		FT DEPTH IN FT	BOTTOM DEPTH IN I	T DESCRIBE		O RECORD QUANT	
Soil/Stone	NAME TV 0	D TVD	MD 0	MD 20	TYPE OF F	LUID (FRESHWA	TER, BRINE, OIL,	JAS, H <sub>2</sub> S, E1C)
TO!	1.177	1:-1-1-						
Please insert ac								
Drilling Contra Address 104 He	actor Ligninir eliport Loop Rd	ng Energy Servic I.	City	Bridgeport		State WV	Zip 26330	
00 0 1			City			State	Zip	
		ral Supply Comp						
Address 4923 E	Renedum Drive	тап барріў боттр	City	Bridgeport		State _WV	Zip 26330	RECEIVED Office of Oil and Ga
Stimulating Co								MAR 0 4 2024
Address			City			State	Zip	
Please insert ac	dditional pag	ges as applicable	e.					WV Department of Environmental Protect
Completed by	y Tim Sands				Telephon	e 304-517-3546	, ,_	<del>,</del>
Signature	Li Sas	The Char	Title F	Regulatory Co	ordinator	Date	2/29/2	7
Submittal of H	Iydraulic Fra	cturing Chemic	al Disclosure Info	ormation	Attach copy	of FRACFOCU	JS Registry	