State of West Virginia Department of Environmental Protection - Office of Oil and Gas Well Operator's Report of Well Work

RECEIVED
Office of Oil and Gas

OCT 29 2021

WV Department of

12/31/2021

	Environmental Protection
API 47 - 033 - 06005 County Harrison	District Simpson
Quad Rosemont Pad Name	_ Field/Pool Name Bridgeport Storage
Farm name Charles Pointe Crossing LLC	Well Number 13077
Operator (as registered with the OOG) Eastern Gas Transmission and S	Storage, Inc.
Address 925 White Oaks Blvd. City Bridgeport	
Landing Point of Curve Northing Ea	Type of Report
Production hole	nt
Date permit issued 3/2/2021 Date drilling commenced 3/5/202 Date completion activities began Date completion activities plugging (Y/N) Date permission granted	tivities ceased
Please note: Operator is required to submit a plugging application within 5 days of	A L
Freshwater depth(s) ft None Recorded Open mine(s) (Y/N)	deprils
Salt water depth(s) ftNone Recorded Void(s) encountered None Covern(s) encountered	(1714) depins
Coal depth(s) ft	Reviewed by:

WR-35

					en 1		Dealest	D:4	ant alreadate (M/ N
CASING	Hole	Casing	Danish	New or Used	Grade wt/ft		Basket Depth(s)		ent circulate (Y/ N ie details below*
STRINGS Conductor	Size 30"	Size	Depth 26'	New		62#/ft	Depin(s)	110410	N/A
				New	94,62#/ft H-40, 65#/ft			Y	
Surface	22"	16"	309'	Mem	11-40	Oomit			
Coal		10.01111	0.401	NI	1.55	10 54/6			Υ
ntermediate 1	15"	10 3/4"	819'	New	J-55,	40,5#/ft			
ntermediate 2									
ntermediate 3									
roduction	9 7/8"	7"	2197'	New	K-55	, 23#/ft			Υ
Tubing									
acker type and d	lepth set								
CEMENT DATA	Class/Type of Cement	Number of Sacks	Slurr w1 (pp	· 00.	Yield t ³/sks)	Volume (<u>ft ²)</u> 88	Тор	nent (MD) face	WOC (hrs)
Conductor	Portland Ready Mi		45	0 4	470			face	8
Surface	Class A v/l 2% Cat	510	15.8	8 1	.178	601	Sui	lace	0
Coal									40
ntennediate 1	Class A w/ 2% Cat	590	15.8	8 1	.178	695	Sur	face	12
ntermediate 2									
ntermediate 3								_	
roduction	Class A w/ 2% Cat	690	15.9	9	1.17	807	Sur	face	8
l'ubing									
D. III TD (6) 2330' KB 2313' GL			Loggers 7	'D (ft) 230	6'		REC	EIVED Oil and Gas
Drillers ID (I	ntion penetrated Fif	v Foot		m 1 1 1				Office of	Oil and Gas
	occdure			•				OCT 2	9 2021
ring back pre	occurre								
							F	WV Depa	artment of tal Protection
Kick off depth	1 (ft) ^{843'}						_		
Check all wire	line logs run	a caliper	□ density	🗆 devia	ted/directi	ional 🗂	induction		
		a neutron	□ resistivity	gamm 💆	a ray		temperature	□sonic	;
			0:4-	11	***	lara auttine	s collected	n Ves I	ı No
	⊃Yes □ No	Convention							110
10 3/4" csg cent on ji	HE CENTRALIZ is 1, 2, 3, 6, 9, 14, 17, & 20			OR EACH C	ASING S	TRING 1	3° csg cent on jts 1,	3, 5, & 7	
7° csg cent on every	jt from #1 through#20, on jt	# 22, 24, 28, 32, 36, 40	0, 45, & 49						
	OOMBI ETED AS	TIOH TOUS	🗆 Yes 💆	No D	ETAILS				
WAS WELL	COMPLETED AS	SHOTHOLL	- 100 L	• • •					

WERE TRACERS USED - Yes & No TYPE OF TRACER(S) USED _

API 47- 033 _ 06005 Farm name Charles Pointe Crossing LLC Well number 13077

PERFORATION RECORD

Stage No.	Perforation date	Perforated from MD ft.	Perforated to MD fl.	Number of Perforations	Formation(s)
	No Perfs				

Please insert additional pages as applicable.

STIMULATION INFORMATION PER STAGE

Complete a separate record for each stimulation stage.

Stage No.	Stimulations Date	Ave Pump Rate (BPM)	Ave Treatment Pressure (PSI)	Max Breakdown Pressure (PSI)	ISIP (PSI)	Amount of Proppant (lbs)	Amount of Water (bbls)	Amount of Nitrogen/other (units)
	None							
							RECE Office of O	VED Gas
				-			Office of O	n and das
							OCT 2	9 2021
							WV Depa	rtment of
							Environment	

Please insert additional pages as applicable.

WR-35 Rev. 8/23/13

API 47- 033	_ 06005	Farm	_{name} Charle	s Pointe C	rossing LL	CWell	number_	1307	7
PRODUCING	FORMATION((S)	DEPTHS						
Fifty Foot			1990' - 2063'	TVD 2	211' - 2303'	MD			
11117 1 001			1000 2000			,			
-						_			
Please insert ad	lditional pages a	as applicable.							
GAS TEST	🗆 Build up 🗀	Drawdown	■ Open Flow	0	IL TEST 🗆 F	Flow	□ Pump		
SHUT-IN PRE	SSURE Surf	face 250	_psi Botto	om Hole	psi	DURA	TION OF	TEST	3 hrs
OPEN FLOW	Gas	Oil	NGL	V	Vater	GAS I	MEASUR	ED B	Y
	1,440 mcf	fpdl	opd		bpd		mated	orifi	ce Pilot
1.771010000	man.	DOTTEON A	TOP	DOTTO					
LITHOLOGY/ FORMATION	TOP DEPTH IN FT	BOTTOM DEPTH IN FT	TOP DEPTH IN FT	BOTTOM DEPTH IN FT	DESCRIBE E	אחרוני זיי	DE AND D	BCOPT)	QUANTITYAND
COMMITTOR	NAME TVD	TVD	MD	MD					E, OIL, GAS, H ₂ S, ETC)
Sand/Shale	0	902	0	902				4, 2000	21, 21, 21, 11, 11, 24, 25, 10,
3rd Salt Sand	902	973	902	973					
Sand/Shale	973	1421	973	1491					
Little Lime	1421	1438	1491	1512				RE	CEIVED f Oil and Gas
Shale	1438	1479	1512	1565					
Bìg Lime	1479	1541	1565	1645				OCT	2 9 2021
Big Injun	1541	1623	1645	1750				MA/ Do	nariment of
Sand/Shale	1623	1903	1750	2103	WV Department of Environmental Protection			ntal Protection	
Gantz	1903	1933	2103	2141					
Sand/Shale	1933	1990	2141	2211					
Fifty Foot	1990	2063	2211	2303 TD			Storag	e Zone	<u> </u>
					-				
Please insert ad	ditional pages a	s applicable.			-				
Drilling Contract	tor Yost Drillin	na LLC							
Address 313 St	eele Hill Rd.	-9	City	Mt. Morris		State	PA	Zin 1	5349
			City			_ 01410		. e.p	
Logging Compa	my Baker Hug	hes							
Address 400 Technology Drive Ste. 100			City	Cannonsbur	g	State	WVPA	Zip 1	5317
Cementing Com	many Halliburte	on							
Cementing Company Halliburton Address 1000 Noble Energy Drive Suite 400				Cannonsbur	g	State	PA	Zip 1	5317
N. 1 0									
Stimulating Con	npany				State		7:		
Address Please insert add	litional names as	annlicable	спу			State		zip_	
TOUST HISTI AUC	monar pagos as	appiicatio.							
Completed by		1			Telephone				
Signature	Etal. 7	we	Title Di	rector of Store	ige		Date 10/1	4/202	
Submittal of Hy	draulic Fracturi	ng Chemical D	isclosure Infor	mation A	ttach copy of	FRACE	OCUS R	egistry	