

NOT LOCATED



1112-56-A

I hereby certify that the foregoing is correct and true to the best of my knowledge and belief, according to the Laws of West Virginia.

Wm. Thompson

Subscribed and sworn to before me this _____ day of _____ 1930.

_____ day of _____ 1930.

No. 20.25 Clay
 Location Clay
 District in Harrison County West Virginia

The surface of the above tract is owned in fee by Chas L Murshey
 of _____ address, and the mineral rights are owned by
 of _____

The oil and gas privileges are held under lease by the above named company, and this well is drilled under
 permit No. _____ issued by the West Virginia Department of Mines, Oil and Gas Section.

Elevation of surface at top of well do not have Spirit Barometric

The number of feet of the different sized casings used in the well.

feet	size	Wood conductor
<u>60'</u> feet	<u>10"</u> size	<u>1000'</u> feet <u>6-5/8"</u> sized casing
<u>2400'</u> feet	<u>2"</u> size	feet _____ sized casing
_____ feet	_____ size	feet _____ sized casing
_____ packer of _____	_____ size	_____ set at _____
_____ packer of _____	_____ size	_____ set at _____
_____ in casing perforated at _____	_____ feet to _____	_____ feet
_____ in casing perforated at _____	_____ feet to _____	_____ feet

Coal was encountered at _____ feet, thickness _____ inches, and at _____ feet; thickness _____ inches, and at _____

Liners were used as follows: (Give details) none
(This is all the information we have)

Date November 6th 1930 The Fraser's Supply & Tool Co.
 Approved [Signature] Owner.
 By _____ (Title)

033-30056

ADDRESS
Fairmont W Va
COUNTY OF
STATE OF

WELL AND LOCATION
Clay
Harrison
Well No # 1
Chas L Hurbey

AFFIDAVIT

OHIO
STATE OF ~~Washingon~~
COUNTY OF ~~Washingon~~

Clarence Swamy and Lester Oliver
being first duly sworn and saying that they are experienced in the work of
and filling oil and gas wells and were employed by The Producers Sup. & Tool, well operators
and participated in the work of plugging and filling the above well, that said work was commenced on the
12th day of November, 1930 and that the well was plugged and sealed in
the following manner:

Manner in which well was plugged:
Bottom of hole 298'. Filled with clay to 2365'. Set M & P Plug. 222' Lead plug
12' of cement. Filled with clay to 2050'. Set M & P Plug. Filled with
clay to 1660'. Bottom of 6-5/8" casing. Casing shot off at 1414'.
Set M & P Plug. Filled 6-5/8" casing. Filled with clay to and through
Maxon and Keene sands to 1325'. Set M & P Plug. Filled with 12' cement.
Filled with clay to 1100' or above salt sand. Set M & P Plug. Natural
bridge at 760'. Filled with clay to 700'. Set M & P Plug. Filled with
clay to 640'. Set M & P Plug. Filled to 560'. Set M & P Plug. Filled
Manner in which well was plugged:
with clay to 46'. Hole left open from 460' to top of ground. 10" casing
left in hole and reduced at the top to 2" vent pipe.



THE ABOVE DESCRIPTIONS... BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 16 OIL AND GAS ACT OF 1925
and that the work of plugging and filling said well was completed on the 15th day of Nov.
1930
And further deponents saith not.

Clarence Swamy
Lester Oliver

Sworn to and subscribed before me this 26th day of March, 1931
My Commission expires
Feb 6th 1932
J E Schneider Notary Public
HAR-56 A