

Warelius Davison

Jamethugh Williams
10E

Marg. F. Randolph Hrs.



LEGEND

- Location
- Oil Well
- ⊙ " " Ahead.
- ⊗ Gas Well
- ⊙ " " Ahead.
- ⊕ Dry Hole

Field Book No. 487-P1, 25-26

Scale 1" = 500'

1164 }
1166 }
1167 }
Abd. April 23, 1958

HAR-298-A

ENGINEERS CERTIFICATE

I, the undersigned, hereby certify that this map is correct and shows all the information to the best of my knowledge and belief, required by the oil and gas laws of the constituent laws of the State of West Virginia.

PRELIMINARY DATA SHEET NO. 1

W.V. DEPARTMENT OF MINES #1164

J. K. Reed, No. 12005 Company of Salem, W. Va.,

is the Jalmah Williams Mine

containing 102 acre, located

Ten Miller District in Harrison County, West Virginia

The surface of the above tract is owned in fee by Marcellus Williams

Salem, W. Va., address, and the mineral rights are owned by

The oil and gas privileges are held under lease by the above named company, and this well is drilled under permit

issued by the West Virginia Department of Mines, Oil and Gas Division

195

Elevation of surface at top of well 1294 feet ^{Spot} ~~altitudes~~

The number of feet of the different size strings used in the well

feet	size	Wood conductor
2174 feet	5-8/8" size rig	2913 feet 3" sized rig
feet	size rig	feet sized rig
feet	size rig	feet sized rig
	packer of	size, set at
	packer of	size, set at
	is casing perforated at	feet to feet
	is casing perforated at	feet to feet

Casing was manufactured at APP. CO. feet, thick ness 60 inches, and at

feet, thickness inches, and at feet, thickness inches

Tools were used as follows (Give details)

Date

J. K. Reed, No. 12005

Oil well operations in this section, ROAD & MOSE, State of West Virginia, Sales, W. Va.
 ADDRESS: COMPLETE ADDRESS
 WELL AND LOCATION: Ten Mile District
 HARRISON County
 Well No.: (HCARCO #1164)
 Jehught Williams Farm

OPERATOR TO BE MADE IN THIS CASE. THIS COPY TO BE MAILED BY REGISTERED MAIL TO THE DEPARTMENT AND COPY TO BE RETURNED BY THE WELL OPERATOR AND THE OTHER COPY LONG RETURN RECEIPT IF REQUIRED, TO BE MAILED TO THE OIL WELL OPERATOR ABOVE NAMED AT THEIR RESPECTIVE ADDRESS.

AFFIDAVIT

STATE OF WEST VIRGINIA, }
 COUNTY OF HARRISON } =

Burt Mitchell and A.G. Parker,
 being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Road & Moser, well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the day of May, 1935, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged: Removed 2" Tubing and filled hole with Clay mud to 2840' - (in Gordon Brax Sand) and placed wood plug & cement to seal the hole.

Installed permanent bridge at 2280' - 30' below Big Injun Sand and filled with mud clay to 2284' - 10' below where 6 5/8" casing is set, placed wood plug and cement and continued filling 1700' - 20' above salt sand and placed wood plug. Removed 6-5/8 casing 1300 feet.

Manner in which coal was plugged: Installed permanent bridge at 855' - 30' below Pittsburgh Coal Seam and filled with cement to 800' - 20' above coal seam, and from that point to the surface the hole was filled with mud and clay to time surface.

Description of monument: Three feet around by 12" deep erected with cement post 6" square and three feet high with the following wording: ROAD & MOSE, WILLIAMS #1, MAY 1935.

THE ABOVE DESCRIPTIONS MUST BE IN DETAIL AND IN ACCORDANCE WITH THE PROVISIONS OF SECTION 10, ARTICLE 2, CHAPTER 20 OF THE CODE.

and that the work of plugging and filling said well was completed on the day of May, 1935.

and further deposes with me:

HAR
 Burt Mitchell
 J. A. [Signature]