

331-A

Ten Mile District, Harrison County, W. Va.

By Israel H. Beren, Marietta, Ohio.

Drilled by Independent Oil Co.

On 96.94 acres, surface owned by S. I. Ritter Heirs, R. F.D.,
Bristol, W. Va., and mineral rights by Richard Davis Heirs,
Bristol, W. Va.

Elevation, 1252' L.

16" conductor, 16'; 10" casing, 304' (pulled); 8 1/4", 1164' (pulled);
6-5/8", 2069'; 2" tubing, 2933'.

Coal was encountered at 555-562'.

Abandonment reported to Dept. of Mines August 1, 1936.

Oil well.

	Top.	Bottom.	Thickness.
Red rock, lime, and slate	0	- 555	555
Pittsburgh Coal	555	- 562	7
Lime, slate, red rock, and shells	562	- 1170	508
Big Dunkard Sand	1170	- 1200	30
Lime, slate, and shells	1200	- 1570	370
Salt Sand	1570	- 1730	160
Slate	1730	- 1750	20
Lime	1750	- 1770	20
Slate	1770	- 1790	20
Lime, slate, and shells	1790	- 1884	94
Big Lime	1884	- 1974	90
Big Injun Sand	1974	- 2054	80
Lime, slate, and shells	2054	- 2466	412
Fifty-foot Sand	2466	- 2496	30
Slate and shells	2496	- 2612	116
Gordon Sand	2612	- 2642	30
Slate and shells	2642	- 2885	243
Fifth Sand	2885	- 2933	48
Slate, to bottom	2933	- 2975	42

