



Mary Barber
 0.40S 0.41 W
 0.40W 0.4 2

Abol.

Company	South Penn Oil Co.	0772
Address	411 Seventh Ave., Pittsburgh, Pa.	
Farm	L.E. Stout	
Tract	Acres 400	Lease No. 23875
Well (Farm) No.	10	Serial No.
Quadrangle	Vadis	(ME)
County	Harrison	
District	Ten Mile	
Engineer	E.C. Tabler	
Engineer's Registration No.		
File No.	Drawing No.	
Date	Oct. 13, 1937	Scale 1"=400'

STATE OF WEST VIRGINIA
 Department of Mines
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP

File No. HAR-412A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border lines of original map.

RECEIVED

DEC 21 1954

1954

1954

412A

Ten Mile District, Harrison County, W. Va.

By South Penn Oil Co., 411 Seventh Ave., Pittsburgh, Pa.

On Tenmile Creek.

Elevation, 1320.33' L.

Surface owned by R. E. Furner, Wolf Summit, W. Va., and minerals by Alexander Stout et al., 310 Cunningham Court, Clarksburg, W. Va.

Drilling commenced April 2, 1900; completed, June 5, 1900.

Shot June 7, 1900, with 40 qts.; shot Sept. 7, 1920, with 60 qts.; shot Apr. 19, 1902, with 24 qts.; depth ?

Oil, 25⁰⁰ bbls., 1st 24 hrs.

10" casing, 525' (pulled); 8¹/₄" 1145' (pulled); 6⁵/₈" 1916'; 5³/₈" 1149'.

Coal was encountered at 510-516'.

Oil well. Abandonment reported to Dept. of Mines Dec. 10, 1937.

Record to RCT from Mrs. Griffith 2-9-38.

	Top.	Bottom.
Pittsburgh Coal	510	- 516
Maxton Sand	1775	- 1840
Big Injun Sand	1936	- 2015
50-Ft. Sand	2415	- 2435
Gordon Sand (gas, 2625')	2600	- 2650
Fifth Sand	2813	- 2819
Total depth		2830

WEST VIRGINIA DEPARTMENT OF MINES
OIL AND GAS DIVISION

339

WELL RECORD

Permit No. HAR-412-A

Oil or Gas Well OIL
(Kind)

Company SOUTH PENN OIL COMPANY
 Address 411 Seventh Ave., Pittsburgh, Pa.
 Farm L. E. Stout Acres
 Location (waters) Ten Mile Creek
 Well No. 10 Elev. 1320.33'
 District Ten Mile County Harrison
 The surface of tract is owned in fee by R.E. Furner
 Address Wolf Summit, W.Va.
 Mineral rights are owned by Alexander Stout et al
 310 Cunningham Court, Clarksburg, W.Va.
 Drilling commenced April 2, 1900
 Drilling completed June 5, 1900
 Date shot June 7-20-1900 60 qt. ? Depth of shot ?
 Apr. 19-1902-24 qt. ?
 Open Flow /10ths Water in - Inch
 /10ths Merc. in - Inch
 Volume - Cu. Ft.
 Rock Pressure - lbs. - hrs.
 Oil 25 bbls., 1st 24 hrs.
 Fresh water - feet - feet
 Salt water - feet - feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			-
13			-
10	525 (Pulled)		Size of -
8 1/4	1145 (Pulled)		-
6 5/8	1916		Depth set -
5 3/16	1149		-
3			Perf. top -
2			Perf. bottom -
Liners Used			Perf. top -
			Perf. bottom -

CASING CEMENTED - SIZE - No. FT. - Date
 COAL WAS ENCOUNTERED AT 510 FEET 72 INCHES
 - FEET - INCHES - FEET - INCHES
 - FEET - INCHES - FEET - INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Pittsburgh Coal			510	516			
Maxon Sand			1775	1840			
Big Injun Sand			1936	2015			
Fifty Foot Sand			2415	2435			
Gordon Sand			2600	2650			
Fifth Sand			2813	2819	Gas	2625	
Total Depth				2830			



