


$$\frac{2504}{0.75} = 3338.66$$

$$\frac{7570}{0.77} = 9831.17$$



Wells No A-56 to be a prod.

Company South Penn Oil Co
Address 411-728 Ave Pittsburgh Pa

Form No. 1

Company **W. H. H. COMPANY**
 Address **111 1/2 W. 11th Ave. Pittsburg, Pa.**
 Name **Nancy W. Rector**
 Location **Green Run**
 Well No. **1**
 District **1142**
 The surface of land is owned by **Mr. W. H. H. Co., Pittsburg, Pa.**
 Mineral rights are owned by **Wm. Rector & Co. Pittsburg, Pa.**
 Drilling commenced **July 24, 1910.**
 Date shut in **Aug 11, 1910.**
 Open Flow **10ths Water in - - - - - inch**
10ths Mud in - - - - - inch
 Volume **- - - - - Cu Ft**
 Rock Pressure **- - - - - lbs**
 Oil **5.71 - - - - - bbls. per 24 hrs**
 Fresh water **- - - - - feet**
 Salt water **1105 - - - - - feet**

Casing and Tubing	Used in Drilling	Left in Well	Packers
			Kind of Packer
			Size of
			Depth set
			Perf. top
			Perf. bottom
			Perf. top
			Perf. bottom
Casing Used			
CASING CEMENTED 10" SIZE			No. FT. 7-30-10
COAL WAS ENCOUNTERED AT 190 FEET			120 INCHES
FEET			INCHES
FEET			INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil Gas or Water	Depth Found	Remarks
Pittsburgh Coal			190	200			
Big Dunward Sand			230	770			
Gas Sand			930	975			
Salt Sand			1005	1071			
Do.			1100	1274	Water	1105	
Big Lime			1600	1673			
Big Injun			1673	1900	Gas & Ing	1680	11/10 W. 2" Op.
Fifty Foot Sand			2194		Oil	2241	
				2275			
Total Depth							



Consolidation Coal Co.

Fairmont, W. Va.

E. W. Thompson

P.O. No. 2, Shinnston, W. Va.

SOUTH PENN OIL COMPANY

417 Seventh Avenue,
Pittsburgh, Pa.

August 31,

WELL AND LOCATION

Clay

Harrison

Well No. 4

N. A. Rector

1939

District

County

Farm

APPROPRIATE TO BE MADE IN PREPARING THIS COPY TO BE FILED BY REGISTERING MAIL TO THE DEPARTMENT AND COPY TO BE RETURNED BY THE WELL OPERATOR AND THE PROPERTY OWNER EXTRA CHARGES IS REQUIRED TO BE PAID TO THE WELL OPERATOR ABOVE NAMED BY THEIR RESPECTIVE ADDRESSES

AFFIDAVIT

STATE OF WEST VIRGINIA

County of Harrison

J. F. Black

~~SWER~~

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by South Penn Oil Company, well operator, and participated in the work of plugging and filling the above well that said work was commenced on the 1st day of August, 1939, and that the well was plugged and filled in the following manner:

Manner in which sand was plugged:

Filled hole with aquagel 2275' to 2161'. Cement 2161' to 2151'. Filled with aquagel 2151' to 1650'. Pulled 5-3/16" casing 1788'. Cement 1650' to 1640'. Pulled 6-5/8" casing 1583'. Filled with aquagel 1640' to 940'. Pulled 3-1/4" casing, 930'. Cement 940' to 920'. Filled with aquagel 920' to 707'. Cement 707' to 697'. Filled with aquagel 697' to 400'. Cement 400' to 364'. Left hole open to surface.

Manner in which coal was plugged:

Description of monument:

and that the work of plugging and filling said well was completed on the 11th day of August, 1939.

19 39.

And further deponents saith not

Subscribed and subscribed before me this 11th day of

day of

1939

033-3047