

LATITUDE 39° 27' 30"

LONGITUDE 80° 17' 30"



1.63a  
1.78w

7.5 OGIS topo location

7.5' loc \_\_\_\_\_

15' loc \_\_\_\_\_  
(calc.) \_\_\_\_\_

Company HNB Co (1125)

Farm Rosa Booher

Quad Shinston 7 1/2

County Harrison

District Cley

WELL LOCATION MAP

File No. 033 - 30609

Latitude 39° 30'

Longitude 80° 18'

LINDSEY S JETT

MINERVA J MARTIN  
20 1/2 A

MARY OELL

CHESTER A SHARP  
22 A

CL. 1107  
1125  
1052.50 N  
115

ROSA BOOMER  
28 1/2 A

A E MARTIN

FLORIDA MOORE  
8 3/4 A

F RANDALL

J T MARTIN  
18 1/2 A

JACOB W ICE

033-30609

New Location  
Drill Deeper  
Abandonment



Company HORB NATURAL GAS Co.

Address CLARKSBURG, W.VA

Farm ROSA BOOMER

Tract 1 Area 28

F.B. 540 P 33-34 MAP 30 B 2 E 16

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION  
CHARLESTON

# WELL RECORD

Permit No.

Oil or Gas Well

368

Company **Hope Natural Gas Company**  
 Address **Clarksburg, W. Va.**  
 Farm **Ross Booher**  
 Location (waters)  
 Well No. **1185**  
 District **Clay**  
 The surface of tract is owned in fee by **Beaver Haldreth**  
 Minerals rights are owned by  
 Drilling commenced **2-6-1909**  
 Drilling completed **4-5-1909**  
 Date shut **4-8-1909**  
 Open Flow **10kts Water in**  
**10kts More in**  
 Volume  
 Rock Pressure  
 Oil  
 Fresh water **60**  
 Salt water **None recorded**

Address **22  
1185**  
 County **Harrison**  
 City **1102**  
 Address **SHINNASTON**  
 Address  
 Address  
 Depth of shut **10 5/8**  
 Inches  
 Inches  
 Ck. Ft.  
 lbs.  
 feet  
 feet

casing and  
Tubing  
 Used in  
Drilling  
 Left in  
Well  
 Packers  
 Kind of Packer  
 Size of  
 Depth set  
 Perf. top  
 Perf. bottom  
 Perf. top  
 Perf. bottom

206  
 1230  
 1594  
 2312  
 206  
 1230  
 1594  
 2312  
 2748  
 2748  
 2748  
 2748

USING CEMENTED  
 No. Ft.  
 Date  
 173 FEET 84 INCHES  
 FEET INCHES  
 FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			173	180	Water	60	
Little Dunkard Sand			562	617			
Big Dunkard Sand			640	760			
Gas Sand			775	1008			
First Salt Sand			1068	1160			
Second Salt Sand			1176	1200			
Little Lime			1440	1455			
Fencil Cove			1460	1464			
Big Lime			1476	1568			
Big Injun Sand			1576	1679			
Squaw Sand			1740	1750			
Grants Sand			1850	1871			
Seres Sand			1961	2025			
Fifty Foot Sand			2045	2120			

OCT 1943  
 RECEIVED

033-30609

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVIT SHOULD BE MADE IN TRIPPLICATE AND ONE COPY OF THIS AFFIDAVIT AND ONE COPY OF THE DEPARTMENT FORM TO BE OBTAINED BY THE WELL OPERATOR AND ONE COPY OF THIS AFFIDAVIT AND ONE COPY OF THE DEPARTMENT FORM TO BE OBTAINED BY THE OPERATOR AT THEIR RESPECTIVE ADDRESSES.

Consolidation Coal Company  
Fairmont, W. Va.  
ADDRESS  
NAME OF WELL OPERATOR  
ADDRESS  
NAME OF PROPERTY OWNER  
ADDRESS

Hope Natural Gas Company  
Clarksburg, W. Va.  
December 10,  
WELL AND LOCATION

clay  
Harrison  
1122  
Ross Bocher  
194 C  
District  
County  
Field

STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA

County of Harrison

John B. Peitral

My Dye

being first duly sworn, deponent says that he and the undersigned are the operators of the well of plugging and filling oil and gas well and was employed by Hope Natural Gas Company and participated in the work of plugging and filling the well and that the well was plugged and filled on the

22 day of October following the date of

194 C and that the well was plugged and filled in the

DEPTH OR ZONE RECORDED	DESCRIPTION	FILLING MATERIAL		PLUGS USED	CASING	
		CONTENT	THICK		TYPE	SIZE
Fifth	Savings & Clay	2792	2510	1800 Cement	3-1/4" Casing	
	Installed Permanent Bridge at	2332	2156	1800 Cement	1878	640
Fourth	Clay	2332	2156	1800 Cement	6-5/8" Casing	
	Installed Permanent Bridge @	1709	1508	300 Lead Wool	908	688
Big Injun	Clay	1709	1508	300 Lead Wool	10" Casing	
	Installed Permanent Bridge @	1231	1048	275 Cement	119	87
1st & 2nd Salt	Sands Clay	1231	1048	275 Cement		
	Clay	1048	900	750 Cement		
Gas Sand Big & Bunker Sands	Installed Permanent Bridge @	790	790	390	390 Lead Plug @ 555'	
	Clay	790	390	390	390 Lead Plug @ 555'	
	Run 2 1/2" 2" Tubing with 4 ft. of 8 1/2" Cement	215	98	4700 Cement	Casing on bottom for packer & vent	
	Clay	98	98	4700 Cement	surface	
COAL BEARS	Pittsburgh	See 173 to 184'				
		4700 Cement	215	98		
					Used 470 Cement & 400 Sand in building base for cement	
					Installed concrete monument in base over 2" vent. monument below	