



Coal: State of West Virginia.
 surface: Harry Alkire
 Wallace, W. Va.
 R.F.D. #3

3.38S
 0.06W

3.4 S
 0.06 W

New Location
 Drill Deeper
 Abandonment

N1S1E7 Map N49

Company South Penn Natural Gas Co.
 Address Parkersburg, W. Va.
 Farm Luther Talkington
 Tract _____ Acres 135 Lease No. 32835
 Well (Farm) No. 3 & 5 Serial No. _____
 Elevation (Spirit Level) 3=1340.21 5=1175.47
 Quadrangle Centerpoint
 County Harrison District Sardis
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date June 28, 1941 Scale 1" = 400'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-676A-677A
3 5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

554

WELL RECORD

Permit No. 676-A

Oil or Gas Well OIL
(KIND)

Company South Penn Natural Gas Company
 Address Union Trust Bldg. Parkersburg, W. Va.
 Farm Luther Talkington Acres 135
 Location (waters) Big Elk
 Well No. 3 Elev. 1340.21'
 District Sardis County Harrison
 The surface of tract is owned in fee by Harry Alkire
R. D. No. 3, Address Wallace, W. Va.
 Mineral rights are owned by Mrs. Odell V. Talkington
700 Pittsburgh Ave Address Fairmont, W. Va.
 Drilling commenced June 19, 1906
 Drilling completed Aug. 17, 1906
 Date shot 10-4-07-20 ft Depth of shot Gordon
~~6-25-20-40 ft~~
 Open Flow /10ths Water in --- Inch
 /10ths Merc. in --- Inch
 Volume --- Cu. Ft. --- Date
 Rock Pressure --- lbs. --- hrs.
 Oil 40 bbls., 1st 24 hrs. COAL WAS ENCOUNTERED AT 1202 FEET 60 INCHES
 Fresh water --- feet --- feet --- FEET --- INCHES
 Salt water --- feet --- feet --- FEET --- INCHES

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			-
13			-
10	245 (Pulled)		Size of
8 1/4	1634 (PULLED)		-
6 5/8	2436		Depth set
5 3/16	2665		-
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
Cond.	10'		Perf. bottom

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pittsburgh Coal			1202	1207			
Little Dunkard Sand			1570	1590			
Big Dunkard Sand			1660	1675			
Gas Sand			1910	1970			
Salt Sand			2050	2230			
Maxon Sand			2300	2325			
Big Lime			2400	2465			
Big Injun Sand			2465	2575			
Fifty Foot Sand			3050	3080			
Thirty Foot Sand			3140	3170			
Stray Sand			3200	3265			
Gordon Sand			3274	3296			
					Pay	3277	
Total Depth				3297			



