



Surface: On which ³ F.C. Dean is situated, belongs to Fred H. Dean, Wallace, Harrison Co., W.Va.

Coal: Belonged to Wallace Coal & Coke Co.
 Was sold to State of W.Va. for taxes, 1927.
 Was redeemed in 1946. Title now in Miss Margaret A. Tetrick,
 271 Clay St., Clarksburg, W.Va.

5.32S
 0.22W

New Location
 Drill Deeper
 Abandonment

S 2-3. E 7

Company Raad Supply Co.
 Address Salem W Va.
 Farm F.C. Dean
 Tract _____ Acres 56 1/2 Lease No. _____
 Well (Farm) No. 3 Serial No. _____
 Elevation (Spirit Level) Floor - 1259.15
 Ground - 1258.15
 Quadrangle Centerpoint
 County Harrison District Sardis
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date Oct. 2nd 1946 Scale 1" = 800'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1064-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

892

Permit No. AP 1064-A

Oil or ~~Gas~~ Well _____
(KIND)

Company Raad Supply Company
Address 184 East Main St., Salem, W. Va.
Farm F. C. Dean Acres 56 1/2
Location (waters) _____
Well No. 3 Elev. 1258.15
District Sardin County Harrison
The surface of tract is owned in fee by Fred H. Dean
Address Wallace, W. Va.
Mineral rights are owned by Miss Margaret A. Tetrick
Address 271 Clay St., Clarksburg, W. Va.
Drilling commenced _____
Drilling completed No record
Date Shot 1/30/06 From 3112 To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	200'	200'	Size of
8 1/4	1518'	1518'	
6 3/4	2458'	2458'	Depth set
5 3/16			
3			Perf. top
2	3169'	3169'	Perf. bottom
Liners Used			Perf. top
5 x 5 1/2"	197'	197'	Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT ¹⁰²⁰⁻ **1028'** FEET **96** INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Coal, Pittsburgh			1020	1028			
Little Dunkard			1365	1400			
Dunkard Sand			1465	1485			
Salt Sand			1725	1800			
Salt			1975	2060			
Maxon			2120	2240			
Big Lime			2250	2300			
Big Injun			2300	2430			
Fifty Foot			2890	2925			
Thirty Foot			2980	3010			
Stray Sand			3015	3030			
Gordon Sand			3092	3122			
1st. Pay			3113				
Fourth Sand			312 8	3140			
Total Depth				3171			

APR 1947
WEST VIRGINIA
DEPARTMENT OF MINES

APR 20 1947

