

Surface: Mrs. Bertha Harbert Criss. R.F.D #3, Wallace, W.Va.

Coal: Was Short Line Fuel Co., but was sold to State for Taxes, 1931  
 Title still in State of W.Va.

5.425  
 3.74W

New Location   
 Drill Deeper   
 Abandonment

S 2-3 E 7-8

Company Road Supply Co.  
 Address Salem, W.Va.  
 Farm J.W. Looman  
 Tract Acres 32 1/2 Lease No. \_\_\_\_\_  
 Well (Farm) No. 2 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) Floor = 1240.14  
Ground = 1239.14  
 Quadrangle Clarksburg  
 County Harrison District Sardis  
 Engineer E.C. Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date Oct. 4<sup>th</sup>, 1946 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. HAR-1080-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



898

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 1680-A

Oil or Gas Well \_\_\_\_\_ (KIND)

Company Raad Supply Company  
Address 184 East Main St., Salem, W. Va.  
Farm J. W. Looman Acres 32 1/2  
Location (waters) \_\_\_\_\_  
Well No. 2 Elev. 1239.14  
District Sardis County Harrison  
The surface of tract is owned in fee by Mrs. B. H. Criss  
R. F. D. #3 Address Wallace, W. Va.  
Mineral rights are owned by State of W. Va.  
Address \_\_\_\_\_

Drilling commenced Jan. 4, 1904  
Drilling completed March 19, 1904  
Date Shot Feb. 26 From 3052 To \_\_\_\_\_  
With 1925


Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer _____
13			
10	<u>200'</u>	<u>None</u>	Size of _____
8 3/4	<u>1460'</u>	<u>1460'</u>	
6 5/8	<u>2360'</u>	<u>2360'</u>	Depth set _____
5 3/16	<u>3048'</u>	<u>3048'</u>	
3			Perf. top _____
2	<u>3051'</u>	<u>3051'</u>	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT 97 FEET 156 INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Coal			947	960			
Dunkard Sand			1446	1480			
Salt Sand			1850	2000			
Little Lime			2125	2135			
Big Lime			2143	2200			
Pencil Cave			2135	2143			
Big Injun			2200	2345			
Fifty Foot			2785	2825			
Gas			2792		Gas		
Stray Sand			2940	3000			
Gordon Sand			3017				
1st. Pay			3037				
2nd. Pay			3053				
Total Depth				3058			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date May 21, 1947

APPROVED Road Supply Co., Owner

By J. M. Road, Mng. owner  
(Title)

