


#5 1.915  
2.07W

#4 2.045  
2.0W

Scale 1" = 400 Feet



Surface: Robt. Stark, R.F. D#2, Wallace, Harrison Co. W.Va.  
Coal: Miss Margaret Anne Tetrick, 271 Clay St. Clarksburg, W.Va.

New Location   
Drill Deeper   
Abandonment

On 400 Map # 3252

S5 E5

Company Strauss & Beren  
 Address Marietta, Ohio  
 Farm R.V. Thompson  
 Tract Acres 62 Lease No. \_\_\_\_\_  
 Well (Farm) No. A & 5 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) See above at wells  
 Quadrangle CENTERPOINT  
 County Harrison District SARDIS  
 Engineer EC Tabler  
 Engineer's Registration No. \_\_\_\_\_  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date June 1<sup>st</sup> 1949 Scale 1" = 400 Feet

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

**WELL LOCATION MAP**  
 FILE NO. HAR-1206-A-#5  
HAR-1207-A-#4

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



1007

STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. 1206-A

Oil or Gas Well X (KIND)

Company Strauss & Beren  
 Address Marietta, Ohio  
 Farm R. V. Thompson Acres 62  
 Location (waters) Little Ten Mile  
 Well No. 5 Elev 1473.60  
 District Sardis County Harrison  
 The surface of tract is owned in fee by Robert Stark  
 Address R# 2, Wallace, W. Va.  
 Mineral rights are owned by Miss Margaret Anne  
Tetrick Address 271 Clay Street,  
Clarksburg, W. Va.  
 Drilling commenced \_\_\_\_\_  
 Drilling completed \_\_\_\_\_  
 Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
 With \_\_\_\_\_  
 Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
 \_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
 Volume \_\_\_\_\_ Cu. Ft.  
 Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
 Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
 Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
 Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	324	324	Size of
8 1/4	1645	907	
6	2525	2525	Depth set
5 3/16	3162	3162	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
 COAL WAS ENCOUNTERED AT 1220 FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
 \_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Pgh. Coal			1220	1221			
Big Lime			2486	2542			
Big Injun			2542	2642			
50ft. Sand			3124	3135			
30ft Sand			3216	3236			
Stray Sand			3270	3315			
Gordon Sand			3331	3358			
TOTAL DEPTH				3361			

