

L. RHODES NO. 4 WELL.

Tennile District, Harrison County, W. Va.

By Bradford Supply Co., Mattoon, Ill.

Abandoned under permit Har-.....-A?

On acres.

Elevation,' L.

Completed in 1913.

10" casing, 315'; 8 $\frac{1}{4}$ " , 1367'; 6 $\frac{3}{8}$ " , 1998'; all left in.

Coal was encountered at 565-566' and 845-852'.

Record to Dept. of Mines stamped Aug. 13, 1948.

Record to RCT from Mrs. Griffith Oct. 11, 1948. Old File No. 1046.

	Top.	Bottom.
Native coal	565	- 566
Pittsburgh Coal	845	- 852
Little Dunkard Sand	1250	- 1268
Big Dunkard Sand	1355	- 1370
Gas Sand	1555	- 1583
2nd Salt Sand	1765	- 1785
Maxton Sand (gas, 2083'; oil, 2123')	1998	- 2140
(black slate, 2083-2100')		
(cave, 2100-2118')		
Total depth		2150

1236A



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1246

WELL RECORD

Permit No. 1236-A

Oil or Gas Well _____
(KIND)

Company Bradford Supply Co.
 Address Martinsburg, W. Va.
 Farm L. Rhodes Acres _____
 Location (waters) _____
 Well No. FOUR Elev. _____
 District Seneca County Harrison
 The surface of tract is owned in fee by _____
 Address _____
 Mineral rights are owned by _____
 Address _____
 Drilling commenced _____
 Drilling completed 1913.
 Date Shot _____ From _____ To _____
 With _____
 Open Flow _____ /10ths Water in _____ Inch
 _____ /10ths Merc. in _____ Inch
 Volume _____ Cu. Ft.
 Rock Pressure _____ lbs. _____ hrs.
 Oil _____ bbls., 1st 24 hrs.
 Fresh water _____ feet _____ feet
 Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10		315	Size of
8 1/4		1367	
6 1/2		1998	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
 COAL WAS ENCOUNTERED AT 565 FEET 1 INCHES
805 FEET 84 INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Native Coal			165	176			
Fgh Coal			145	172			
Lt. Dunkard			1230	1298			
Big "			1245	1370			
Low Sand			1555	1563			
Thin Salt			1765	1765			
Maxon			1998	2140	Gas 2083		
Black Slate			2083	2100			
Cave			2100	2118	Oil 2123		
Total Depth				2150			

