

Surface: Harold Furner, RFD #2, Bristol, Harrison Co, W.Va.
 Coal: Willis G. Tetric, Jr. et al; 311 Clay St., Clarksburg, W.Va.

New Location
 Drill Deeper
 Abandonment On 400' map # 3652

S 13 E 5

Company Bradford Supply Co.
 Address Mattoon, Illinois
 Farm G.W. Albright
 Tract _____ Acres 93.18 Lease No. _____
 Well (Farm) No. 6 Serial No. _____
 Elevation (Spirit Level) Floor = 1279.00
 Ground = 1276.00
 Quadrangle CENTERPOINT
 County Harrison District Ten Mile
 Engineer E.C. Tabler
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date July 23rd 1948 Scale 1" = 400 Feet

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1237-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1539

WELL RECORD

Permit No. 1237-A


Oil or Gas Well _____
(KIND)

Company _____
Address _____
Farm _____ Acres _____
Location (waters) _____
Well No. _____ Elev. _____
District _____ County _____
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced _____
Drilling completed _____
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10			Size of
8 1/4		1118	
6 1/2		2017	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 90 FEET 30 INCHES
865 FEET 60 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Native Coal			10	95			
Blue Sand.			135	200			
Pgh. Coal			165	170			
Dunkard			1170	1200			
Gas Sand			1080	1310			
1st silt.			1390	1425			
2nd "			1570	1605			
3rd "			1725	1765			
Daxon			1935	1970			
Big Lime			1975	2060			
Pencil Cave,			1970	1997			
Big Injun			2060	2150			
Scuaw			2155	2305			
Berea Grit.			2420	2438			
30 Ft.			2678	2708			
Stray			2708	2748	Gas-2708 +2712 Oil-2724-2728		
Cardon			2758	2798			
Fifth			2961	2967	Gas 2961		
Total Depth.				2995			



G. W. ALBRIGHT NO. 6 WELL.

1237A

Tennile District, Harrison County, W. Va.

By Bradford Supply Co., Mattoon, Ill.

Abandoned under permit Har-.....-A?

On acres.

Elevation, ' L.

Drilling completed Sept. 1, 1917.

10" casing, 339'; 8 $\frac{1}{2}$ " , 1188'; 6 $\frac{5}{8}$ " , 2017'; all left in.

Coal was encountered at 90-93 and 665-670'.

Record to Dept. of Mines stamped Aug. 13, 1948.

Record to RGT from Mrs. Griffith Oct. 11, 1948. Old File No. 1039.

	Top.	Bottom.
Native coal	90	- 93
Bluff Sand	235	- 295
Pittsburgh Coal	665	- 670
Dunkard Sand	1180	- 1228
Gas Sand	1280	- 1310
1st Salt Sand	1390	- 1425
2nd Salt Sand	1590	- 1605
3rd Salt Sand	1725	- 1765
Maxton Sand	1935	- 1970
Big Lime	1997	- 2060
Pencil Cave ///// ////	1970	- 1997
Big Injun Sand	2060	- 2150
Squaw Sand	2155	- 2305
Berea Grit	2420	- 2438
30-Ft. Sand	2678	- 2708
Stray Sand (gas, 2708-2712'; oil, 2724-2728')	2708	- 2748
Gordon Sand	2758	- 2798
Fifth Sand (gas, 2961')	2961	- 2967
Total depth		2985