

1
2
3

Longitude 80° 25'

5 + + 2

3.76 S
#2 | 3.96 W
4.20 W

New Location
Drill Deeper
Abandonment

Company Otis Eastern Service, Inc.
Address Dolivar NY
Farm U. T. Robinson
Tract _____ Acres 118.88 Lease No. _____
Well (Farm) No. 2 & 5 Serial No. _____
Elevation (Spirit Level) _____
Quadrangle CLARKSBURG
County Harrison District Sardis
Engineer Ernest C. Tabler
Engineer's Registration No. 2005
File No. _____ Drawing No. _____
Date Oct 7th 1948 Scale 1" = 400 Feet

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. HAR-1268-A-#2
HAR-1269-A-#5

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
- Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1061

WELL RECORD

Permit No. 1769-A


Oil or Gas Well Oil
(KIND)

Company Otis Eastern Service, Inc.
Address Box 929, Charleston, W. Va.
Farm U. T. Robinson Acres 107
Location (waters): Big Elk
Well No. 5 Elev. _____
District Sardis County Harrison
The surface of tract is owned in fee by _____
Address _____
Mineral rights are owned by _____
Address _____
Drilling commenced Jan. 10, 1913
Drilling completed Feb. 15, 1913
Date Shot _____ From _____ To _____
With _____
Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ 16 bbls., 1st 24 hrs.
Fresh water _____ feet _____ feet
Salt water _____ feet _____ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	<u>295'</u>	<u>Pulled</u>	Size of
8 1/4	<u>1587'</u>	<u>Pulled</u>	
6 5/8	<u>2335'</u>	<u>2335'</u>	Depth set
5 3/16	<u>2984'</u>	<u>2984'</u>	
3			Perf. top
2" UE	<u>3230'</u>	<u>3230'</u>	Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED _____ SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 111 FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES
_____ FEET _____ INCHES FEET _____ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Coal, Pittsburgh			1112	1122			
Big Dunkard			1580	1587			
Big Lime			2333	2375			
Big Injun			2375	2510			
Stray Sand			3141	3175			
Gordon Sand			3194				
Gas			3201				
1st. Pay -			3205	3210			
TOTAL DEPTH -				3230			
(Drilled to 3490', then filled to 3230')							
Present Total Depth -----				3230			
Torpedo Record							
	<u>Date</u>	<u>Qts.</u>	<u>Shell</u>	<u>Top</u>	<u>Bottom</u>		
	3-18-13	10	3 1/2 x 5	3203			
	4-7-13	20	4 1/2 x 7	3207			
	1-22-19	20	4 1/2 x 7	3207			
Packers							
	<u>Kind</u>	<u>Size</u>	<u>Depth</u>	<u>Date</u>			
	Callanan Cave		2989	5-19-13			
	"		2989	2-12-19			
Remarks							
May 19, 1931: Put in 207'2", 4 x 4 1/2" F.J. Liner hung on Callanan cave packer, set at 2989' -							



U. T. ROBINSON NO. 5 WELL.

1269A

Sardis District, Harrison County, W. Va.

By Otis Eastern Service, Inc., Box 929, Charleston, W. Va.

Abandoned under permit Har-.....-A?

On 107 acres, on Big Elk.

Elevation, ' L.

Drilling commenced Jan. 10, 1913; completed Feb. 15, 1913.

Oil, 16 bbls., 1st 24 hrs.

10" casing, 295' (pulled); 8 $\frac{1}{4}$ " , 1587' (pulled); 6 $\frac{5}{8}$ " , 2335'; 5 $\frac{3}{16}$ " , 2984';

2" U.E. tubing, 3230'.

Coal was encountered at 1112-1122'.

Shot March 18, 1913, with 10 qts., 3 $\frac{1}{2}$ " x 5' shell; top, 3203';

April 7, 1913, with 20 qts., 4 $\frac{1}{4}$ " x 7' shell, top, 3207';

Jan. 22, 1919, with 20 qts., 4 $\frac{1}{4}$ " x 7' shell, top, 3207'.

Packers: Callanan cave, set at 2989', May 19, 1913; Callanan cave,

set at 2989', Feb. 12, 1919.

REMARKS: May 19, 1931: Put in 207' 2" 4x4 $\frac{1}{2}$ " F. J. liner hung on

Callanan cave packer set at 2989'.

Oil well. Record to Dept. of Mines stamped Oct. 13, 1948.

Record to RCT from Mrs. Griffith Jan. 5, 1949. Old File No. 1061.

	Top..	Bottom.
Conductor	0	- 16
Pittsburgh Coal	1112	- 1122
Big Dunkard Sand	1580	- 1587
Big Lime	2333	- 2375
Big Injun Sand	2375	- 2510
Stray Sand	3141	- 3175
Gordon Sand (gas, 3201'; 1st pay, 3205-3210')	3194	-
Total depth		3230 3490

Drilled to 3490', then filled to present T. D.

3230