



New Location
 Dry Deeper
 Abandonment

spots to be
 west of given
 Lucas bank



New Location _____
 City, County _____
 Measurement

Owner PITTSBURGH & W.V. GAS CO.
 Address CHARLESTON, W.V.
 Name L. C. HARBERT
 Date APR 15 Lease No. 5285
 Map No. 213 Date No. 4122
 Section 33 Township 33 N Range 10 W

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-135B-1-P413

Clay District, Harrison County, W. Va.
 By Pittsburgh & W. Va. Gas Co., Clarksburg, W. Va.
 Abandoned under permit Har-.....-A?
 On 135 acres; Clarksburg N/E 3-4. 1274A
 Elevation, 1010' V. A.
 Surface owned by Guy Cerullo, Box 65, Haywood, W. Va., and minerals by Consolidation Coal Co., et al., Fairmont, W. Va.
 Drilling commenced Oct. 21, 1913; completed Nov. 22, 1913.
 10" casing, 114' (cemented); 8 1/4", 1107'; 6 5/8", 1463'; 5 3/16", 2326'; all left in.
 Coal was encountered at 85-93'.
 Gas well. Abandonment reported to Dept. of Mines Feb. 18, 1947. 482
 Record to Dept. of Mines stamped Oct. 20, 1948.
 Record to RCT from Mrs. Griffith April 18, 1949. Old File No. 1113.

| | Top. | Bottom. |
|--|------|---------|
| Clay, yellow, soft | 0 | 10 |
| Lime, white, hard | 10 | 85 |
| Pittsburgh Coal | 85 | 93 |
| Slate, black, soft | 93 | 138 |
| Lime, white, hard | 138 | 200 |
| Slate, white, soft | 200 | 260 |
| Lime, white, hard | 260 | 310 |
| Slate, white, soft | 310 | 405 |
| Little Dunkard Sand, white, hard | 405 | 430 |
| Slate, black, soft | 430 | 507 |
| Big Dunkard Sand, light, hard | 507 | 560 |
| Slate, black, soft | 560 | 605 |
| Lime, light, hard | 605 | 640 |
| Slate, light, soft | 640 | 675 |
| Lime, light, hard | 675 | 705 |
| Slate and shells | 705 | 770 |
| Slate, black, soft | 770 | 808 |
| Gas Sand, white, hard | 808 | 827 |
| Slate and shells | 827 | 864 |
| Salt Sand, white, hard | 864 | 925 |
| Slate and shells | 925 | 1107 |
| Lime, white, hard | 1107 | 1130 |
| Slate and shells | 1130 | 1225 |
| Red rock | 1225 | 1390 |
| Lime, light, hard | 1390 | 1400 |
| Slate, light, soft | 1400 | 1425 |
| Red rock, soft | 1425 | 1450 |
| Big Lime, white, hard | 1450 | 1500 |
| Big Injun Sand, white, hard | 1500 | 1603 |
| Slate, dark, soft | 1603 | 1690 |
| Lime, dark, hard | 1690 | 1725 |
| Slate and shells | 1725 | 1955 |
| 50-Ft. Sand, light, hard (gas, 1960-1967') | 1955 | 1984 |
| Slate, dark, soft | 1984 | 2025 |
| 30-Ft. Sand, white, hard | 2025 | 2128 |
| Slate, dark, soft | 2128 | 2135 |
| Red rock, soft | 2135 | 2143 |
| Sand, white, hard | 2143 | 2173 |
| Slate and shells, hard | 2173 | 2183 |
| Red rock, soft | 2183 | 2193 |
| Lime shells, hard | 2193 | 2311 |
| Stray Sand, white, hard | 2311 | 2327 |

L. C. HARBERT NO. 4236 WELL (Continued).

| | Top. | Bottom. |
|------------------------------------|------|---------|
| Red rock, soft | 2327 | - 2335 |
| Gordon Sand, white, hard | 2335 | - 2357 |
| Slate and shells, dark, hard | 2357 | - 2367 |
| Lime, dark, hard | 2367 | - 2382 |
| Slate, dark, soft | 2382 | - 2387 |
| 4th Sand, white, hard (gas, 2387') | 2387 | - 2392 |
| Slate, dark, soft | 2392 | - 2461 |
| 5th Sand, white, hard (gas, 2465') | 2461 | - 2466 |
| Slate, dark, soft | 2466 | - 2487 |
| Total depth | | 2487 |