


RAY D. SANDS



5.02 S
3.05 W

NOTE:- Surface owned by Ray D. Sands, whose post office address is Route 2, Wallace, West Va.
Coal owned by the W. Guy Tetrick interests. Address Willis G Tetrick, Prunty Bldg. Clarksburg, W. Va.
Oil & Gas charged on Land Book as "M.A. Dennison Hrs."

New Location
Drill Deeper
Abandonment

Company J. R. THOMEY
 Address Salem, West Va.
 Farm Manley A. Dennison Heirs
 Tract _____ Acres 40 Lease No. _____
 Well (Farm) No. Two Serial No. _____ *WC*
 Elevation (Spirit Level) 1312
 Quadrangle Clarksburg
 County Harrison District Sardis
 Engineer [Signature]
 Engineer's Registration No. 1227
 File No. _____ Drawing No. _____
 Date February, 1949 Scale 1" = 500'

STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION
CHARLESTON

WELL LOCATION MAP
FILE NO. HAR-1311-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

1143

WELL RECORD

Permit No. AP 1311-A

Oil or Gas Well _____
(KIND)

Company J. R. Thomey
Address Salon, W. Va.
Farm Manley A. Dennison Hrs. Acres 40
Location (waters) _____
Well No. 2 Elev. 1312
District Sardis County Harrison
The surface of tract is owned in fee by Ray D. Sands
Rt. 2 Address Wallace, W. Va.
Mineral rights are owned by W. Guy Tetrick interests
Dr. Willis G. Tetrick, Prunty Bldg.
Clarksburg, W. Va.
Drilling commenced July 10, 1910
Drilling completed September 3, 1910
Date Shot _____ From _____ To _____
With _____

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
13			
10	217'	217'	Size of
8 1/4			
6 5/8	2075'	2075'	Depth set
5 3/16			
3	2847'	2847'	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow _____ /10ths Water in _____ Inch
_____ /10ths Merc. in _____ Inch
Volume _____ Cu. Ft.
Rock Pressure _____ lbs. _____ hrs.
Oil _____ bbls., 1st 24 hrs.
Fresh water _____ feet
Salt water _____ feet

CASING CEMENTED No SIZE _____ No. Ft. _____ Date _____
COAL WAS ENCOUNTERED AT 524 FEET 48 INCHES
740 FEET 120 INCHES FEET INCHES
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Native Coal			520'	524'			
Pittsburgh Coal			740	750			
Little Dunkard			1136	1190			
Big Dunkard			1260	1303			
1st Salt Sand			1512	1532			
2nd Salt Sand			1610	1660			
Maxon Sand			1930	2034			
Big Lime			2034	2097			
Big Injun			2097	2185			
Berea			2321	2335			
Gantz			2535	2550			
Fifty Foot			2642	2675			
Thirty Foot			2718	2738			
Gordon Stray			2748	2795			
Gordon			2748	2795			
Total Depth				2847			

RECORDED
INDEXED
FEB 1919
DEPARTMENT OF MINES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks

Date **February 23**, 19**49**

APPROVED **J. R. Thomey**, Owner

By _____ (Title)

MANLEY A. DENNISON HEIRS NO. 2 WELL.

1311A

Sardis District, Harrison County, W. Va.

By J. R. Thomay, Salem, W. Va.

Abandoned under permit Har-----A7

On 40 acres.

Elevation, 1312' L.

Surface owned by Ray D. Sands, Rt. 2, Wallace, W. Va., and minerals by
W. Guy Tetrick Interests, Adr., Willis G. Tetrick, Pranty Bldg.,
Clarksburg, W. Va.

Drilling commenced July 10, 1910; completed Sept. 3, 1910.

10" casing, 217'; 6" casing, 2075'; 2" tubing, 2847'; all left in.

Coal was encountered at 528-528 and 740-750'.

Oil well. Abandonment reported to Dept. of Mines Feb. 23, 1949.

Record to RCT from Mrs. Griffith Aug. 10, 1949. Old File No. 1143.

	Top.	Bottom.
Native coal	520	- 524
Pittsburgh Coal	740	- 750
Little Darkard Sand	1136	- 1190
Big Darkard Sand	1260	- 1303
1st Salt Sand	1512	- 1532
2nd Salt Sand	1610	- 1660
Maxton Sand	1930	- 2034
Big Line	2034	- 2097
Big Injun Sand	2097	- 2185
Berea Sand	2321	- 2335
Gantz Sand	2535	- 2550
Fifty-foot Sand	2642	- 2675
Thirty-foot Sand	2718	- 2738
Garden Stray Sand	2748	- 2795
Garden Sand	2784	- 2795
Total depth		2847