



- New Location
- Drill Deeper
- Abandonment

Company EQUITABLE GASCO WVADIV
 Address CLARKSBURG, W.VA.
 Farm A & PARRISH
 Tract _____ Acres TWO Lease No. 16734
 Well (Farm) No. ONE Serial No. 4513
 Elevation (Spirit Level) 975' VA
 Quadrangle CLARKSBURG NE 42
 County HARRISON District CLAY
 Engineer James T. Jaffer

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. HAR-1542-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

Location: **Clarksburg, West Va.**
 Name: **A. B. Parrish**
 Location (waters): **Clarksburg, W. Va.**
 Well No.: **4517** Elev. **975.20** VA 18
 District: **147** County: **Harrison** 18
 The surface of tract is owned in fee by **A. B. Parrish - Atty-in-Fact** 18 (Concrete) 79' 79'
 Address: **Enterprise, W. Va.** 84 1000'
 Mineral rights are owned by **A. B. Parrish - Atty-in-Fact** 84 1126' 1126'
 Address: **Enterprise, W. Va.** 18/18 2222' 2222'
 Drilling commenced **November 16, 1916** 1
 Drilling completed **January 9, 1917** 2
 Date Shot From To
 With
 Open Flow /10ths Water in Inch
 /10ths Merc. in Inch
 Volume Cu. Ft.
 Rock Pressure lbs hrs
 Oil bbls. 1st 24 hrs
 Fresh water feet feet
 Salt water feet feet

CASING CEMENTED SIZE No. Ft. Date
 COAL WAS ENCOUNTERED AT 15 FEET 84 INCHES
 880 FEET 60 INCHES FEET INCHES
 FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Clay	Yellow	Soft	0	15			
Coal	Black	"	15	22			
Quick Sand	White	"	22	37			
Sand	"	Hard	37	62			
Slate	Dark	Soft	62	82			
Red Rock	Red	"	82	107			
Slate&Lime	Dark	Soft&Hard	107	434			
L. Dunkard	White	Hard	434	444			
Slate	Dark	Soft	444	505			
Big Dunkard	White	Hard	505	610			
Slate	Dark	Soft	610	625			
Gas Sand	White	Hard	625	650			
Lime	"	"	650	670			
1st, Salt Sand	"	"	670	745			
Slate	Dark	Soft	745	806			
2nd, Salt Sand	White	Hard	806	880			
Coal	Black	Soft	880	885			
Lime	Dark	Hard	885	895			
Slate	"	Soft	895	905			
3rd, Salt Sand	White	Hard	905	1000			
Slate	Dark	Soft	1000	1030			
Sand	White	Hard	1030	1055			
Lime	Dark	Medium	1055	1070			
Slate	"	Soft	1070	1080			
Sand	White	Hard	1080	1095			
Slate&Lime	Dark	Medium	1095	1135			
Red Rock	Red	Soft	1135	1280			
Lime	Black	Hard	1280	1305			
Red Rock	Red	Soft	1305	1312			
Lime - Little	Dark	Hard	1312	1360			
Slate	"	Soft	1360	1380			
Big Lime	White	Hard	1380	1426			
Big Injun	White	"	1426	1470			
"	Red	"	1470	1475			
"	White	"	1475	1585			
Slate&Shell	Dark	Soft	1585	1900			
50 Ft. Sand	"	Hard	1900	1950			
Slate	"	Soft	1950	1973			
"	"	"	1973	2000			

037-31542



Slack	"	Soft	2456	2471		
Sand	"	Hard	2455	2474		
Slate&Shell	Dark	Soft	2451	2477		
Spl.Sand	White	Hard	2429	2457	Gas	2471'
Slate&Shell	Dark	Soft	2451	2453		
Un-recorded			2459	2471		
Sand			2471	2481		
Un-recorded			2485	2603		
Total Depth				2603		

NAME OF WELL OPERATOR
 ADDRESS
 CITY OPERATOR OR OWNER
 ADDRESS
 STATE OF WEST VIRGINIA
 COUNTY OF
 WELL AND LOCATION
 DISTRICT
 COUNTY
 FARM
 STATE INSPECTOR SUPERVISING PLUGGING

AFFIDAVIT

STATE OF WEST VIRGINIA

County of Putnam

being first duly sworn according to law depose and say that they are experienced in the work of plugging and filling oil and gas wells and were employed by Equitable Gas Co., West Va. Div. well operator, and participated in the work of plugging and filling the above well, that said work was commenced on the 10 day of April, 1950, and that the well was plugged and filled in the following manner:

BAND OR ZONE RECORD	FILLING MATERIAL		PLUGS USED	CASING		
	FORMATION	CONTENT		FROM	TO	CSG. FULLED
Un-recorded Sand - Shells & Sth. Sand	Total Depth	Clay	2700	2700	(Cut 5-3/16" Casing 2165')	
Sand & Slate	Stone	2700	2700			
Slate & Shells	1-7/16" Lead Plug	2700	2700			
Slate & Shells	Cement	2700	2700			
Slate & Shells - Big Injun	Hole Bridged	2700	2700			
Big Injun	Cement	2700	2700			
3rd, Salt Sand	Hole Bridged	2700	2700			
2nd, Salt Sand	Cement	2700	2700			
1st, Salt Sand - Slate - Lime	Cement	2700	2700			
Coal & Sand, Salt Sand	Cement	2700	2700			
Lime & Gas Sand	Hole Bridged	2700	2700			
Lime & Gas Sand	Cement	2700	2700			
Gas Sand - Slate - Big Dunkard	Cement	2700	2700			
Little Dunkard - Lime	Clay	2700	2700			
Slate & Lime	Cement	2700	2700			
COAL BEAMS						
(NAME) Coal		15	22			
(NAME) Coal		20	25			
(NAME)						
(NAME)						

and that the work of plugging and filling said well was completed on the 14 day of May, 1950.

And further deponents saith not.

Sworn to and subscribed before me this 26 day of May, 1950.

My commission expires March 20, 1958



Chester L. Haggerty
 Notary Public

Permit No. 442-1562