



W. S. HARBERT NO. 1 WELL.

Sardis District, Harrison County, W. Va.

By Road Supply Co., 184 E. Main St., Salem, W. Va.

Abandoned under permit Har-.....-A?

On 60 $\frac{1}{2}$  acres, on Mudlick Run.

Elevation, 1296.77' L.

Surface owned by Raymond Swiger, Rinehart, W. Va., and minerals by State of West Virginia.

Drilling commenced Nov. 24, 1906; completed April 9, 1907.

10" casing, 220'; 8 $\frac{1}{2}$ "", 1590'; 6 $\frac{1}{2}$ "", 2520'; 2" tubing, 3188'; liner, 5"-5 $\frac{1}{2}$ "", 319'; all left in.

Coal was encountered at 1090-1098'.

Oil well. Record to Dept. of Mines dated May 15, 1952.

Record to RCT from Mrs. Griffith July 9, 1952. O.F.No.1390.

	Top.	Bottom.
Conductor	0	16
Pittsburgh Coal	1090	1098
Big Darkard Sand	1590	1635
Salt and Gas Sands	1780	2140
Maxton Sand	2284	2304
Big Lime	2311	2370
Pencil Cave // // //	2304	2311
Big Injun Sand (gas, 1970')	2370	2471
Fifty-foot Sand	2965	2985
Thirty-foot Sand	3055	3084
Stray Sand	3099	3147
(Hole reduced to 5 $\frac{1}{2}$ " at 3152')		
Garden Sand (1st pay, 3165'; 2nd pay, 3171')	3162	3185
Total depth		3190

1549A



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1390

Permit No. HAR-1549-A

Oil or Gas Well (X)  
(kind)

WELL RECORD

Company Raad Supply Company  
Address 184 East Main St., Salem, W. Va.  
Farm W. S. Harbert Acres 60 1/4  
Location (waters) Mudlick Run  
Well No. 1 Elev. 1296.77  
District Sardis County Harrison  
The surface of tract is owned in fee by Raymond Swiger  
Address Rinehart, W. Va.  
Mineral rights are owned by State of W. Va.  
Address

Drilling commenced November 24, 1906  
Drilling completed April 9, 1907  
Date Shot From To  
With

Open Flow /10ths Water in Inch  
/10ths Merc. in Inch  
Volume Cu. Ft.  
Rock Pressure lbs. hrs.  
Oil bbls., 1st 24 hrs.  
Fresh water feet feet  
Salt water feet feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18			
10	220'	220'	Size of
8 1/4	1590'	1590'	
6 1/2	2520'	2520'	Depth set
5 3/16			
3			Perf. top
2	3188'	3188'	Perf. bottom
Liners Used			Perf. top
5 x 5 1/2"	319'	319'	Perf. bottom

CASING CEMENTED SIZE No. Ft. Date  
COAL WAS ENCOUNTERED AT 1098 FEET 96 INCHES  
FEET INCHES FEET INCHES  
FEET INCHES FEET INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Conductor				16			
Coal, Pittsburgh			1090	1098			
Big Dunkard			1590	1635			
Salt and Gas Sand			1780	2140			
Maxon Sand			2284	2304			
Big Lime			2311	2370			
Pencil Cave			2304	2311			
Big Injun Sand			2370	2471			
Gas				1970			
Fifty Foot			2965	2985			
Thirty Foot			3055	3084			
Stray Sand			3099	3147			
Gordon Sand			3162	3185	Hole reduced to 5-3/16" at 3152'		
1st. Pay				3165			
2nd Pay				3171			
Total Depth				3190			



