

GRANT.....District, Harrison County, W. Va.
 By Lost Creek Oil & Gas Co., Buckhannon, W. Va.
 Commenced June 24, 1910, and completed July 30, 1910, 3:30 p. m.
 Located 1 mile directly east from Lost Creek.
 1 million cu. ft. gas in Gantz Sand; 2 million cu. ft. in Fourth
 Sand, and 2½ million cu. ft. in Fifth Sand.

Elev. 1145'

	Top.	Bottom.	Thickness.
Unrecorded	0	- 20	20
Sand	20	- 40	20
Red rock	40	- 55	15
Lime and shells	55	- 75	20
Slate	75	- 85	10
Lime	85	- 100	15
Red rock	100	- 115	15
Lime, shelly	115	- 132	17
Coal	132	- 135	3
Lime	135	- 150	15
Slate	150	- 160	10
Lime	160	- 200	40
Slate	200	- 212	12
Lime shells slate	212	- 250	38
Red rock	250	- 255	5
Lime shells slate	255	- 300	45
Lime	300	- 380	80
Big Dunkard Sand	380	- 430	50
Mapletown Coal	430	- 435	5
Black slate	435	- 465	30
Lime	465	- 545	80
Black slate	545	- 555	10
Sand	555	- 570	15
Slate	570	- 577	7
Sand	577	- 610	33
Slate	610	- 615	5
Sand (water, 650-655')	615	- 673	58
Slate	673	- 680	7
Lime	680	- 710	30
Slate shells lime	710	- 792	82
Sand	792	- 920	128
Lime	920	- 940	20
Red rock	940	- 975	35
Lime	975	- 990	15
Sandy lime	990	- 1025	35
Red rock lime shells	1025	- 1145	120
Lime	1145	- 1175	30
Pencil Cave	1175	- 1190	15
Big Lime	1190	- 1250	60
Big Injun Sand	1250	- 1365	115
Slate lime shells	1365	- 1400	35
Lime	1400	- 1435	35
Slate	1435	- 1460	25
Lime	1460	- 1490	30
Slate lime shells	1490	- 1525	35
Lime	1525	- 1540	15
Slate	1540	- 1550	10
Black lime and slate	1550	- 1587	37
Gantz Sand (gas, 1,000 M. cu. ft.)	1587	- 1617	30
Slate and break	1617	- 1631	14

(OVER)

C. S. GRIBBLE NO. 1 WELL (Continued).

	Top.	Bottom.	Thickness.
White pebbly sand	1631	- 1663	32
Black slate	1663	- 1680	17
Slate	1680	- 1707	27
Fifty-foot Sand	1707	- 1725	18
Break	1725	- 1727	2
Sand	1727	- 1737	10
Lime	1737	- 1747	10
Black slate	1747	- 1750	3
Thirty-foot Sand	1750	- 1785	35
Slate shells	1785	- 1810	25
Hard sand	1810	- 1830	20
Lime shells	1830	- 1840	10
Red rock lime	1840	- 1900	60
Red rock	1900	- 1910	10
Lime	1910	- 1915	5
Gordon Sand	1915	- 1920	5
Red rock shells	1920	- 1945	25
Lime	1945	- 1960	15
Slate shells	1960	- 1970	10
Hard sandy lime	1970	- 1995	25
Lime	1995	- 2015	20
Fourth Sand (gas, 2,000 M. cu. ft.)	2015	- 2035	20
Slate	2035	- 2050	15
Slate lime shells	2050	- 2100	50
Slate	2100	- 2122	22
Fifth Sand (gas, 2,500 M. cu. ft.)	2122	- 2150	28
Slate, to bottom	2150	- 2157	7

.....District, Harrison County, W. Va.
By Lost Creek Oil and Gas Co., Buckhannon, W. Va.
Letter dated Aug. 6, 1910, to I. C. White, from G. M. Gribble.

"Enclosed herewith we hand you a log or record of our second well at Lost Creek, W. Va., the same located on an 80-acre tract of land belonging to C. S. Gribble of Lost Creek, Harrison County, W. Va., about one mile direct east from Lost Creek Post-Office. The well was begun about three hundred feet under the Pittsburgh Coal in the low lands.

"As to the production we have about 1,000,000 ft. of gas in the Gantz Sand, about 2,000,000 ft. in the 4th Sand, and about 2,500,000 ft. in the Fifth Sand, and without any show of oil in any formation. Production in the Fourth Sand is something new in that section we are told. If any other information is desired, the same will be gladly furnished to the best of our ability."

RECORD GIVEN UNDER NO. 113 O.F.-1-Harrison, q. v.