



Company SPARTAN GAS COMPANY  
 Address KANAWHA VALLEY BLDG, CHARLESTON, W.VA.  
 Farm S.L. CLENDENIN ET AL.  
 Tract \_\_\_\_\_ Acres 287 Lease No. \_\_\_\_\_  
 Well (Farm) No. TWO Serial No. S-20  
THREE Serial No. S-21  
 Elevation (Spirit Level) 3 - 839.4 GROUND  
 Quadrangle KENNA SW  
 County 2 - KANAWHA POCA  
3 - JACKSON District RIPLEY  
 Engineer Robert S. Hyde  
 Engineer's Registration No. 646  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date FEBRUARY 24, 1941 Scale 1 INCH = 660 FEET

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP

FILE NO. KAN-793-JAC-122  
 WELLS 2

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES  
OIL & GAS DIVISION  
W E L L R E C O R D

Permit No. Jac-122

Gas Well

Kenna SW Quad			
Company	Spartan Gas Company	Casing & Tubing	
Address	518 Kanawha Valley Bldg. Chas., W. Va.	16" 59'	
Farm	S. L. Clendenin et al Acres 287	13- <del>3</del> 8 48#151' Pulled	
Location	Dog Fork	10- <del>3</del> 4 32#770 Pulled	
Well No.	3 Elev. 694.04LDF	8 <del>0</del> - <del>5</del> 8 28#1967	
District	<u>Ripley Jackson County</u>	7" 22#4851	
Surface	S. L. Clendenin et al Kenna, W. Va.		
Commenced	March 26, 1941		
Completed	June 1, 1941	Casing Cemented	
Rock Pressure	1475# 30 Days	7" 5/22/41 4849SLM	
		25 Sacks Cement	

Red Rock	0	165#.	35'
White Slate	165	185	
Sand	185	200	
Slate	200	215	
Sand	215	230	
Slate	230	290	
Sand	290	330	
Slate	330	345	
Sand	345	362	
Red Rock	362	380	
White Slate	380	400	
Sand	400	425	
Slate	425	452	
Red Rock	452	510	
White Slate	510	565	
Snad	565	610	
Slate	610	615	
Sand	615	625	
White Slate	625	650	
Red Rock	650	680	
Blue Slate	680	770	
Sand	770	805	
Slate	805	840	
Sand	840	860	
Slate	860	885	
Sand	885	1020	
Slate	1020	1050	
Hard Sand	1050	1170	
Slate	1170	1373	
Lime Shells	1373	1392	
Salt Sand	1392	1873	FW1405
Broken Sand	1873	1890	
Big Lime	1890	1902	
Injun Sand	1902	1927	
Slate & Shells	1927	2306	
Berea Sand	2306	2312	
Slate & Shells	2312	3510	
Brown Shale - 441	3510	3575	
Slate & Shells	3575	3965	
Brown Shale	3965	4110	
White Slate	4110	4250	
Brown Shale	4250	4263	
White Slate	4263	4520	
Brown Shale	4520	4827	
Corniferous Lime - 463	4827	4930	
Oriskany Sand	4930	4948	
Total Depth		4948	
SLM		4849	Casing Point
Gas		4933 <del>1</del>	4948

*Abandoned  
Sept 50*

475

V



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

WELL RECORD

Permit No. JAC-122-P

ABANDONMENT

Oil or Gas Well Gas  
(KIND)

Company United Fuel Gas Co.  
Address P. O. Box 1273, Charleston 25, W. Va.  
Farm S. L. Clendenin, etal Acres 292.6  
Location (waters) Dog Fork  
Well No. 6332 Elev. 694  
District Ripley County Jackson  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by S. L. Clendenin, etal  
Kenna, Address West Virginia  
Drilling commenced 3-26-41  
Drilling completed 6-1-41  
Date Shot No Record From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
49/10ths Merc. in 7" Inch  
Volume 11,327 M - Oriskany Cu. Ft.  
Rock Pressure Not Given lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water 1405 feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16	59	59	Kind of Packer
18	186	186	
10 3/4	770	770	Size of
<del>2 1/2</del> 5/8"	1967	1967	
<del>2 3/8</del> 7"	4849	4849	Depth set
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Red Rock			0	65			
White Slate			65	185			
Sand			185	200			
Slate			200	215			
Sand			215	230			
Slate			230	290			
Sand			290	330			
Slate			330	345			
Sand			345	363			
Red Rock			363	380			
White Slate			380	400			
Slate			400	425			
Shale			425	452			
Red Rock			452	510			
White Slate			510	565			
Sand			565	610			
Slate			610	615			
Sand			615	625			
White Slate			625	650			
Red Rock			650	680			
Slate			680	770			
Sand			770	805			
Slate			805	840			
Sand			840	860			
Slate			860	885			
Sand			885	1020			
Slate			1020	1050			
Sand			1050	1170			
Slate			1170	1373			
Lime Shells			1373	1392			
Salt Sand			1392	1873	Water	1405'	Hole full
Broken Sand			1873	1890			
Big Lime			1890	1902			
Injun Sand			1902	1927			
Slate & Shells			1927	2306			
Berea			2306	2312			
Slate & Shells			2312	3510			
Brown Shale			3510	3575			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Slate & Shells			3575	3965			
Brown Shale			3965	4110			
White Slate			4110	4250			
Brown Shale			4250	4263			
White Slate			4263	4520			
Brown Shale			4520	4827			
Corniferous			4827	4930			
Oriskany			4930	4948			
Total Depth			4948'				
							<p>Ran Steel Line @ 4932'</p> <p>4932 Sand Line = 4932 Steel Line</p> <p>Drilled in morning of 6-1-41</p> <p>Gas at 2:00 A.M.</p> <p>Complete drilling at 6:00 A.M.</p> <p>Shut in 6:45 A.M.</p>
					Gas	4932 $\frac{1}{2}$ -4948'	49/10 Merc. 7 (20#) 11,327M

Date September 1, 19 50

APPROVED United Fuel Gas Co., Own

By [Signature]  
Chief Engineer (Title) R