



ABO
9/45

W - 3.27
S - 5.10

New Location
 Drill Deeper
 Abandonment

Vol. XVI, P. 109

2 SW (H-5)

Company United Carbon Co.
 Address Charleston, WVa.
 Farm Mildred L. Thrash
 Tract _____ Acres 76 Lease No. 3514
 Well (Farm) No. 1 Serial No. 933
 Elevation (Spirit Level) 627.65'
 Quadrangle Ripley NW - NC
 County Jackson District Ravenswood
 Engineer E. Withrow
 Engineer's Registration No. _____
 File No. _____ Drawing No. _____
 Date March 19, 1941 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-129

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

Deep Well ✓

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac-129

Gas Well

Ripley N W Quad.

Company	United Carbon Company	Casing & Tubing		
Address	United Carbon Bldg., Charleston, W. Va.	13	590'	00
Farm	Mildred L Thrash	Acres 76	102	1074
Location	Left Fork Sandy Creek		8-58	1989
Well No.	1	Elev. 627.65	7	4806
District	Ravenswood Jackson County		1 1/2	4135
Surface	Mildred L. Thrash, Sandyville, W. Va.			
Commenced	April 17, 1941		Cemented	
Completed	July 1, 1941		8-5/8"	763'
Shot	7-8-41	Depth 4902-4950	7"	208'
Flow	2/10ths Water in 7" 24#			
Volume	598,000 Cu.Ft.			
Rock Pressure	1720 lbs 48 hrs.			
Fresh Water	70-145-150-1060 Ft.			
Salt Water	1230 Ft.			

Red Rock	00	50	Lime	1914	2085
Lime Shells	50	56	Slate & Shells	2085	2300
Red Rock	56	70	Brown Shale	2300	2306
Lime Shells	70	75HFV	Berea Sand	2306	2310
Red Rock	75	113	Lime	2310	2316
Slate	113	140W	Slate & Shells	2316	3800
Sand	140	157W.HF15	Brown Shale - 44	3800	4100
Red Rock	157	330	Slate	4100	4470
Slate	330	340	Brown Shale	4470	4762
Red Rock	340	390	Black Shale - MARCELLUS	4762	4787
Sand	390	417	Corniferous Lime - 44	4787	4902
Red Rock	417	464	Oriskany Sand	4902	4950
Pit. Sand	464	536W/S	Sandy Lime	4950	4965
Slate & Shells	536	575	Sand	4965	4976
Pink Rock	575	593	Lime	4976	4990
Lime Shells	593	597	Total Depth		4990
Slate	597	625			
Pink Rock	625	630	Well Drilled by-	Liming & Summers,	
Lime Shell	630	650		Drilling Contractors.	
Red Rock	650	717	Drillers	D. F. Harris	
Lime Shells	717	745		Fred Harper	
Red Rock	745	762		C. C. Pickens	
Little Dunkard	762	814			
Lime	814	834			
Slate	834	842			
Lime	842	857			
Pink Rock	857	900			
Lime	900	915			
Red Rock	915	925			
Sand	925	970			
Slate	970	980			
Lime	980	1000			
Red Rock	1000	1010			
Lime	1010	1020			
Sand	1020	1080W. 1060			
Slate	1080	1085 2 1/2 BPH			
Sand	1085	1128			
Slate	1128	1135			
Lime	1135	1150			
Slate & Shells	1150	1168			
Lime	1168	1226			
Salt Sand	1226	1474W. 1230			
Slate	1474	1478 6BPH			
Lime	1478	1507			
Slate	1507	1527			
Lime	1527	1550			
Slate	1550	1580			
Lime	1580	1615			
Maxon Sand	1615	1695HFV 1620			
Slate & Shells	1695	1728			
Big Lime	1728	1811			
Injun Sand	1811	1914			

4787 4902 4976
 628 628 628

 4159 4274 4348

185