



New Location... X
 Drill Deeper...
 Abandonment...

0.785
 3.57 W
 3.58-W

Company	HAYS O. & G. Co.	
Address	CLEDENIN, W. VA.	
Farm	J. H. STARR	
Tract	Acres 190	Lease No.
Well (Farm) No.	ONE	Serial No.
Elevation (Spirit Level)	-676 899	
Quadrangle	RIPLEY C	
County	JACKSON	District RAVENSWOOD
Engineer	A. E. PRICE	
Engineer's Registration No.	819	
File No.	Drawing No.	
Date 6-17-41	Scale 1" = 50 P.	

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-202

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-6-192

✓

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No.	Jac-202	Gas Well	
Company	Hays Oil & Gas Co.	Casing & Tubing	
Address	Glendenin, W.Va.	13	763 763
Farm	J.H.Starr Acres --	10	1278 --
Location	Sandy Creek	8 5/8	2209 2209
Well No	1 Elev. 879	7	5027 5027
District	Jackson County	2	5142 5142
Surface	J.H.Starr, Sandyville, W.Va.		
Mineral	--	<u>Packer</u>	
Commenced	July 8, 1941	Shoe	
Completed	Dec. 29, 1941		
Shot	Dec. 30, 1941 Depth 5127-5157		
Flow	14/10ths M in 7" O.D.	Casing cemented: 7" at	
Volume	5,995,000 C.F.	90'-12-20-41	
Rock Pressure	1750 lbs 24 hrs.		
Fresh Water	725' -5-13" Bailer pr. hr.; 745' Hole Full; 88'-122 1/2 Blr. hr.		
Salt Water	1320'; 1490' hole full (1320' --- 1/2 Blr. pr. hr., 10" bailer)		

Conductor	15		Slate & Shells		1182	1182
Rock	10	16	Lime & Shells	H	1182	1188
Red Rock	16	22	Slate & Shells	Wh	1188	1200
Clay Y	22	30	Slate	Bk	1200	1211
Red Rock	30	75	Sand		1211	1219
Slate	75	88	Slate & Shells		1219	1239
Sand	88	122	Pink Rock		1239	1255
Red Rock	122	156	Slate		1255	1260
Slate	156	175	Dunkard Sand		1260	1334
Red Rock	175	218	Black Slate		1334	1339
Slate	218	225	Lime Shells		1339	1420
Red Rock	225	270	Salt Sand		1420	1575
Sand	270	285	Slate & Shells		1575	1630
Red Rock	285	353	2nd Salt Sand		1630	1685
Broken Lime	353	362	Slate & Lime		1685	1794
Red Rock	362	382	Sand		1794	1811
Slate	382	392	Slate		1811	1829
Red Rock	392	456	Maxon Sand		1829	1900
Sand	456	495	Little Lime		1900	1928
Slate & Lime	495	545	Pencil Cave		1928	1933
Red Rock	545	562	Big Lime		1933	2063
Slate & Lime	562	592	Injun Sand		2063	2150
Gritty Lime	592	607	Squaw Sand		2150	2190
Red Rock	607	622	Slate		2190	2199
Slate & Shells	622	647	Lime		2199	2215
Lime	647	655	Slate & Shells		2215	2507
Red Rock	655	680	Brown Shale		2507	2533
Slate	680	695	Dorea Sand		2533	2549
Red Rock	695	702	Slate & Lime		2549	3750
Pitts. Sand	702	784	Brown Shale		3750	3820
Slate & Shells	784	865	Slate & Shells		3820	4047
Pink Rock	865	872	Brown Shale		4047	4308
Slate & Shells	872	905	Slate & Shells		4308	4740
Pink Rock	905	915	Brown Shale		4740	5012
Red Rock	915	955	Gorniferous - 463		5012	5127
Slate & Shells	955	982	Oriskany		5127	5175
Red Rock	982	1003	Lime - 1121		5175	5179T.D.
Slate	1003	1016				
Sand	1016	1036	Reduced hole-18" to 16" -354'			
Slate & Shells	1036	1090	Water level 400' top			
Pink Rock	1090	1132	Water Sand 1860-1874'			

Showing of gas at 2543' - no test
 " " 4087' - no test
 " " 4797' - no test

Shot with 90 qts. - 5127-5157
 B.S. 4/10 Mer. thru 2" pipe
 30 Min. A.S. 14/10 Mer. thru 7" O.D. 22#