



New Location
 Drill Deeper
 Abandonment

ABD
2/46

1.165
2.39
2.36-48

Company WEST VIRGINIA GAS CORPORATION
 Address P.O. BOX 404 CHARLESTON, W. VA.
 Farm ONA CASTO ET AL
 Tract _____ Acres 99 Lease No. OV508
 Well (Farm) No. ONE Serial No. 075
 Elevation (Spirit Level) 916.25 (STADIA)
 Quadrangle KENNA N.W.
 County JACKSON District WASHINGTON
 Engineer W. S. GRAVELY
 Engineer's Registration No. _____
 File No. 3 Drawing No. _____
 Date MARCH 17, 1942 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-318

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

6-6 1942

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 318		--Well
Kenna Quad N.W.		CASING & TUBING
Company	W.Va. Gas Corporation	
Address	P.O. Box 1433, Charleston, W.Va.	133/8 795
Farm	Ona Casto, et al, Acres 99	10 1/2 1188
Location	Tug Fork of Mill Creek	8 5/8 2181
Well No	One (Serial #0-75) Elev. 909.8	Rig Fl.
District	Washington Jackson County	
Surface	Ona Casto et al, Ripley, W.Va.	Casing cemented:
Mineral	Ona Casto, et al, Ripley, W.Va.	8 5/8 2181'
Commenced	June 10, 1942	
Completed	Sept. 23, 1942	
Fresh Water	320' & 735'	
Salt Water	1366'	

Red Rock	0	20	Big Injun	2078	2170
Sand	20	70	Slate	2170	2195
Red Rock	70	90	Black Lime	2195	2210
Slate & Shell	90	147	TOTAL DEPTH		2210
Red Rock	147	185			
Lime	185	232			
Slate	232	237			
Red Rock	237	250			
Sand	250	295			
Slate	295	325			
Sandy Lime	325	395			
Red Rock	395	420			
Lime	420	455			
Red Rock	455	470			
Lime	470	490			
Shells	490	521			
Red Rock	521	540			
Slate	540	550			
Sand	550	575			
Slate	575	586			
Blue Lime	586	610			
Red Rock	610	665			
Sand	665	745			
Slate White	745	759			
Sandy Lime	759	770			
Red Rock	770	800			
Blue Rock	900	916			
Slate	916	936			
Sand	936	1014			
Blue Rock	1014	1020			
Slate & Shell	1020	1061			
Blue Rock	1061	1130			
Slate	1130	1140			
Blue Rock	1140	1165			
Slate	1165	1168			
Sand	1168	1258			
Slate	1258	1277			
Sand	1277	1345			
Black Slate	1345	1350			
Second Sand	1350	1380			
Dark Sand	1380	1400			
Gray Lime & Shale	1400	1410			
Slate	1410	1448			
Sand	1448	1500			
Slate	1500	1525			
Lime	1525	1552			
Slate	1552	1564			
Sandy Lime	1564	1568			
Slate & Shell	1568	1780			
- Maxon Sand	1780	1910			
- Little Lime	1910	1940			
- Big Lime	1940	2078			

See next sheet

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 318 -R

Kenna Quad N.W.

Company

Address

Farm

Location

Well No

District

Surface

Mineral

Commenced

Completed

Open Flow

Fresh Water

Salt Water

West Virginia Gas Corp.

Box 1433, 801 Union Bldg., Chas., W.Va.

Ona Casto et al Acres 99

Grandees Run, Tug Fork of Mill Creek

One (Ser #0-75)

Washington

Ona Casto et al, Ripley, W.Va.

Same

10-15-42

1-25-43

5280 M CF

300' enough to drill with; 735'

1370' H.F.

Gas Well
CASING & TUBING

18" 20'8 20'8

133/8 760'8 0

10 1/2 1209 0

8 5/8 2117&7 0

5213 5213

8 bags Aquagel

behind 13"; 15 bags

Aquagel bh. 10"; 17 bags

" " 8 5/8"; 17 "

" and 12 bags

cement behind 7"

Soil	0	10
Red Rock	10	90
Sand	90	155
Red Rock	155	195
Blue Rock	195	220
Blue Slate	220	250
Sand	250	358
Red Rock	358	372
Blue Slate	372	375
Lime	375	400
Red Rock	400	430
Blue Slate	430	455
Red Rock	455	480
Blue Slate	480	500
Red Rock	500	550
Blue Slate	550	608
Red Shale	608	625
Lime Shell	625	630
Blue Slate	630	650
Pitts. Sand	650	745
Red Rock	745	910
Lime	910	980
White Slate	980	1027
Red Rock	1027	1050
Blue Slate	1050	1140
Dunkirt Sand	1140	1277
Blue Slate	1277	1280
Salt Sand	1280	1390
White Slate	1390	1455
Salt Sand	1455	1500
Blue Slate	1500	1529
Lime	1529	1545
Blue Slate	1545	1715
Lime	1715	1769
Salt Sand	1769	1912
Little Lime	1912	1940
Big Lime	1940	2093
Injun Sand	2093	2153
Slate	2153	2163
Shells	2163	2350
Slate & Shells	2350	2540
Brown Shale	2540	2555
Berea Sand	2555	2567
Slate & Shells	2568	3785
Brown Shale - 441	3785	3860
Slate & Shells	2860	4035
Brown Shale	4035	4455
Slate	4455	4550
Brown Shale	4550	4570
White Slate	4570	4875
Brown Shale	4875	5156
Corniferous Lime - 402	5156	5273
Oriskany Sand	5273	5289
TOTAL DEPTH		5289

5156 5273
909

5247 4364

Elev. R.F. 909.14

475

RECEIVED
MAY 1943
03/18/43