



0.68 S
 0.69 S
 3.76 W
 3.72 W

Company COLUMBIAN CARBON CO.

Address BOX 1240 CHARLESTON W.VA.

Farm PARSONS - BURCH

Tract _____ Acres 160 Lease No. WU-74

Well (Farm) No. 1 Serial No. _____

Elevation (Spirit Level) 789.6

Quadrangle RIPLEY S.W. 30-8-

County JACKSON District RIPLEY

Engineer J. M. Bell

Engineer Registration No. 772

File No. _____ Drawing No. 185

Date 6-12-42 Scale 1" = 660'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-369

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 369

Ripley Quad.

Company

Address

Farm

Location

Well No

District

Surface

Mineral

Commenced

Completed

Date shot

Volume

Rock Pressure

Fresh Water

Salt Water

Columbian Carbon Company
Box 873, Charleston, W.Va.
Parsons Burch Acres 160
Stationcamp Run
1 (G. W. 678 Elev. 795.8 DF
Ripley Jackson County

Gas Well
CASING & TUBING

16	21'5	21'5
1 3/8	667'11	0
10 1/2	1158'	0
85/8	2148'3	0
7"	5020'10	5020'10

7-9-42
10-1-42
10-1-42 Depth 5122' SLM to 5162' SLM
266-2/3# Gelatin
60 MCF
1550 lbs, 20 days
330' 2-15" Blrs./hr.
1230' 1-10" blr. pr. hr.; 1376'H.F.

Sand	0	40
Red Rock	40	175
White Slate	175	215
Red Rock	215	290
Sand	290	355
Red Rock	355	375
Slate & Shells	375	420
Red Rock	420	457
Slate & Shells	457	560
Sand	560	620
Slate	620	656
Lime Shell	656	661
White Slate	661	685
Sand	685	700
Slate	700	740
Red Rock	740	800
Slate & Lime	800	825
Red Rock	825	870
Slate	870	1000
Pink Rock	1000	1015
Slate & Lime	1015	1215
Sand	1215	1260
Slate & Shells	1260	1290
Sand	1290	1335
Black Slate	1335	1365
Sand	1365	1395
Slate	1395	1710
Sand	1710	1865
Big Lime	1865	1960
Big Injun Sand	1960	2100
Slate	2100	2134
Lime Shell	2134	2140
White Slate	2140	2445
Brown Shale	2445	2457
Berea Grit	2457	2470
White Slate	2470	3950
Brown Shale 441	3950	4050
White Slate	4050	4145
Brown Shale	4145	4265
White Slate	4265	4680
Brown Shale	4680	4800
White Slate	4800	4815
Brown Shale	4815	4930
Black Shale-MARCELLUS	4930	SLM4977 SLM
Corniferous Lime	4977	SLM5089 SLM
Oriskany Sand	5089	SLM 5139
Black Lime	5139	5167
Lime	5167	5178 SLM
TOTAL DEPTH		5178 SLM

CEMENT RECORD:

7-18-42 Aquagelled 1 3/8" casing. Ran 16 sacks aquagel and 1 bale Fibrotex, with approx. 75 bbl. water.

7-25-42 Aquagelled 10 1/2" casing. Ran 21 sacks aquagel and 1 bale Fibrotex with approx. 105 bbl. water.

8-20-42 Aquagelled 8 5/8" casing. Ran 26 sacks aquagel and 1 bale fibrotex, with 30 bbl. water.

9-15-42 Cemented 7" casing. Ran 10 sacks aquagel and 4 bales Fibrotex. Ran 8 sacks Greenbag cement in dump bailer after aquagel was pumped down.

Show gas 2463

Show gas 4895

Pays 5122; 5159-60

485