



3.07 - 5
 3.08 - 5

 0.25 W

New Location REVISION OF ORIG. LOC. MAP DATED APRIL 1, 1946
 Drill Deeper.....
 Abandonment.....

Company	COLUMBIAN CARBON CO.
Address	CHARLESTON W.VA.
Farm	ELMER CURRY
Tract	Acres. 171 Lease No. C-2906
Well (Farm) No.	1 Serial No. GW-908
Elevation (Spirit Level)	784.0
Quadrangle	RIPLEY 4-303-025 WC
County	JACKSON District RAVENSWOOD
Engineer	<i>J.M. Sell</i>
Engineer's Registration No.	772
File No.	Drawing No. 370-A
Date	JUNE 3, 1946 Scale 1" = 650'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-520

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0-192

Deep Well

WEST VIRGINIA DEPARTMENT OF MINES
OIL & GAS DIVISION
W E L L R E C O R D

Permit No. Jac 520

Dry Hole
CASING & TUBING

Ripley Quad.				
Company	Columbian Carbon Company			
Address	Box 873, Charleston 23, W.Va.	16	23'2	23'2
Farm	Elmer Curry Acres 171	13 3/8	54#	674'8 Pld.
Location	Trace Fork	10 1/2	1250'7	Pld.
Well No.	1-GW-908 Elev. 786.5 DF	8 1/2	24#	2160'4 Pld.
District	Ravenswood Jackson County	7	23#	4948'11 Pld.
Surface	Elmer Curry, Rt. #3, Sandyville, W.Va.			
Mineral	Same			Midget B.H. Packer
Commenced	6-29-46			Size 7"
Completed	10-20-46			Depth 4918' SLM
Date shot	10-21-46			Depth 5029 to 5044' SLM (Pulled)
	with 150# Atlas Gelatin			
Volume	Dry Hole			Casing Cemented: see
Oil	1385' 5038' show			below
Fresh Water	380' 1-16" blr.; 650' 2-16" blr.			
Salt Water	1580'; 1777' H.F.			No coal

Top Soil	0	2	Black Lime	2113	2150
Red Clay	2	15	Slate & Shells	2150	2450
Red Rock	15	82	Shale - <i>Coffee Sh.</i>	2450	2472
Blue Slate	82	90	Slate & Shells	2472	3670
Sand	90	101	Slate	3670	3987
Red Rock	101	120	Brown Shale	3987	4225
Slate	120	130	Slate	4225	4650
Red Rock	130	163	Brown Shale	4650	4903 DLM
Blue Slate	163	175			4904 SLM
Red Rock	175	270	✓ Corniferous Lime - <i>A63</i>	4904 SLM	5016 SLM
Blue Slate	270	280	5018' DLM-5018' SLM		
Red Rock	280	300	✓ Oriskany Sand	5016 SLM	5073
Slate	300	336	✓ Black Lime	5073	5084
Red Rock	336	352	Sand	5084	5097
Blue Slate Hard	352	376	White Lime	5097	5101 DLM
Sand	376	405			5100 SLM
Slate	405	436	TOTAL DEPTH 5101' DLM-5100' SLM		
Red Rock	436	450			
Blue Slate	450	504	Gas 3840' show		
Red Rock	504	592	Gas 5034' show		
Slate	592	602	Oil 5038' 1/4 blr. 1 hr.		
Red Rock	602	632			
Sand - <i>1 1/2 P. H. Sand?</i>	632	687	Plugged and abandoned 11-6-46		
Black Slate	687	689			
1249' DLM-684' SLM					
Lime	689	692	CEMENT RECORD 7-14-46 13 3/8" casing-		
Slate	692	811	ran 18 sacks Aquagel and 50 # Fibertex.		
Red Rock	811	859	Circulation 245'. Returns 327' C.C.Co. Crew		
Slate	859	878			
Red Rock	878	926	7-26-46 10 1/2" casing. Ran 24 sacks aquagel		
Sand	926	948	and 50# Fibertex. Circulation and returns		
Slate	948	985	1220' . C.C.Co. Crew		
Lime	985	995			
Red Rock	995	1015	8-13-46 8 5/8" casing. Ran 26 sacks		
Slate	1015	1040	aquagel and 50# Fibertex, Circulation		
Slate	1040	1054	while mixing -returns 1170' C.C.Co. Crew		
Sand	1054	1060			
Red Rock	1060	1080	10-3-46 7" casing. Ran 50 sacks aquagel		
Slate (hard)	1080	1272	and 200# fibertex. No circulation or		
1249' DLM-1249' SLM			returns. C.C.Co. Crew.		
Lime	1272	1277			
Slate	1277	1370			
Lime	1370	1384			
Sand	1384	1490	Oil 1395' show		
Slate	1490	1548			
Sand	1548	1595			
Slate	1595	1621			
Sand	1621	1636			
Slate	1636	1715			
Lime	1715	1733			
Slate	1733	1767			
Sand - <i>Sweet Sand?</i>	1767	1846			
Slate - <i>P. Cave?</i>	1846	1850			
Lime - <i>Big Lime?</i>	1850	1995			
Sand - <i>Big Sand?</i>	1995	2113			