

New Location   
 Drill Deeper   
 Abandonment

Company FRAME OIL & GAS WELL SERVICES INC  
 Address P.O. BOX 545, ELKVIEW W.V. 25071  
 Farm H.A. Davis  
 Tract \_\_\_\_\_ Acres 50 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 857'  
 Quadrangle Keno  
 County Tucker District GRANT  
 Engineer Robert R Anderson  
 by O. Meredith  
 Engineer's Registration No. 296  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 11/25 53 Scale 1" = 90 Poles

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. JAC-909-P

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing. 47-035





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION 13

Quadrangle Keno

WELL RECORD

Permit No. JAC-909

Oil or Gas Well Gas  
(KIND)


Company B. H. Putnam, Operator  
Address 512 Third Street, Marietta, Ohio  
Farm H. A. Davis Acres \_\_\_\_\_  
Location (waters) Ohio River  
Well No. One Elev. 897  
District Grant County Jackson  
The surface of tract is owned in fee by Same  
Address \_\_\_\_\_  
Mineral rights are owned by Same  
Address \_\_\_\_\_  
Drilling commenced 12/15/55  
Drilling completed 6/26/56  
Date Shot 6/26/56 From 4425' To 4433'  
With 20 gts. water  
Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume 70,000 Cu. Ft.  
Rock Pressure 1600 lbs. 72 hrs.  
Oil None bbls., 1st 24 hrs.  
Fresh water None feet \_\_\_\_\_ feet  
Salt water None feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			
16			Kind of Packer
18	610		
10	1050		Size of
8 5/8	1818	1818	
6 5/8			Depth set
5 3/4	4338	4338	
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED 5 1/2 SIZE 4338 No. Ft. 5/18/56 Date

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Rock	Red		0	20			
Slate			20	40			
Rock	Red		40	60			
Sand			60	75			
Rock	Red		75	80			
Sand		Hard	80	100			
Rock	Red		100	205			
Sand			205	210			
Slate	Blue		210	235			
Rock	Red		235	250			
Slate	Blue		250	280			
Sand			280	337			
Rock	Red		337	340			
Lime			340	345			
Slate & Shells			345	355			
Slate			355	375			
Rock	Red		375	385			
Slate			385	415			
Rock & Lime	Red		415	439			
Rock	Red		439	450			
Lime			450	460			
Slate			460	465			
Sand			465	488			
Slate & Shells			488	496			
Slate			496	526			
Rock	Red		526	545			
Sand	White		545	553			
Sand			553	590			
Slate			590	658			
Sand	White		658	668			
Sand			668	705			
Slate			705	730			
Rock	Red		730	758			
Lime			758	763			
Slate & Shells			763	775			
Sand	White		775	795			



Formation	Color	Hard or Soft	Top <i>13</i>	Bottom	Oil, Gas or Water	Depth Found	Remarks
Rock	Red		795	815			
Slate			815	820			
Rock	Red		820	825			
Slate			825	882			
Rock	Red		882	892			
Slate			892	910			
Rock	Red		910	945			
Slate			945	963			
Rock	Red		963	973			
Slate			973	990			
Sand		Hard	990	1013			
Slate			1013	1020			
Rock	Red		1020	1035			
Slate	White		1035	1041			
Slate			1041	1060			
Rock			1060	1065			
Slate			1065	1105			
Slate	Black		1105	1141			
Slate			1141	1200			
Sand & Slate	Black		1200	1235			
Slate			1235	1240			
Sand			1240	1265			
Slate			1265	1320			
Sand			1320	1384			
Slate			1384	1470			
Sand			1470	1485			
Slate			1485	1497			
Slate	Black		1497	1538			
Slate			1538	1594			
Sand			1594	1632			
Slate			1632	1642			
Lime <i>Big Lime</i>		Hard	1642	1720			
Slate			1720	1736			
Slate & Shells			1736	1795			
Lime			1795	1818			
Slate & Shells			1818	1952			
Lime			1952	1976			
Slate			1976	1997			
Slate & Shells			1997	2041			
Slate			2041	2165			
Berea Sand			2165	2167			
Slate & Shells			2167	2200			
Slate			2200	2275			
Slate & Shells			2275	2296			
Slate			2296	2382			
Slate & Shells			2382	2450			
Slate			2450	2700			
Slate & Shells			2700	2784			
Slate			2784	2880			
Slate & Shells			2880	2910			
Slate			2910	3042			
Slate & Shells			3042	3300			
Shale	Brown <i>441</i>		3300	3420			
Slate & Shells			3420	3590			
Shale	Brown		3590	3600			
Shale			3600	3717			
Shale	Brown		3717	3790			
Slate & Shells			3790	4175			
Slate	Black		4175	4225			
Shale			4225	4282			
Shale	Brown		4282	4317			
Lime <i>Huntsville</i>			4317	4430			
Sand <i>ORISKANY</i>			4430	4449			
Sand & Lime <i>Helderberg</i>			4449	4463			
				485			

Date \_\_\_\_\_, 19\_\_\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_ (Title)