



New Location
 Drill Deeper
 Abandonment

Company KEYANEE OIL CO.
 Address BOX 5251 COLUMBUS 12 OHIO
 Farm D. A. NOHE
 Tract _____ Acres 100 Lease No. _____
 Well (Farm) No. 1 Serial No. _____
 Elevation (Spirit Level) 675.00
 Quadrangle BELLVILLE - SW
 County JACKSON District GRANT
 Engineer L. J. Dye
 Engineer's Registration No. 804
 File No. _____ Drawing No. _____
 Date 4-21-59 Scale 1" = 500'

STATE OF WEST VIRGINIA
 DEPARTMENT OF MINES
 OIL AND GAS DIVISION
 CHARLESTON

WELL LOCATION MAP
 FILE NO. JAC-994

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.
 - Denotes one inch spaces on border line of original tracing.

No Samples 6-0 256 Deep Well ✓



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES
OIL AND GAS DIVISION

Quadrangle Belleville

Permit No. JAC-994

WELL RECORD

Oil or Gas Well Dry
(KIND)

Company Kewanee Oil Company
 Address 1200 W. 3rd Ave., Columbus 12, Ohio
 Farm D. A. Nohe Acres 100
 Location (waters) _____
 Well No. Nohe #1 Elev. 675'
 District Grant County Jackson
 The surface of tract is owned in fee by D. A. Nohe
Sherman P.O. Address Jackson County
 Mineral rights are owned by Kewanee Oil Company
1200 W.3rd Ave. Address Columbus 12, Ohio
 Drilling commenced 5-31-59
 Drilling completed 6-26-59
 Date Shot " " From " " To " "
 With " "
 Open Flow /10ths Water in _____ Inch
 _____/10ths Merc. in _____ Inch
 Volume Show Cu. Ft.
 Rock Pressure " lbs. " hrs.
 Oil " bbls., 1st 24 hrs.
 WELL ACIDIZED " "

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer _____
16			
13			
10			Size of _____
8 3/4	<u>2071'</u>	<u>601'</u>	
8 5/8			Depth set _____
5 3/16	<u>4461'</u>	<u>721'</u>	
3			Perf. top _____
2	<u>4460'</u>	"	Perf. bottom _____
Liners Used			Perf. top _____
			Perf. bottom _____

CASING CEMENTED 8 5/8" SIZE 2071' No. Ft. _____ Date 5 1/2" - 4460.71

COAL WAS ENCOUNTERED AT 1215 FEET 12 INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES
 _____ FEET _____ INCHES _____ FEET _____ INCHES

WELL FRACTURED 11,000 gal. gelled water and 4300# sand

RESULT AFTER TREATMENT _____

ROCK PRESSURE AFTER TREATMENT _____

Fresh Water " Feet " Salt Water " Feet "

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth	Remarks
Shale	red-grn.	S	0	410			
Sand	gray	S	410	550			
Shale	red-grn.	S	550	600			
Sand & shale	gray	S	600	683			
Shale	Red-grn.	S	683	850			
Sand-shale	Gray	S	850	900			
Shale	Red Grn.	S	900	910			
Sand-shale	Gray	S	910	930			
Sand	Gray-white	S	930	1040			
Shale	Black	S	1040	1050			
Shale	Red-grn.	S	1050	1140			
Sand-shale	White	S	1140	1200			
Shale	Red Grn.	S	1200	1240			
Sand & shale	Gray & red	S	1240	1310			
Sand	Gray	S	1310	1330			
Sand & shale	Gray & grn.	S	1330	1480			
Maxon sand	Gray & white	H	1480	1523			
Big Lime	Tan	H	1523	1634			
Shale	Gray	S	1634	2038			
Sunbury Shale	Brown	H	2038	2068			
Devonian Shale	Gray	S	2068	4373	Gas	3640	Show
Corniferous	Tan <u>463</u>	H	4373	4479			
Oriskany	Brown	H	4479	4491	Gas	4480	Show
TD			4491				

(over)

[Handwritten signatures and initials]
F59