

Deep Hell



STATE OF WEST VIRGINIA
DEPARTMENT OF MINES

# MAY 2 2 1972

### DE. T. OF MINES

## Oil and Gas Division WELL RECORD

QuadrangleRipley Permit No. Jac 1245	W W Then the The	NECOND		Recycling_	Gas XX Comb.
				Disposal	(Kind)
Company Casa De Cascade Inc. Address Columbus, Ohio	Processing and the control of the co	Casing and Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Førm Miihlbach et al A		The second secon		311 17 (1)	(u. 11. (SKS.)
Location (waters)	7/61	Size			
Well No. 1 (one) E District Ravenswood County Ja		20-16		•	
The surface of tract is owned in fee by		Cond. 13-10"	<del></del>		
Mr. Miihlbach & Mr. White		9 5/8			<b>†</b>
Address Silverton, W. Va.		8 5/8	2200		
Mineral rights are owned by As above		7	2122	2122	cem. to su
Address		5 1/2		+	1
Drilling Commenced 9/9/70		4 1/2		F 4 C O	
Drilling Completed 4/21/71		4 1/2	ter to a common terrologic common again tomp op 30 years, commonweals	5469	7
nitial open flow N.A. cu. ft.		~	1	<del></del>	50/50 poz.
inal productio 41HMCE cu. ft per day		Liners Used			
Vell open 2 hrs. hrs: before test		Support and a large section of the property of the section of the			
Vell treatment details:	n rengiger medicalization had no 8 % 8 %	Attach copy of			
			-		
Perforate Newburg 14 ho	oles. Pum	p_250_gal.	30% HCL.	<u>Swab w</u>	ell back
2 hr. test 41 million.	d	The second secon			
Section 1997 The Control of the Cont	93 // /	n. an. a			
	41,1	000 Met	·		
Coal was encountered at none Fresh water N.A. F	Fe cet	et	Incho	es	Feet
Coal was encountered at	Fe cet	etSalt \	Incho	es to 5446	Feet
Toal was encountered at	cetFe	Salt Depti	Materh 5434 Oil, Gas of	to 5446 r Water	Feet*
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas on	to 5446 r Water	Feet* Remarks
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.	Top Feet	Salt Depti	Oil, Gas on samushow so kicked	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  dstone fr.gray med.	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446 r Water ples our gas	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  dstone fr.gray med.	Top Feet 0000 4605	Bottom Feet 4605 5434	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  Mewburg  Restone fr.gray med.  Mewburg  Restone gr.tan hard	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  Mewburg  Restone fr.gray med.  Mewburg  Restone gr.tan hard	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Solin)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  dstone fr.gray med.  Newburg  estone gr.tan hard	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  Mewburg  Restone fr.gray med.  Mewburg  Restone gr.tan hard	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Saling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Soling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Salina)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 \( Saline  Good fluor
Formation Color Hard or Soft  estone gr.tan hard  Mewburg  Restone fr.gray med.  Mewburg  Restone gr.tan hard	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Saling)  Good fluor
Formation Color Hard or Soft  estone gr.tan hard dstone fr.gray med.  Mexicus  estone gr.tan hard  Mexicus	Top Feet 0000 4605 5434	Bottom Feet 4605 5434 5446	Oil, Gas of no sam show so kicked in circ	to 5446  r Water  ples  our gas  mud 3'	* Remarks  \$ 250 * (Saling)  Good fluor

FORM OG-8

### STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



DIVISION OF OIL & GAS DEPARTMENT OF ENERGY

#### AFFIDAVIT OF PLUGGING AND FILLING WELL

		Don W.	Mailed to Each coal o Hardman OO Oil Product		. nasraCTIV	
COAL OPERATOR OR OWNER		Route 2, BOX 119 CL OPERATOR Walker, W. Va. 26180				
	ADDRESS		COMPLETE AS	LOU		
COAL OFERATOR OF OWNER		Bh shidhitis Mahadi mada galas ya anna a sa	July 28,			
		<u>R</u>	<u>Ravenswood</u>			
	ACCRES	.7	ackson		<i>~</i> ,	
LEAU	E OR PROPERTY OWNER				_	
	ADDRESS	- Well No	)1	tion of the careful for a trade conductively may be reported and are distributioned.		
		Miihlb	Miihlhach-White Lease			
STATE INSPECTO	r supervising plugging. Ma	rtin Nicho	ls, Clendenin	. W. Va.	25045	
				7 F T T T T T T T T T T T T T T T T T T	*****************	
STATE OF WES		IDAVIT				
	·					
County of Wo	•					
<u>Don W.</u>	Hardman sworn according to law depos	and St	ephen Rose		***************************************	
plugging and fill:	sworn according to law depos	se and say th	at they are experi	enced in the	work o	
well operator, and	ng oil and gas wells and were of participated in the work of p	employed by	Drilco Oil Pr	oductions		
was commenced	on the 14th day of Aug	net	name me above	wen, that sa	na worl	
and filled in the	following manner:	<u>us t</u>	19_72, and that	the well was	plugged	
AND OR ZONE RECOR	D FILLING MATERIA	L	PLUGG USED	CA	SING	
FORMATION			SIZE & KIND	csc	Csa	
	<del></del>			PULLED	LEFT	
469 - 5334	Cement			- CECKE	14 16,7 1	
<u>469 - 5334</u> 334 0 4700	Cement   Gelled Hole		· ·		Res We 9 2	
	·	7		4692		
	Gelled Hole	7			777	
334 0 4700	Gelled Hole Cut 4½" Casing 4692	1				
334 0 4700 · 700 - 4600	Gelled Hole Cut 4½" Casing 4692 Cement	7				
334 0 4700 - 700 - 4600 600 - 2222	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement	1				
334 0 4700 700 - 4600 600 - 2222 222 - 2022	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole	1				
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Cement	7				
334 0 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole	1				
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Cement	·			777	
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·		4692		
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·		4692	777	
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·		4692	777	
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·		4692	777	
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·	DESCRIPTION	4692	955	
334 0 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495 95 - 100 00 - 0	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·	pesdalptic Erected marke	4692 595	955 S)	
334 9 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495 95 - 100 00 - 0	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·	Erected marke	595 595 DN OF MONUME er of 7" c	955 955 NT asing	
334 0 4700 700 - 4600 600 - 2222 222 - 2022 022 - 595 95 - 495 95 - 100 00 - 0	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·		4692 595 595 N OF MONUME er of 7" ce	955 955 NT asing	
334 9 4700 	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	·	Erected market extending 32'	4692 595 595 N OF MONUME er of 7" ce	955 955 NT asing	
334 9 4700	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cut 8 5/8 Casing as	5 59511	Erected marks extending 32' set in cement	4692 595 SN OF MONUME er of 7" of above Su	955 9ss wr asing	
334 0 4700  700 - 4600  600 - 2222  222 - 2022  022 - 595  95 - 495  95 - 100  00 - 0   COAL SEAMS  E)  and that the work	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cement Cement	5 59511	Erected marks extending 32' set in cement	4692 595 SN OF MONUME er of 7" of above Su	955 9ss wr asing	
334 0 4700  700 - 4600  600 - 2222  222 - 2022  022 - 595  95 - 495  95 - 100  00 - 0   COAL SEAMS  10  August	Gelled Hole Cut 4%" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Gelled Hole Cement Cut 8 5/8 Casing as	5 59511	extending 32' set in cement ompleted on the	4692  595  SN OF MONUME  or of 7" or above Su  19th	955 955 NT asing rface	
334 0 4700  700 - 4600  600 - 2222  222 - 2022  022 - 595  95 - 495  95 - 100  00 - 0   COAL SEAMS  1)  1)  And that the work  August  And further d	Gelled Hole Cut 4½" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Cut 8 5/8 Casing as k of plugging and filling said , 1975 eponents saith not.	well was co	extending 32's set in cement ompleted on the	4692  595  Son of Monume er of 7" of above Su	955  955  NT asing rface day of	
334 0 4700  700 - 4600  600 - 2222  222 - 2022  022 - 595  95 - 495  95 - 100  00 - 0   COAL SEAMS  1)  1)  And that the work  August  And further d	Gelled Hole Cut 45" Casing 4692 Cement Gelled Hole Cement Gelled Hole Cement Cut 8 5/8 Casing as k of plugging and filling said , 1975	well was co	extending 32's set in cement ompleted on the	4692  595  SN OF MONUME er of 7" of above Su  19th	955  NT asing rface  day of	