


North



#### COAL NOT OPERATED.

The second secon
 Fracture
Before 6/5/29
New Location
Drill Deeper
Redrill
Abandonment

I, the undersigned, hereby certify that this map is correct to the best of my knowledge and belief and shows all the information required by Paragraph 5 of the Rules and Regulations of the Oil and Gas Section of the Mining Laws of West Virginia.

The accuracy of this survey is within the limits and as prescribed in Paragraph 5 by the Oil and Gas Division of the Department of Mines Regulations.

Company PETROLEUM CORP.
Address CANGLEST CIV, DV. CAV.
Form PAUL C. SMITH
Tract Acres 108 Lease No.
Well (Farm) NoSerial No
Elevation (Spirit Level) 600.30 °
Quadrangle RIPLEY, M.VA. (1)
County JACKSON District RIPLEY
surveyor Jamul A. Clendonian
Surveyor's Registration No. 259
File No. EK 3 - PG-130 Drawing No.
Date 9-22-72 Scale /"= 300'
11/1/0

STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION CHARLESTON

WELL LOCATION MAP FILE NO. See-1346

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500 latitude and longitude lines being represented by border lines as shown.

— Denotes one inch spaces on border line of original tracing.

> OCT 23 1972 Deep Well (Newburg





### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES

# Oil and Gas Division WELL RECORD

Quadrangle Ripley

RotaryX_	Oil
Cable	Gas
Recycling	Comb.
Water Flood	Storage
Disposal	DRY) c. ~

Permit No. Jac-1346					dStorage DRY c. w.
Company PATRICK PETROLEUM C Address 901 Nelson Bldg. Ch Farm Paul C. Smith	arleston,	Casing and W.Va_Tubing	Used in Drilling	Left in Well	Cement fill up Cu. ft. (Sks.)
Location (waters) Left Fork Syca Well No. One (1) District Ripley County Jac	Hev. 600.30	Size 20-16 Cond.			
The surface of tract is owned in fee by Pa Ripley, W.Va.	ul Smith	13-10" 9 5/8	60°	60'	Cmt. to Sur
Address		8 5/8 7	47531	7531	Cmt. 800'
Address Same  Drilling Commenced October 2, 19		5 1/2 4 1/2			germanne mysteriae
Drilling Completed October 26, 1 Initial open flow cu. ft. Final production cu. ft. per day	972bbls.	3 2 Liners Used			
Well openhrs. before test. Well treatment details:	RP.	Attach copy of	cementing rec	ord.	
Coal was encountered at No Coal Fresh water F	Feet	Salt	Inch	es	Feet
Formation Color Hard or Soft	Top Feet	Bottom Feet	Oil, Gas o	r Water	* Remarks
Top Soil Sand & Shale Red Rock Sand & Shale Sand Shale & Sand Shale & Sand Lime-Glowne Big Injun Shale Berea Sand Shale Berea Sand Shale Lime-HunterSville - 46-3 Oriskany Sand Lime & Shale-Markers Newberg Sand Lime & Shale-Markers	0 10' 835' 845' 1198' 1238' 1643' 1680' 1826' 1851' 2291' 2301' 4691' 4795' 4825' 5594'	10: 835: 848: 1198: 1238: 1279: 1680: 1826: 1851: 2291: 2301: 4691: 4795: 4825: 5590: 5594: 5620:		DEC	EIVEI) 3 1972

(over)

<sup>\*</sup> Indicates Electric Log tops in the remarks section.





OIL & GAS DIVISION DEPT. OF MINES

### Oil and Gas Division

### OIL AND GAS WELL PERMIT APPLICATION

TO THE DEPARTMENT OF MINES, Charleston, W. Va.	DATE October 2, 1972			
Surface Owner Paul C. Smith Hrs.	Company PATRICK PETROLEUM CORPORATION 901 Nelson Building			
Address Ripley, W. Va.	Address Charleston, W. Va. 25301			
Mineral Owner Same	Farm PAUL C. SMITH Acres 108			
AddressNo Coal	Location (waters) Left Fork of Sycamore Ck.			
Coal Owner 190 Coal	Well No. One (1) Elevation 600.30			
Address	District Ripley County Jackson			
Coal Operator No Coal	Quadrangle Ripley, W. Va.			
Address	mydred			
	INSPECTOR TO BE NOTIFIED DIRECT			
THIS PERMIT MUST BE POSTED AT THE WELL SITE	12 of 190 PH: 984-9263			
All provisions being in accordance with Chapter 2	Cigerone Route			
of the W. Va Code, the location is hereby approv	ed Sessonville Wa. 25105			
operations have not gorser and by	32			
Taket & All	maken)			
Deputy Director - 017 & Gas Division				
GENTLEMEN:	•			
•	above named farm or tract of land for oil and gas, having fee			
title thereto, (or as the case may be) under grant or lease da				
	orp and recorded on the 15th. day of August			
1972, in Jackson County, Book 102				
, sur				
TYDY WEIDT DIGITID DIDITING	REDRILLFRACTURE OR STIMULATE			
OIL AND GAS WELL ORIGINALLY DRILLED	BEFORE JUNE 5, 1969.			
The enclosed plat was prepared by a registered engineer or	licensed land surveyor and all coal owners and/or operators			
have been notified as of the above date.				
The above named coal owners and/or operator are hereby no to make by Section 3 of the Code, must be received by, or file				
Copies of this notice and the enclosed plat were mailed by r				
or coal owners at their above shown respective addresssame day with the mailing or delivery of this copy to the Depa				
	ery truly yours, PATRICK PETROLEUM CORPORATIO			
	(//e 11 B. 1 . 1)			
	Sign Name) Well Operator			
	Suite 901 Nelson Building			
Address	Street			
of Well Operat	or Charleston, W. Va. 25301			
	City or Town			
	State			

\*SECTION 3.... If no objections are filed or found by the Department of mines, within said period of ten days from the receipt of notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a permit reciting the filing of such plat, that no objections have been made by the coal operators or found thereto by the department and that the same is approved and the well operator authorized to proceed.

BLAHKET BOKD

JAC-/346 PERMIT NUMBER

## THIS IS AN ESTIMATE ONLY ACTUAL INFORMATION WILL BE SUBMITTED ON OG-10 UPON COMPLETION

PROPOSED WORK ORDER TO	O X DRILL				
DRILLING CONTRACTOR: (I	f Known)				
NAME Carl Smith, I	ne.				
ADDRESS Sandyville,	W. Va.				
TELEPHONE		TELEPHONE34	4-9864		
ESTIMATED DEPTH OF COMP	PLETED WELL:	ROTARY X	CABLE TOOLS		
PROPOSED GEOLOGICAL FOR	RMATION:				
TYPE OF WELL: OIL	GAS X	COMBSTORA	AGE DISPOSAL		
	RECYCL	ING WATER I	FLOODOTHER		
TENTATIVE CASING PROGRA	AM:				
CERTIFICATION CONTRACTOR CONTRACT					
CASING AND TUBING SIZE	USED FOR DRILLING	LEFT IN WELL	CEMENT FILL UP OR SACKS - CUBIC FT.		
20 - 16					
13 - 10	90	901			
9 - 5/8			525 cu. ft.		
8 - 5/8	1700		to surface		
7	5450'	54501			
5 ½					
4 ½					
3			Perf. Top		
2			Perf. Bottom		
Liners			Perf. Top Perf. Bottom		
			Tott. Bottom		
OF PLAT.  TO DRILL DEEPER OR REDR  SUBMIT FIVE (5) COPIES	ILL: S OF OG - 1, SHOWING ORIG TO 1929, A PERMANENT (	GINAL PERMIT NUMBER	E BOND AND PERMANENT COPY  AND PERFORMANCE BOND. ON  TO THE ORIGINAL WELL RECORD		
TO FRACTURE - STIMULATE:					
OIL AND/OR GAS WELL			(5) COPIES OG - 1, PERFORMANCE		
OIL AND/OR GAS WELL		AND/OR AFTER JUNE 5,	1929, FIVE COPIES OG - 1, SHOW-		
			T		
four (24) hours in advance		completion for bond relea	ase. Inspector to be notified twenty-		
, , , , , , , , , , , , , , , , , , , ,					
	t be completed by the coal of	perator if the permit is to	be issued within ten days of receipt		
thereof.					
	gent forined and place on our mine		wner or Operator of the coal under ocation.		
			d well being drilled at this location,		
			and 7, Chapter 22 of the West Virginia		
			For Coal Company		

Official Title