FILE COPY



1)	Date:_	Septe	ember	22,	15.	, 19 83
2)	Operat Well N		KFM	#288	Rev	FORM IN 20
2)	ADIN	The Control			1909	F C 2613475

County

Permit

State

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

									_/ ShallowX/)
5) LOCATIO	N: Ele	evation: _	781			_ Watershed: _	Grasslic	k Creek	
								Quadrangle:	
6) WELL OF	ERATOR	Kaiser	Expla	prati	on and	d Mining Co.	7) DESIGNATE	DAGENT R. A.	Pryce
Addres		P. O.					Address	Same	
	· •	Ravens	wood,	WV	26164	Valentina			
8) OIL & GA							9) DRILLING	CONTRACTOR:	
Name	lomer D	ougher	ty	•			Name C1	int Hurt	
Addres		den Rt					Address	P. 0. Box 388	
	Loo	neyvil	le, W					Elkview, WV	
0) PROPOSE							/ Redrill	/ Stimulate	
			Plug o	ff old	formation	/ Perfora	ate new formatio	n/	
			Other p	hysical	change in	well (specify)	表示等于 。		
1) GEOLOG	ICAL TAR	GET FOR	MATION	, De	voniar	n Brown Shal	e		50 C C A
12) Estim	ated depth	of complet	ed well,		4926	feet			
						feet; salt,		feet.	
								ne area? Yes	/ No
5) CASING									
CASING OR	1	SPEC	IFICATION	S	11	FOOTAGE IN	TERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor	J. C.	Grade	per in	11011	Caca	Tor unning	Dert in wen	(Cubic feet)	Kinds
Fresh water	10 3/	/I II		X		250	250	150 cks clas	s A to surface
Coal	10 3/	T		^		230	230	130 SKS CIAS	Sizar
ntermediate	7"			X		2235	2235	650sks 50/50	pozmix
Production	4 1/	211		X		4926	4926	225 cks 50/5	Open zenix
Tubing	4 1/			^		FINA TELLA	4920	1223 SKS 30/3	Doching Sail I V
Liners									Perforations:
				20	200 1				
					7118-14	10 200 10 11 11 11 10 10 10 10 10 10 10 10 1	(BB.131 10 25 189)	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	Top Bottom
	24				3.000				
	Maria de la companya della companya				<u> </u>		75163		
				(e)rrou	ooqeat (OFFICE USE C	NIV		- hewaps no calify.
						DRILLING PEI			
		1.7 00	E 1000	1		DRIEDING I E.	AIVII I		vell-work started
ermit number_		47-03	5-1909	9			# 17/2 <u></u>	0ct	ober 18, 19 83
								Date	ompletion of the drille
his permit cove	ering the w	ell operato	r and wel	l location	on shown	below is evidence o	f permission gran	ted to drill in accordance	ce with the pertinent legal re
									and Gas Inspector, (Refer to ractor shall notify the prope
istrict oil and g	as inspecto	r 24 hours	before a	ctual pe	rmitted w	ork has commenced	.)	ven operator of his com	ractor shall notify the prope
								to any modifications or	nd conditions specified on the
everse hereof.					ррпсано	n, piat, and reciama	tion plan, subject	to any modifications ar	id conditions specified on the
ermit expires _	0	ctober	18, 1	1985		unless well	work is commence	d prior to that date and	prosecuted with due diligence
			100					p	LACTION SEPTAL BOLDS
Daniel		2/	Na.	6 .					MANUAL STATES
Bond:	Agen		1	Casin	91	Fee \$ 965			August 6
			1111		7 64	The State of the S			
BB		12	6	4	0	99 210		-100	ROSSON V
BB	32	12	6	T.	0	99 210	1	100,	1

NOTE: Keep one copy of this permit posted at the drilling location.

Mele

FILE COPY



		OFFIC	CE USE ONLY		LSVQ.				
		AND CONDIT							WELLTA
/ Shallow /	Upep	storage Charles	Underground Watershed:			koduction 7.02			Mark Soll A
valei?	Oundrangle	0.000				Velo	none) LOCATIO
Pryce	AGENT R. A.	n DESIGNATED		bas ac	History				190 JJ5W (
							.03		Address
							Latte Vis.		
	NTRACTOR	9) DRILLING CO			(IED				A0 2 110 (
	SAF YND ID A	Name UTT						enili Saili	Name _
	Vi tertysi	2 designary				VIII a	Livye	100 1	SECTION IN
			deeper	linki v	17				PROPOSE
		ate new formation							
			well (specify)						
			Strewn Sha						
									_12) Estima
		at being mined in the a	feet; salt						(13) Approx
07 \									CASING A
PACKERS	ORSACKS	NYERVALS.				FICATIONS Weight			ASING TYPE
		Haw ni Mack		1000	World	- 171 19 Q	(rade c	Size	iotubn
905941121 00 4	asic alaceri	620						VE OF	
. 2018									
A VINTON	20 20 20 20 01				E.X.				
Xillixound	825 sks 50/3	6368	4320-				0.0	477 25	doctoob
		OFFIC	E USE ONLY						7 anit
Perforation	42.	1		-	C 11			1000	210
his part of Form IV-2	(b) is to record th	ne dates of certain	occurrences a	and any	TOLLOV	v-up ins	pections		
		Date						Date	(s)
									(0)
pplication received			Follow-u	p inspec	ction(s	()			
		NEY	RRICE USE I) a					
ell work started		2.117139	LR 2 LFV ALE 33		,,				
empletion of the drilli						TOTAL S	209-X-		mit number
ompletion of the drilli			,, ,,	4 maril -	,,			ou selveni	Aven theres
								or advocat	
ell Record received	l operator or his conti	in addition, the wel	ns , esmitted y gri rk has commence	gift for a	by, eno		on le noti	e englishtruci	Follows (8)
			A STATE OF THE STA						
eclamation completed	ns successions an		msive pos ,, id		1,,UH.	SOMOPT OU	TIL DOG! E		erse nereof.
rosecuted with due diffgence	rior to that date and p	work is conjuncted of	unless well						mil expires
THER INSPECTION	S		1 = +				- <		
THERE IT IST ESTITED.									The same of the sa
Reason:			310 4 20	30 04	Casing	N 718	U N	Agent	Hond:

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.

COAL OWNER'S COPY



1)	Date: Sept	ember	22.	, 19 83
2)	Operator's			
	Well No.	KEM	#288 Rev	
3)	API Well No.	47		
		State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY						Underground s	torage	/ Deep	_/ Shallow/)
5) LOCATIO		evation: _					Grasslick		
s, Eccimo		strict: R					ckson	Quadrangle:	Ripley
6) WELL OP			THE RESIDENCE OF STREET	ratio	on and				Pryce
Address		P. O.					Address	Same	
		Ravens	wood. I	JV 1	26164				
8) OIL & GA			TO SEE SEE SEE SEE SEE SEE SEE SEE				9) DRILLING C	ONTRACTOR:	
Name _H							NameC11		
Address		den Rt					Address		
Addiess			le. WV					Elkview WV	
10) PROPOSE						deeper	/ Dadrill	/ Stimulate	
10) PROPOSE	D WELL	WORK:					ate new formation		
							ate new formation	/	
						vell (specify)			The state of the s
11) GEOLOGI	CAL TAR	GET FOR	MATION,	LIBY	von ian	Brown Shal	EC		
12) Estima						feet			
						Is coa	al being mined in the	e area? Yes	/ No/
15) CASING A	AND TUBI	ING PRO	GRAM						
CASING OR TUBING TYPE		SPEC	IFICATIONS Weight			FOOTAGE II	NTERVALS	OR SACKS	PACKERS
TODING TITE	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	国际企业
Conductor									Kinds
Fresh water	10 3/	110		X		250	250	150 sks clas	s A to surface
Coal									Sizes
Intermediate	711			X		2235	2235	980sk8.50/30	po zm1 x
Production	4 1/	911		X		4926	4926	225 sks 50/5	Depths set
Tubing								and pro-ory	positive.
Liners									Perforations:
									Top Bottom
The undersign	are requir of this A	red to mak pplication The follo who has a days of the	ll operator, e by Code { by the Dep wing waive	coal of 322-4-3 artmen r must declara the Ap	wner(s), and must be file it. be complete tion under (d coal lessee are hed with the Depart	tment of Mines with	any objection they wish nin fifteen (15) days after coal owner or coal less issued within fifteen (1	er the receipt
examined this pr	oposed we no objecti	ll location on to the v	vork propo	map ex	ists which co		the well location, th	ne well location has bee	n added to the mine map. The all applicable requirements of
D-4-					"	7		111	X
Date:			, 19			1	By	the same of the same	
						I	ts		

IV-9 (Rev 8-81)




DATE November 16, 1982
WELL NO. KEM #288

State of Mest Mirginia API NO. 47 - 035


Bepartment of Mines Bil und Gas Division


CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Vaican Evaloration and	Mining (O DESTINATED ACENT C
Address P. O. Pay 9. Payanayand		
Address P. O. Box 8. Ravenswood Telephone 273-5371	-WY 2	26164 Address Telephone
IANDOWNER Grant Donohew		
	Vaison [SOIL CONS. DISTRICT Western Exploration and Mining Company (Agent)
	/	
		stern SCD. All corrections
and additions become a part of this p	Lan:	(Date)
	h	James W Muster
		(SCD Agent)
ACCESS ROAD		LOCATION
Structure None required	(A)	Structure None required (1)
Spacing		Material
Page Ref. Manual	•	Page Ref. Manual
Structure		
and the state of t	_ (B)	Structure(2
Spacing	•	Material
Page Ref. Manual	•	Page Ref. Manual
Structure	(C)	Structure (3
Spacing		Material
Page Ref. Manual		Page Ref. Manual
cut and removed from the site befor	stacked i	
Treatment Area I		Treatment Area II
Lime 4 Tons/ac	re	Lime Same as Area I Tons/acre
or correct to pH Fertilizer 14-14-14 600 lbs/acre		or correct to pH
(10-20-20 or equivalent)	3	Fertilizer lbs/acre (10-20-20 or equivalent)
fulch Hay 2 Tons/acc	æ	MulchTons/acre
Seed* 81% Orchard Grass/15% Ryabs face	<u> </u>	Seed* lbs/acre
Kentucky 31 Fescue 16 lbs/acre	<u>.</u>	lbs/acre
Red Clover 8 lbs/acre	2	lbs/acre
*Inoculate all legumes such as vatch inoculate with 3% recommended amount.	, trefoi	l and clovers with the proper bacterium.
	==:	EFFARED BY Vincent Wood
NOTES: Please request landounen.		116 Pfost Avenue 09/08/2023
sceeding for one growing season.		
Attach separate sheets as necessary for comments.		FHONE NO. 372-2709
		072-2703



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





Notary Public,

State of

County,

lugin

09/08/2023

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11 (d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page

Grant Donohew Kaiser Exploration and Mining Co. 157/681

1/8 of prevailing field price

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

Months and the second of the s
STATE OF West VieginiA, COUNTY OF JACKSON:
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of— (1) Notice on Form IV-2(A) / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well)
all with respect to operator's Well No. Kem 288 Rev located in District, Jackson County, West Virginia, upon the person or organization named
National Bank of Commerce by James Bredette V. P.
on the of day of September, 1983 in the manner specified below.
- [COMPLETE THE APPROPRIATE SECTION]
For an individual: [] Handing it to him / her / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership: [] Handing it to
For a limited partnership: [] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation: [Manding it to the corporation's employee / officer // director / attorney in fact / named James Buecette
(Signature of person executing service)
Taken, subscribed and sworn before me this 26th day of Splantice. 1983. My commission expires May 27, 1991
Man de la companya della companya de
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE) Commissioner for 09/08/2023 of W.Va.



SURFACE OWNER'S COPY



1)	Date: Septa	ember	22.		_, 19_3
2)	Operator's Well No.	K.L.I.	2220	Day	
3)	API Well No.	47			
,		Ctata	-		D :

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

4) WELL TY	PE: A	Dil	/ Gas	X	1			
					/ Underground	storage	/ Deep	_/ ShallowX/)
5) LOCATIO		evation: _				Grasslick		
						ickson	Quadrangle:	Ripley
6) WELL OP	ERATOR	Kaiser	Explor	ation a	nd Mining Co.	7) DESIGNATE	DAGENT R. A.	Pryce
Address		P. O.	Sox 8			Address	Same	
		Pavens	wood, W	V 2516	4			
8) OIL & GA	S INSPEC	TOR TO	BE NOTIF	IED		9) DRILLING C	ONTRACTOR:	
Name H	omer D	ougher	ty			Name Cli	nt Hurt	
Address		den Rt				Address	P. O. Box 388	
	Loo	neyvil	le, WY				Elkview. WV	
10) PROPOSE	D WELL	WORK:	Drill_X	/ D	rill deeper	/ Redrill	/ Stimulate	1
			Plug off	old format	ion/ Perfo			
					e in well (specify)			
11) GEOLOGI	CAL TAR	GET FOR			an Brown Shall	e		
					feet			
						t	feet.	
							e area? Yes	/ No
15) CASING A								110
CASING OR	H	SPEC	CIFICATIONS		fl FOOTAGE	INTERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New Used	For drilling	Left in well	OR SACKS (Cubic feet)	MOREKS
Conductor		0.200	P	-1011	Tot uning	Dert in wen	(Cubic feet)	Kinds
Fresh water	10 2/	1 11		4	030	250	TEO ele clas	A to surface
Coal	/			1	622	200	100 383 6103	
Intermediate	~9 60			V	2225	2225	19 12 12 12 12 12 12 12 12 12 12 12 12 12	Sizes
Production	1 11	3 11		v	4026	4026	225 sks 50/5	Depths set 1 X
Tubing	1			,	437	4970	- 25 SKS 50/5	Deptins set 1 X
Liners								Perforations:
Liners								
								Top Bottom
	11				"		11	
1	the filing	of the App	lication if th	ne surface ow			be issued in less than I untary Statement of No	
				VOLUME	ADV CTATEMENT 4	DE NO OPTECTION	N.	
				VULUNT	ARY STATEMENT (DE NO OBJECTIO	•	
I hereby stat	e that I ha	ve read the	e instruction	s to surface	owners on the reverse	side of this Applicat	ion for a Well Work Pe	ermit, and that I have received
opies of (1) a No on Form IV-6, a	nd (4) a C	plication for onstruction	or a Well W	ork Permit of mation Plan	on Form IV-2(A), (2) a on Form IV-9, all fo	in Application for a r proposed well wor	Well Work Permit on F	form IV-2(B), (3) a survey pla
For execution by	y corporat	ion, partn	ership, etc.)		(For	execution by natur	al persons)	
NAME: 19	det	Soul	Cenn	nucleo				
D.	1	A)	00		(Signature)	Date:
By _	1000	-	ecc					

Date:

(Signature)

BOOM 173 PAGE 253

THIS ASSIGNMENT, made and entered into this 28th day of May, 1983, by and between JOSEPH COHEN, AND CHARA JEAN COHEN, his wife, parties of the first part, and PAYNE OIL AND GAS, INC., a West Virginia Corporation, party of the second part.

WITNESSETH:

That in and for the consideration of the sum of Ten Dollars (\$10.00), and other good and valuable consideration, the receipt of which is hereby acknowledged, the parties of the first part do hereby transfer, set over, sell, assign, grant and convey unto the party of the second part all of their right, title, and interest in and to that certain oil and gas lease, and wells situate thereon, said lease being more particularly described as follows:

JUN 28 1983

OIL AND GAS DIVISION WY DEPARTMENT OF MINES

Being that certain oil and gas lease dated September 18, 1964, between Sim J. Justice, and Grace Justice, his wife, and Street Hundred Oil and Gas Company, covering Three Hundred Eighteen (318) acres, more or less, situate in the Geary District of Roane County, West Virginia, upon the waters of Big Left Hand Creek, and Looney Fork, which lease is of record in the Office of the Clerk of the County Commission of the said Roane County, in Lease Book 104 at Page 456, reference to which is hereby made for a more particular description of the property hereby transferred, together with all right, title, and interest in and to the wells situate thereon, known as "S. J. Justice #1 and #2", and all of the machinery casing, tubing, gate valves, pipelines, drips, tools, equipment and piping used in connection with said wells.

and further being the same oil and gas lease assigned unto J & J Enterprises (Joe Cohen and John Gehrig), by D. A. Drake, by assignment bearing the date of the 6th day of July, 1972, said assignment being of record in the Office of the Clerk of the County Commission of Roane County in Lease Book 128 at Page 456; the interest of the said John Gehrig in the aforedesribed property, having been assigned to the parties of the first part herein, by assignment bearing the date of the 28 day of many 19 83, said assignment being of record in the Office of the Clerk of the County Commission of the said Roane County in Lease Book 104 at Page 456, reference to all the above assignments having been here made for a more particular description of the property hereby transferred. 09/08/2023

The parties of the first part hereby declare that they have full and

lawful title to the property hereby transferred, and that the same is free from all claims of others, any liens and encumbrances, and that they will WARRANT GENERALLY the title to the oil and gas lease, and wells situte thereon which are hereby transferred.

It is hereby agreed that upon delivery of title to the oil and gas lease hereby transferred unto the party of the second part, the parties of the first part shall be free from any further obligation as operator of said wells, and that title theretoshall pass unto the party of the second part.

WITNESS the following signatures and seals:

WITNESS the following signatures and seals:

(SEAL)

Joseph Cohen

(SEAL)

STATE OF Ohno

COUNTY OF Hamilton , to-wit:

I, Laurence L Klams , a Notary Public in and for the county and state aforesaid, do hereby certify that Joseph Cohen, and Entrandom Cohen, his wife, have this day acknowledged their signatures and seals on the above document bearing the date of the 28th day of May, 1983

Given under my hand and seal this 20 day of May, 1983.

LAWRENCE L KIMTS Public Notar Fibre State of Ohlo My Commission expires Notar Fibre State of Ohlo My Commission expires South Point Division Control Prints State of Ohlo South Point Division Control Prints State of Ohlo My Commission Expires Dec 15, 1993

This instrument was prepared by: PAYNE OIL AND GAS, INC.
South Point Drive
Clendenin, West Virginia 25045

FTATE OF WEST VIRGINIA,
ROANE COUNTY COMMISSION CLERK'S OFFICE, 3 June, 1983 P.M.

Book No. 173

The foregoing instrument together with the certificate thereto annexed, was this date admitted to record in said office.

File No. 20348

By Canalyn (Scar And Do

09/08/2023



State of West Wirginia

Department of Mines Division

Date_	April	9, 198	34
Operato Well No	or's		
Farm G	irant D	onohew	
API No.	47 -	035	- 1784
			1909

WELL OPERATOR'S REPORT

OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE OWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS OWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1.Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CN GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Casing Tubing Size 20-16 Cond. 10 3/4" 13x10% 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	Used in	Left in Well 200KB	Cement fill up Cu. ft. 175 sks cl 150 sks pc 100 sks cl
ADDRESS P. O. Box 8. Ravenswood, WV 26164 DESIGNATED AGENT R. A. Pryce ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE CWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS CWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1. Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CM GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Tubing Size 20-16 Cond. 10 3/4" \$3x\$0% 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	Drilling 200KB	200KB	fill up Cu. ft.
ADDRESS P. O. Box 8. Ravenswood, WV 26164 DESIGNATED AGENT R. A. Pryce ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE CWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS CWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1. Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CM GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Tubing Size 20-16 Cond. 10 3/4" \$3x\$0% 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	Drilling 200KB	200KB	fill up Cu. ft.
ADDRESS P. O. Box 8. Ravenswood, WV 26164 DESIGNATED AGENT R. A. Pryce ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE CWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS CWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1. Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CM GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Tubing Size 20-16 Cond. 10 3/4" \$3x\$0% 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	Drilling 200KB	200KB	fill up Cu. ft.
ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE OWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS OWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1.Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED COM GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Tubing Size 20-16 Cond. 10 3/4" \$3x\$0% 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	Drilling 200KB	200KB	175 sks cl
ADDRESS P. O. Box 8, Ravenswood, WV 26164 SURFACE CWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS CWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1 Box 101A Ripley, WV PERMIT ISSUED 3710/84 10 18 83 DRILLING COMMENCED 3/10/84 DRILLING COMMENCED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED IN SEDILOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; S	Size 20-16 Cond. 10 3/4" 13x10" 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used	200KB	200KB 2243KB	175 sks cl
SURFACE OWNER National Bank of Commerce ADDRESS P. O. Box 633, Charleston, WV 25322 MINERAL RIGHTS OWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1.Box 101A, Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED EDOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Ro Water strata depth: Fresh N/A feet; S	20-16 Cond. 10 3/4" 13 x 10" 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used		2243KB	150 sks po 100 sks cl
MINERAL RIGHTS OWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1.Box 101A Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 ORILLING COMMENCED 3/10/84 ORILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED	10 3/4" \$3x\$0x 9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used		2243KB	150 sks po 100 sks cl
MINERAL RIGHIS OWNER Same as above ADDRESS OIL AND GAS INSFECTOR FOR THIS WORK Jerry Tephabock ADDRESS Rt. 1 Box 101A Ripley, WV PERMIT ISSUED 3/10/84 10 18 83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CON SEDIOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Section in the section of the section	9 5/8 8 5/8 7 5 1/2 4 1/2 3 2 Liners used		2243KB	150 sks po 100 sks cl
Tephabock ADDRESS Rt. 1.Box 101A. Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON COMPLETED SECONDARY OF COMPLETED SECONDARY OF COMPLETE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON COMPLETE OF COMPLETE O	8 5/8 7 5 1/2 4 1/2 3 2 Liners used	2243KB		100 sks c]
Tephabock ADDRESS Rt. 1.Box 101A. Ripley, WV PERMIT ISSUED 3/10/84 10/18/83 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED IN SEDIOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Strata depth: Fresh N	7 5 1/2 4 1/2 3 2 Liners used	2243KB		100 sks c]
DRILLING COMMENCED 3/10/84 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED COM SEDOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Strata d	5 1/2 4 1/2 3 2 Liners used	2243KB		
DRILLING COMMENCED 3/10/84 DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED CON GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Strata de	4 1/2 3 2 Liners used	•	4294KB	115 sks po
DRILLING COMMENCED 3/10/84 DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON COMPLETE FORMATION Devonian Brown Shall Depth of completed well 4309 feet Row Water strata depth: Fresh N/A feet; Strata depth: Fr	2 Liners used		4294KB	115 sks po
DRILLING COMPLETED 3/17/84 IF APPLICABLE: PLUCGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED SEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Strata de	2 Liners used			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON Devonian Brown Shall Depth of completed well 4309 feet Rowater strata depth: Fresh N/A feet; Strata depth: Fresh N/A feet; Strata depth: Fresh N/A	Liners used			
REWORKING. VERBAL PERMISSION OBTAINED SEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Rown Shall Water strata depth: Fresh N/A feet; Strata depth:	used e			
GEOLOGICAL TARGET FORMATION Devonian Brown Shall Depth of completed well 4309 feet Ro Water strata depth: Fresh N/A feet; S	e			100
Depth of completed well 4309 feet Row Water strata depth: Fresh N/A feet; S	The second secon	-		
Depth of completed well 4309 feet Row Water strata depth: Fresh N/A feet; S	The second secon	Dent	h 4067'(1	KB) feet
Water strata depth: Fresh N/A feet; S	tarv X			ND)
			-	on fluid, n
		being mine		
		acar, man		<u></u>
OPEN FLOW DATA				
* Producing formation Devonian Brown Shale			-	
Gas: Initial open flow 0 Mcf/d 0			-	
Final open flow 1200 Mcf/d			-	Bb1/d
Time of open flow between initia			Committee of the Parket	
Static rock pressure 1000 psig(surface		ent) after	72 hour	rs shut in
(If applicable due to multiple completion				
* Second producing formation Berea Sandstone				09/08/2023
Gas: Initial open flow 0 Mcf/d 0			distribution of the latest and the l	Bb1/d
Final open flow See above Mcf/d O				
Time of open flow between initia	al and fi	nal tests_	4 hou	ırs

DETAILS OF PERFORMIED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, EIC.

3/22/84 Young Wireline perforated the Brown Shale 4067'-4258' (KB) with 20 holes, .41' diameter.

Nowsco, BJ Hughes foam fractured the Brown Shale: used 762 MSCF nitrogen, 3/22/84 total fluid 300 bbls, no propant used, breakdown pressure: 1600 psig, treating

pressure 2050 psig, ISIP: 1240 psig.
Young Wireline perforated Berea 2462'-2472'(KB) with 20 holes, .41" diameter. 4/22/84 Nowsco, BJ Hughes foam fractured Berea: used 650,000 SCF nitrogen, 60,000 lbs 20/40 sand. Total fluid: 310 bbls, breakdown pressure: 1900 psig, treating pressure: 2000 psig; ISIP: 1800 psig. 4/22/84

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Soil and Shale	0	218	
Sand	218 .	278	
Shale and Siltstone	278	645	
Sand	645	666	
Shale and Siltstone	666	935	
Sand	935	980	
Shale Little Dunkard Sand	980 1112	1112 1204	The second secon
Shale	1204	1303	
· Big Dunkard Sand	1303	1485	
Shale and Siltstone	1485	1670	
Salt Sands	1670	1854	and the state of t
Big Lime (Greenbrier)	1854	1970	
. Shale	1970	1991	
. Big Injun Sand Shale	1991 2094	2094 2440	
Coffee Shale	2440	2462	
Berea Sand	2462	2475	
Shale	2475	3708 .	S/g @ 3680'
Brown Shale	3708	4261	S/g @ 4132'
·Shale	4261	4316	
Total Depth	4316		
	▼ 1	TO SECURE A SECURITION OF THE	

(Attach separate sheets as necessary)

KAIS	ER EXPLORATION AND MINING COMPAN	IV
	Operator	
By:	ZAPA	09/08/2023
Date:_	April 9, 1984	00/00/2020

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including .coal, encountered in the drilling of a well."

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION
DEPT. OF MINES

INSPECTOR'S WELL REPORT

ompany Kaiser exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAG	CKERS
ddress	Size				
armDonohew	16			Kind of Pa	acker
ell No	13		#* N - 2"	Size of	
istrictCounty_Jackson	81/4			Size of	
rilling commenced	6%			Depth set.	
rilling completedTotal depth	5 3/16			Porf ton	
ate shotDepth of shot	2				om
nitial open flow/10ths Water inInch	Liners Used			Perf. top_	
pen flow after tubing/10ths Merc. inInch				Perf. botto	om
olumeCu. Ft.	CASING CEMEN	NTED	_SIZE	No. FT_	Date
ock pressure lbs hrs.	NAME OF SER	VICE COMPA	NY		Min telephone mental mass product at Assertantishap
bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
resh waterfeetfeet	FEET_	INCH	ES	FEET	INCHES
alt water feet feet	FEET_	INCH	ES	FEET	INCHES
rillers' Names					

Had to check a report of oil running over location.

Location was ok no oil.

Juny 1 Tup 109/08/2023

4 3 83 BATE

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY	, , , , , , , , , , , , , , , , , , , ,		ADDRESS			
ARM		DISTRICT		COUNTY		
illing Material Used						
iner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOS
						-
				-		
e oxidosees coetas Parakidikoos						
illers' Names		-		-		
marks:			The second secon			,
				*		
	. 110 7,03					

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT D

DEPT. OF MINES

Company Kaiser	Exploration		CASING AND TUBING	USED IN DRILLING	LEFT IN	P	ACKERS
Address			Size				
FarmDono	hew		16			Kind of I	Packer
Well No. Kem 28	8		13			Size of	
District	County	Jackson	81/4		*	3.20 02	
Drilling commenced	3 10 84		6%	and the second second		Depth se	t
Drilling completed	Total dep	th	3			Parf ton	
Date shot	Depth of shot		2				tom
Initial open flow	/10ths Wat	er inInch	Liners Used	-		Perf. top.	
Open flow after tubing_	/10ths Merc	c. inInch		-		Perf. bot	tom
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbs	hrs.	NAME OF SER	VICE COMPA	NY		
Dil	bb	ols., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feet	feet	FEET_	INCH	ES	FEET	INCHES
Salt water	feet	feet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names	Clint Hurt	Rig #4 Ju	unior Arche	r			

Drilling 131/4 hole Ran 258'set 268' KB Cement 175 saca neat

3 12 84 Drilling 81/2 hole at 739'.

Jeng 7. Typ 69/08/2023

3 12 84 BATE

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY	Total Control of the		ADDRESS			
ARM		DISTRICT		OUNTY		
1 - 7 - 2 - 12 N				OUNTY		
illing Material Used	,,	and the second of the second o			-	
iner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
						Name and Address of the Owner, where the Owner, which is the Owner, where the Owner, which is the Owner, wh
		waren and the		3		
	•					
	7 - 2 VO					
						and the same of th
illers' Names				The second secon	and other adjust the section over manufactures and	-
marks:			1 1983			
	iniversity 1					

Permit No. 035 1909

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION DEPT. OF MINES

(KIND)

INSPECTOR'S WELL REPORT

Oil or Gas Well_

Company Kaiser E	xploration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKI	ERS
Address		Size			n 0 2	
FarmDono	hew	16			Kind of Pack	er
Well No	Kem 288	10			Size of	
District	CountyJackson	81/4				
Drilling commenced		65% 5 3/16			Depth set	
Drilling completed	Total depth	3			Perf. top	
Date shot	Depth of shot	2		500	Perf. bottom	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top Perf. bottom	
Open flow after tubing	/10ths Merc. inInch					
Volume	Cu. Ft.	CASING CEMI	ENTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SE	RVICE COMP	ANY		
Oil	bbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	O AT	FEET	INCHES
Fresh water	feetfeet	FEET	INC	HES	_FEET	INCHES
Salt water	feetfeet	FEET	INC	HES	FEET	INCHES
Drillers' Names	Hurt Rig #4 Ju	nior Arche	r			

Remarks:

3 14 84 Ran 53 Jts 7' csg set 22343 kb Cement 150 sks 50/50 poz 10% salt 1/4 lb cel. plus 100sacs neat with 3% cacl 1/4lb cel Plug Bown 4:oopm woc 9:44pm.

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS		ci cc.	
FARM				701131001		
				JOUNTY		
Filling Material Used						
iner Loc	ation	Amount	Packer	Y A1		
PLUGS USED A	ND DEPTH PLACED			Location		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	SRIPGES		G AND TU	BING
			CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			Light resulpations			
					1	
	•				-	
				-		
				-		
illers' Names	Same					
					-	
marks:			The American American Strategic Comments			
				12 30 31		
						7





State of West Virginia

Department of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT

OIL 8	& G	AS D	IVIS	ION		
EPT	. (JF	M	IN	E	

COMPANY	Kaiser Explorati on	PERMIT NO 035	1909
		FARM & WELL NO	Kem 288 Dickerso
		DIST. & COUNTY	Jackson
		IN	COMPLIANCE
RULE	DESCRIPTION	YES	S NO
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Start Prepared before Drilling to High-Pressure Drilling Required Permits at Wellsit Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prev Reclaimed Drilling Pits No Surface or Underground P Requirements for Production Well Records on Site Well Records Filed Identification Markings	ent Waste X ollution X	
Your wel	NSPECTED THE ABOVE CAPTIONED 1 record was received and re pter 22, Article 4, Section for the life of the well.	DATE clamation requirements approach the above well will remarkable administrator-order to the contract of th	roved. In accordance ain under bond
		DATI	

