#### **FILE COPY**

NOTE: Keep one copy of this permit posted at the drilling location.



)	Date:_	November 7	, 19_83
)	Operate	or's	

3) API Well No. State County Permit

#### STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY								DIMERCATIONS	
			+ 000	n X	X			/ Deep	_/ Shallow <u>XXX</u> _/)
5) LOCATIO		vation: _ trict:	Grant			_ Watershed: County: Jac	Lamps Run	0 1 1 5	ond Crools
O WELL OF	PERATOR _			nil s	Gac	_ County: Ode		Quadrangle: F	
Addres			x 1785		Gas		Address	P. O. Box 1	
Addres	-		eston,		25326	5	Address	Charleston,	
8) OIL & GA	S INSPEC	TOR TO	BE NOTI	FIED		· ·	9) DRILLING	CONTRACTOR OF THE STATE OF THE	
	Jerry To							nt Hurt & Asso	ciates
Addres	-		101-7		0.00		Address	Elkview, WV	
	Rip	ley, W	W 252	271	Tel:	372 <u>–6</u> 805			
10) PROPOSI	ED WELL V	WORK:	Drill_	XX	_/ Drill	deeper	/ Redrill	/ Stimulate	X
			Plug o	ff old	formation	/ Perfor	ate new formatio	n/ 10)1	2(C) E) (\V) S   N
						well (specify)		i (	5000
11) GEOLOG						n Shale	STATE AND LOCAL		1000
	ated depth o					feet	1 100		NOV 8 - 1983
	oximate trata						, 1,100	feet.	IL . CAS DIVISION
	oximate coal			non	e	ls co	al being mined in the		IL & GAS DIVISION
15) CASING	AND TUBI			c		FOOTAGE	NERWALO		PT. OF MINES
CASING OR TUBING TYPE	1 1		Weight	1		FOOTAGE I	1	CEMENT FILL-UP OR SACKS	PACKERS
	Size C	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)	1 - 1- 10-
Conductor	9-5/8			X		285'	285'	to surface	Kinds by rule 15.
Fresh water									Sizes
Coal Intermediate	7			X		1900'	1900'	F001 5:11	
Production	41/3"			X		4200	4200'	500' fill up	
Tubing	1 4/2			^		4200	4200	HIOOD, LITT O	rule 18.01
Liners									Perforations:
		is notice	uni au	wolin	yos h	RESIGNATION OF	remen in later	de broser of side	Top Bottom
					1 图 图				
	ni ett						50°C		
				(0) H6	Line person	ran volto i			houses none ileas
						OFFICE USE O			
						DRILLING PE	RMIT		Well work started
Permit number_	47-C	35-19	16					Nove	ember 10, 1983
								Dat	e Life and Tolombaldino
This permit cov	ering the we	ell operate	or and wel	l locati	on shown	below is evidence of	of permission gran	ted to drill in accordan	ce with the pertinent legal re-
									and Gas Inspector, (Refer to
			Control of the Contro			ork has commenced	White the second	well operator or his con	tractor shall notify the proper
The permitted u	ork is as de	scribed in	the Notic	e and A	nnlicatio	n plat and reclams	ation plan subject	to any modifications as	nd conditions specified on the
reverse hereof.						ii, piat, and reciam	ation plan, subject	to any modifications as	nd conditions specified on the
Permit expires .	N	ovemb	er 10,	198	5	unless well	work is commence	d prior to that date and	prosecuted with due diligence.
									MHER INSPECTIONS
Bond:	Agent		Plat:	Casir	ng:	Fee			
MET RO	ND A	27	011	6	. 1	(	1		1 dessin
HILL DO	X.	10 1	141	m	4 17	509	Marga	+ + 71	6
						_/	1 Kunga	res J. K	usse
							// Adr	ninistrator, Office of O	il and Gas

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.





OFFICE USE ONLY

# PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED WELL WORK B) OIL & GAS INSPECTOR TO BE NOTH BE NOV 8 - 1983 OIL & CAS DIVISION OFFICE USE ONLY This part of Form IV-2(b) is to record the dates of certain occurrences and any follow-up inspections. Date Date(s) Application received Follow-up inspection(s) DRILLING PERMIT Well work started Completion of the drilling erail chyering the well operator and well location shown below it evidence of permission gra-nauts subject to the conditions contained betch and on the reverse bereaf, as alread on select to process menting of affile constitution of the

Well Record received

Reclamation completed and scribed with the work and the complete to any metallication and solution and the political work and the politic

OTHER INSPECTIONS

Reason:

IV-9 (Rev 8-81)



DATE July 8-83
WELL NO. H. MILHOAN # ONE
API NO. 47 - 035 - 1916

# State of Mest Nirginia


Zepartment of Mines Gil and Gas Zivision

### CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME H. D. World On + GAS	DE	ESIGNATED AGENT H.D. WEZCS III	
Address BOX 1785 CHAS		Address SAME	
Telephone 304-34-6-2829		Telephone	
LANDOWNER		SOIL CONS. DISTRICT WESTERN	
Revegetation to be carried out by #	1. D. Wezes		ent)
	1 /	1	
This plan has been reviewed by	, 0		S
and additions become a part of this pla	1/7.	(Date) /	
	Glan	a 1/ Neighen	,
		(SCD Agent)	
ACCESS ROAD		LOCATION	
Structure DRAINAGE SITCH	(A)	Structure	(1
	(22)	references to the second secon	- \_
Spacing		Material EARTHEN	-
Page Ref. Manual /5		Page Ref. Manual / //	_
Structure CUAVERT	(D)		
Structure ('OAVER')	(B)	Structure DECEIVE	<i>)</i> (f
Spacing		Material	J
Page Ref. Manual / 3		Page Ref. Manual NOV 8 - 1983	
		OIL & GAS DIVISION	
Structure	(C)	Structure DEPT OF MINE	<u>S</u> (
Spacing		Material	
Page Ref. Manual		Page Ref. Manual	
All structures should be inspected commercial timber is to be cut and so cut and removed from the site before	stacked and	all brush and small timber to be begins.	
Treatment Area I	•	Treatment Area II	
	æ		cre
ror correct to pH 6.6		or correct to pH 6.5	
Fertilizer 600 lbs/acre (10-20-20 or equivalent)	2	Fertilizer600 lbs/acc (10-20-20 or equivalent)	re
Mulch Hay Tons/acc		Mulch HAY Tons/a	
Seed* Kenjucky 31 30 lbs/acre		Seed* KENTUCKY 31 30 lbs/ac	
Ryr 6 lbs/acre		Rue: 6 lbs/ac	
RYE 6 1bs/acre LADING CLOVER 24 1bs/acre	, ,	RyE 6 lbs/acc LADING CLOVER 24 lbs/acc	re
		and clovers with the proper bacterium 09/08/2023	
	PLAN PRE	PARED BY H. S. WEZCS III	
NOTES. Plans			_
NOTES: Please request landowners' cooperation to protect new		ADDRESS BOX 1785, CHAS.	
seedling for one growing season. Attach separate sheets as			
necessary for comments.	PHO	ONE NO. 304-346-2829	


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. QUADRANGLE PS. C. C.

Well Site Access Road —



WELL SITE PLAN

Sketch to include well location, existing access road, roads to be constructed, wellsite drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



NOV. 1) Date:

2) Operator's

Ÿ.			3) API Well No. 47	. 035 . 1916
	STATE OF WEST DEPARIMENT OF MINES, O	VIRGINIA	State	County Permit
	NOTICE OF APPLICATION FO			
SURFACE OWNER (S)	OF RECORD TO BE SERVED			_
	+ BETTY MILHOAN	/ Addre	OPERATOR NONE	
(ii) Name	CRAYSVILLE WV	Name	OWNER(S) WITH DECLA	RATION ON RECORD:
Address		Add	iress	
iii) Name Address		Name_ Add	iress	
		Name	LESSEE WITH DECLARAT	TON ON RECORD:
and descri cementing (2) The plat ( (3) The Constr plug a wel reclamatio	surveyor's map) showing the uction and Reclamation Pla l), which sets out the pla n for the site and access	arties involved tion and, if app me well location an on Form IV-9 an for erosion a road.	in the drilling or plicable, the propos n on Form IV-6; and )unless the well wo and sediment control	other work, ed casing and ork is only to and for
WHICH ARE SUMMARIZE	RECEIVED THESE DOCUMENTS D IN THE "INSTRUCTIONS" ON RM 4, DESIGNATED FOR YOU.	THE REVERSE S	IDE OF THE COPY OF T	HE APPLICATION
erator proposes to for a Well Work Per Department of Mines and depicted on att Construction and Re by hand to the pers	at under Chapter 22 of the file or has filed this Not mit with the Administrator, with respect to a well a ached Form IV-6. Copies o clamation Plan have been mon(s) named above (or by pailing or delivery to the	cice and Application of the location of this Notice, mailed by registrablication in complete and the complet	ation and accompanyi of Oil and Gas, Wes described on attach the Application, th tered or certified m	ng documents t Virginia ed Application e plat, and the ail or delivered
The truth of the in Notice and Applicat and sworn to and the signed on behalf of in my County and St. GARY A. G.	ion is verified  Notice is the Well Operator ate by	By X	D. WELLS OIL +	GAS.

My commission expires 9-22, 1991.

Notary Public, STATE: WIDE County, State of WEST VIRGINIA

Telephone 304-346- 2829

NOV 8 - 1983

#### 6) EXTRACTION RIGHTS

Check and provide one of the following:

OIL & GAS DIVISION

Included is the lease or leases or other continuing contract or contracts by which The requirement of Code 22-4-1-(c)(1) through (4). (See reverse side for specifics.)

#### 7) ROYALTY PROVISIONS

Is the right to extract, produce or market the oil or gas based upon a lease or leases or other contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

### INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE TIEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-1b(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
  - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
  - 7) See Code § § 22-4-11(d, e).

# CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-8a from the consent of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

# INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that—

- (1) the tract of land is the same tract described in the Application to which this Notice Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page
HENRY E. E. BEHRY J. H. B. WELL'S OIL E. GAS 12.5% 182 536
OF 8/8 THS

FORM	IV-2	(B)
Obver	cse	

By Its SURFACE OWNER'S COPY

1) Date: Juny 8
2) Operator's Well No. MILHOAN # 1

3) API Well No. 47 035
State County Permit

STATE OF WEST VIRGINIA

				DEPA	KINE	MI OI	MINES, OFF.	TCE OF OIL &	GAS		
				A	PPLI	CATIO	ON FOR A WELL	L WORK PERMI	T		
4)	WELL TY	PE: A.	Oil	/ Ga	s X	/					
		B.	(If "G	as", P	rodu	ction	n × / Under	rgroung stor	age/ Deep	/ Sha	llow×/
5)	LOCATIO	N: El	evation	n:			Waters	ned GUNNE	ZTREE RUN	V	for the second
		Di	strict	: GRA	NT		County	TACKSON	Quadran	gle: PON	DCREEK
6)	WELL OP	ERATOR	4.8. W	aus o	116 -	16,	95	7) DESIG	NATED AGENT A	V.D. WEZ	cs 41
	Addre	ess /	PO BU	× 178	3.5				ess · CHAR		
			HAR								
8)	OIL & G							9) DRILL	ING CONTRACTO	R:	
	Name M								CLINT HUK		SSOC
	Address								ress ELKVI		
10)	PROPOSEI	O WELL	WORK: I	Drill_	$X_{\perp}$	Dril	l Deeper	Redrill	/ Stimulate	/	
			1	Plug o	ff o	ld fo	rmation	/ Perforate	new formatio	n/	
							change in we				11.00
11)	GEOLOGIC	CAL TAR	GET FOR	RMATIO	N, _	DEV	ONIAN SH	HALE			
	12) Estir	nated d	epth of	E comp	lete	d wel	1 (or actual	depth of e	xisting well)	,	feet
	13) Appro	oximate	water	strate	e der	oths:	Fresh, /	20 feet;	salt, 1100	feet	
	14) Appro	oximate	coal s	seam de	epth	5:	NONE	Is coal b	eing mined in	the area	? Yes /No>
	CASING A				-				-		
1.00							4		<b></b> .		
	CASING OR TUBING TYPE		SPE	CIFICATION Weight	NS	1	FOOTAGE	INTERVALS	OR SACKS	PACKE	RS
		Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)		
(	Conductor	95/8"		35	X		300	300	TO SURFACE	Kinds	
1	Presh water										
. 7	Coal			41 N. 199						Sizes	
1	ntermediate	7"	7.55		1		2700'	2700'	500'	Julia	
-	Production	41/2"	1	10.5"	×		4200'	4200'	1000'	Donatha and	
-	Pubing	7 2	-	70.5	<del>^</del>		7200	7200	7000	Depths set	
-		+	+		70						
-	iners	-	-							Perforations:	
		-	-		-					Тор	Bottom
			_								
		-	1								
_								and the state of t			
									owever, the p		
									or less th		
Ap	plication	n is to	plug a	well)	), if	the	surface own	ner(s) of red	cord sign(s)	the follo	wing
"V	oluntary	Statem	ent of	No Ob	jecti	ion"	on a facsimi	le of this	surface owner	's copy o	of the
Ap	plication	1.									
					TOT	TINETIA	RY STATEMENT	OF NO OF TEX	TUTON		
					VOI	OINTA	KI SIAIEMENI	OF NO OBJEA	LITON		
	I here	by sta	te that	I hav	re re	ead t	he instructi	ons to surfa	ace owners on	the reve	erse side
of									eceived copie		
of	Applicat	ion for	r a Wel	1 Work	c Per	mit	on Form IV-2	(A), (2) an	Application :	for a Wel	1 Work
									1) a Construc		
									my surface la		scribed
	erein.						Proposou we		ny barrace ra	in ab acc	, o
		hor st	ato the	+ T h-		o oh	ication to t	he planned t	male docaribo	d in the	o materials
-									work described	a in thes	se materials
an	1 nave	no on	ection	to a p	emi	t be	ing issued b	ased on thos	se materials.		
(Fo	r execut	ion by	corpor	ation.	par	tner	ship, etc.)	(For eye	cution by nat	ural per	sons)
								ITOT EVE	cutton by nat	mar per	30113)
NAM	E:							11	0 1	,	

NOV 8 - 1983

Date:

09/08/2023

OIL & GAS DIVISION DEPT. OF MINES

# INSTRUCTIONS TO SURFACE OWNERS AND

#### EXPLANATION OF METHODS AND TIME LIMITS TO COMMENT ON OIL AND GAS WELL WORK PERMIT

The well operator named in the Notice and this Application and the attached materials is applying for a permit from the State to do oil or gas well drilling or other well work. You are being served with these materials because surface owners have the right to file comments before the permit is issued. (NOTE: If the surface tract is owned by more than three persons, in multiple heirship for example, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) Permit will be good for 24 months. See Chapter 22, Article 4 of the W. Va. Code.

If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator named in the materials and the Administrator of the Office of Oil and Gas in the West Virginia Department of Mines immediately.

NOTE: You are not required to file any comment at all.

Where to file comments and obtain additional information:

Administrator of the Office of Oil and Gas West Virginia Department of Mines 1615 Washington Street East Charleston, WV 25311 (304) 348-2057

Who may file comments? If you wish to file comments, you must be an owner of record of (1) an interest in the surface tract on which the well already is or is about to be located, or (2) an interest in any other surface tract under the same oil or gas lease which will be utilized for roads or other land disturbances.

Time limits for comments. The law requires these materials to be personally served or mailed to you on or before the date the operator files his Application. You have FIFTEEN (15) DAYS after the filing date to file your comments as provided in Methods for Filing Comments below. (This time is changed to FIVE (5) DAYS from the filing date if the permit is only to plug a well.) You may call the Administrator's office at the above telephone number to be sure of the date. However, if you have been contacted by the well operator, and if you have signed a "voluntary statement of no objection" to any of the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments should include your name, address and telephone number, the well operator's name and well number, and the approximate location of the proposed well site including district and county from the Application. You may add other documents, such as sketches, maps or photographs to support your comments.

Methods for filing comments. Comments must be filed in person or received in the mail at the Administrator's office by the time stated above. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling.

The Administrator for Oil and Gas has the power to deny or condition a well work permit based on your comments on the following grounds:

"(1) The proposed well work will constitute a hazard to the safety of persons; or "(2) The plan for soil erosion and sediment control is not adequate or effective; or "(3) Damage would occur to publicly owned lands or resources; or

"(4) The proposed well work fails to protect fresh water sources or supplies."

If you want a copy of the permit as it is finally issued, or a copy of the order denying the permit, you should request a copy from the Administrator.

<u>List of Water Testing Laboratories</u>. The Administrator maintains a list of water testing laboratories which you can hire to test your water to establish water quality prior to and after drilling. Contact the Administrator's office or an Oil and Gas Inspector to obtain a copy of the list.



DEP. OF MINES

09/08/2023

I OKIT IV-/O

## AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OF West Virginia COUNTY OF Kanawha :
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of  (1) Notice on Form IV-2(A) x / Form IV-3(A) / Form IV-4(A) /  (2) Application on Form IV-2(B) x / Form IV-3(B) / Form IV-4(B) /  (3) Plat showing the well location on Form IV-6, and  (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. Milhoan #1 located in Grant District, Jackson County, West Virginia,
upon the person or organization named
Henry E. Milhoan DECEIVE
by delivering the same in County, State of NOV 8 - 1983 on the day of, 19 in the manner specified below.
[COMPLETE THE APPROPRIATE SECTION]  OIL & GAS DIVISION  DEPT. OF MINES
For an individual: [X ] Handing it to $him X$ / $her$ / or, because $he$ / $she$ / refused to take it when I offered it, by leaving it in $his$ / $her$ / presence.
[ ] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership:  [ ] Handing it to  partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership:  [ ] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation:  [ ] Handing it to the corporation's employee _/ officer / director / attorney in fact _/ named
(Signature of person executing service)
Taken, subscribed and sworn before me this day of November, 1983.  My commission expires Sept. 22, 1991
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE)  Notary Public
(MELLY SEWE IL MOLNUTED II OCISIDE HE SHOEL)

THE CELVE SING

OIL & GAS DIVISION
DEPT. OF MINES

OIL & GAS DIVISION
DEPT. OF MINES



## State of Mest Airginia Bepartment of Mines Gil und Gas Division

Date June 29, 1984
Operator's
Well No. Milhoan #1
Farm Milhoan
API No.47 - 035 - 1916

/ Shallow\_

## WELL OPERATOR'S REPORT

WEIL TYPE: Oil x / Gas / Liquid Injection / Waste Disposal (If "Gas," Production / Underground Storage / Deep

OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

LOCATION: Elevation: 800 ft. Watershed I District: Grant County Jack				eek
220000000000000000000000000000000000000				
COMPANY H.D. Wells Oil & Gas, Inc.				
ADDRESS P.O. Box 1785, Charleston, WV 25326	Casing	Used in	Teft	Cement
DESIGNATED AGENT same	Tubing	Drilling		fill up Cu. ft.
ADDRESS same	Size	Dilling	III NOIL	- Cu. 1.c.
SURFACE OWNER Henry Milhoan	20-16			
ADDRESS Murraysville, WV 26153	Cond.	-		
MINERAL RIGHTS OWNER same	13-10"			
ADDRESS same	9 5/8		323	surface
OIL AND GAS INSPECTOR FOR THIS WORK Jerry	8 5/8			
Tephabock ADDRESS Ripley, W 25271	7		2,073	1,050
	5 1/2			
PERMIT ISSUED 10/10/83	4 1/2		3,900	1,300
DRILLING COMMENCED 06/01/84  DRILLING COMPLETED 06/13/84	3			
IF APPLICABLE: PLUGGING OF DRY HOLE ON	2			
CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			
GEOLOGICAL TARGET FORMATION Dev. Shall	3	Den	th 2 010	feet
Depth of completed well 3,915 feet				
Water strata depth: Fresh 80 feet;				
Coal seam depths: None				area?N-
Coar seam depuis: None	_ IS COAL	being mun	cu III uic	Mar. No
OPEN FLOW DATA				
Producing formation Dev. Shale	Pay	zone dep	th	700feet
Gas: Initial open flow 80,000 Mcf/d	Oil: Ini	itial open	flow No	one Bbl/d
Final open flow 40,000 Mcf/d	Fir	nal open f	low	1 Bbl/d
Time of open flow between init	ial and fi	inal tests	8 hc	ours
Static rock pressure 1120 psig(surface	e measure	ment) after	r 12 hou	rs shut in
(If applicable due to multiple completion	1)		na	/08/2023
Second producing formation Berea	Pay	zone dep	th 2.18	~ .
Gas: Initial open flow None Mcf/d	Oil: In	itial open	flow N	lone Bbl/d
Final open flow 20,000 Mcf/d	Oil: Fir	nal open f	low 1	Bbl/d
Time of open flow between init	ial and fi	inal tests	8 hc	urs
Static rock pressure 1120 psig(surface			HART BE TO LESS OF	
				verse side

### DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Perf: Berea 2,160 - 2,164 10 holes

Perf: Shale 3,670 - 3,700 15 holes

Frac Shale with N<sup>2</sup> 8000 CCF

### WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Clay Red	0	20	
Shale Dark	20	100	Fresh water at 80 feet
Sand & Shale	100	476	
Red Rock	476	812	
Shale	812	1,143	
Sand-Salt	1,143	1,300	
Shale	1,300	1,625	
Ingon Sand	1,625	1,660	
Shale	1,660	2,160	
Berea Sand	2,160	2,164	Gas
Shale	2,164	3,915	Total Depth
	No. 19.		

(Attach separate sheets as necessary)

H. D. Wells Oil & Gas Explo Well Operator	railli a leveloj nem, n
By: ANUM	09/08/2023
Date:	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including enal, encountered in the drilling of a well."

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

### INSPECTOR'S WELL REPORT DEPT. OF MINES

Permit No. 035 19			Address of the second			r Gas Well	
Company H.D.We	ells		CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	CKERS
Address			Size				
FarmMilh	ioan		16			Kind of Pa	icker
Well No			13				
District Grant		Jackson	81/4			Size of	
Drilling commenced			65%			_ Depth set_	
Drilling completed			5 3/16				
Date shot			3		N 218 133 135		
Initial open flow			Liners Used				om
	•						m
Open flow after tubing_ Volume				1			
			CASING CEMEN NAME OF SER			No. FT	Date
Rock pressure							
		ore continues	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water			FEET_	INCH	ES	_FEET	INCHES
Salt water	feet	feet	FEET_	INCH	ES	_FEET	INCHES
Drillers' Names							
Carl Smit	h						

Spud Date.

84 Jerry

Jery 09/08/2023

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS			
ARM				COUNTY		
illing Material Used						
iner Loc	eation	Amount	Packer	Location		
Light of the second of the sec	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
				-		
				3 3		
			The second secon			
			Cop a contract			
			A 100 M			
						anterpresidentalistation in have guest depart
	11.0 14.0 (C)	BANG A	The second second			
						hartestating truly exercises conseque
illers' Names						
					Anguera referencement and the desirence	
marks:						
						,

Permit No. 035 1916

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



## INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT WE MINES

Company H.D.We	lls	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACI	CERS
Address		Size				
Farm_ Milhoan		16			Kind of Pac	ker
Well No	#1	13			Size of	
DistrictGrant	County_Jackson	81/4			Size of	
Drilling commenced		6%	80 1 2 2 2 2 2 2 2 2 2 2 2	word in the second	Depth set_	
Drilling completed	Total depth	5 3/16		and the second	Perf. top	
Date shot	Depth of shot	2			Perf. botton	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. botton	1
Volume	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SER	VICE COMPA	NY		
011	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET_	INCH	ES	FEET	INCHES
Salt water	feetfeet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names						
Carl Smith.	Tom Stone Pusher		,			5
Remarks:						

Ran 316' 95/8 csg Cement Dowell 100 sacs class a neat plug down 9:15.

5 29 84

BATE

9408/2023ml

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

### INSPECTOR'S PLUGGING REPORT

			11.			-
COMPANY			ADDRESS			
FARM	COUNTY					
Filling Material Used						
Liner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
			coa lose			
o program a service of the service o						
						The state of the s
y	The second secon					
					, , , , , ,	
1 (1) (1) (1) (1) (1) (1) (1) (1) (1) (1			T. K. a			
	massa	acedowa kie				
rillers' Names					A engaction de constitución con	
emarks:		Service Control				
· mai no						
					* .	

#### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES





OIL & GAS DIVISION

# INSPECTOR'S WELL REPORT OF MINES

Permit No. 035 19	)16		1201		Oil or		
Company H.D.Well	-S		CASING AND TUBING	USED IN DRILLING	LEFT IN	PA	CKERS
Address		yerne en goed gellenterelle op e	Size				
FarmMilho	oan	e sitte i i i i i i i i i i i i i i i i i i	16			Kind of P	acker
Well No.			13			Size of	
District	County_Ja	ackson	81/4				
Drilling commenced			65/8			Depth set	-
Drilling completed_6	1 84 Total depth	3915	3	a page to the second		Perf. top	
Date shot	Depth of shot_		2		M. The state of th		om
Initial open flow	/10ths Water	inInch	Liners Used		3	Perf. top_	The transport of the college bearing against
Open flow after tubing.	/10ths Merc.	inInch				Perf. botte	om
Volume		Cu. Ft.	CASING CEME	NTED	SIZE	No. FT.	Date
Rock pressure	lbs	hrs.	NAME OF SER	VICE COMPA	NY		
Oil	bbls	s., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water	feet		FEET_	INCE	IES	FEET	INCHES
Salt water	feet	feet	FEET_	INCH	IES	FEET	INCHES
Drillers' Names							Marie de la companya
Tom Stone Car	l E. Smith						
Remarks:							
TD 61/4 hol	e 6 1 84 3915;						
6 2 84 Ran	3903 KB 41/2 c	sg cemen	t Dowell 16	0 sks 10	/2 RFC A	nd 51b k	olite.

6 4 84 pit ok may need work if hard rains

moved to 1919

DATE

#### STATE OF WEST VIRGINIA

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

OMPANY	ADDRESS					
ARM				COUNTY		
illing Material Used						•
iner Loc	cation	Amount	Packer	Location	27° 4.2	
	ND DEPTH PLACED		BRIDGES	CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LUCATION	RECOVERED	SIZE	LOS
	Malayanda - Timbo and a Malayanda					
			3 - 4		2000	E.
			**************************************			
	The second control of		grand of the			
	132330					Printer in the second
			N			
illers' Names			2932			
		THE NEW YORK	3 2 3 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		to any other medical programmer and the state of the stat	
marks:	The second of the second		THE RESERVE OF THE PROPERTY OF		·	

I hereby certify I visited the above well on this date.

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



### INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. of MINES

Company H.D. Wells	3	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS	
Address		Size				
FarmMilhoa	in	16			Kind of Packer	
Well No	#1	13				
	Jackson	81/4			Size of	
Drilling commenced		6%			Depth set	
Drilling completed	Total depth	5 3/16				
	Depth of shot	32			Perf. top	
	/10ths Water inInch	Liners Used			Perf. top	
	/10ths Merc. inInch				Perf. bottom	
	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	_Date
Rock pressure	lbshrs.	NAME OF SER				
Dil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEETIN	CHES
Fresh water	feetfeet	FEET_	INCH	ES	FEETINC	CHES
Salt water	feetfeet	FEET_	INCH	ES	FEETINC	CHES

#### Remarks:

- 5 30 84 Ran 2078' 7'' csg set 2063' Cement by dowell 100 sacs neat plug down 10:45 Drilled 81/4 hole.
- 5 31 84 Drilling at 2448!

Juny Typ 19/08/2023

5 31 84

#### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

## INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS			
ARM		DISTRICT	CC	OUNTY		
illing Material Used					* - *	
iner Lo	cation	Amount	Packer	Location		
PLUGS USED	AND DEPTH PLACED		BRIDGES		G AND TUI	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
					-	
rillers' Names						
					,	
marks:		18 20 10 10 19 19 19 19 19				-
	E		12776 2			
			e well on this date.			



# State of West Birginia JAN 2 3

Department of Mines Gil and Gas Division Charleston 25305



OIL & GAS DIVISION

DEPT. OF MINES

FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT
September 17, 1984

	September	17, 1984	
COMPANY	H. D. Wells Oil & Gas, Inc.	PERMIT NO	035-1916
P. 0	. Box 1785	FARM & WELL NO	Henry Milhoan #1
Char	leston, West Virginia 25326	DIST. & COUNTY	Grant/Jackson }
RULE	DESCRIPTION		COMPLIANCE
23.06 25.04 25.03 16.01 15.03 15.02 15.01 15.04 15.05 23.02 25.01 23.04 23.05 23.07 16.01 16.02 7.05	Notification Prior to Starting World Prepared before Drilling to Prevent High-Pressure Drilling Required Permits at Wellsite Adequate Fresh Water Casing Adequate Coal Casing Adequate Production Casing Adequate Cement Strenght Cement Type Maintained Access Roads Necessary Equipment to Prevent Wast Reclaimed Drilling Pits No Surface or Underground Pollution Requirements for Production & Gather Well Records on Site Well Records Filed Identification Markings	t Waste	S NO X
HAVE I	NSPECTED THE ABOVE CAPTIONED WELL AN	D RECOMMEND THAT IT	BE RELEASED:
		SIGNED	Tepholo
VILLI CIId	l record was received and reclamation pter 22, Article 4, Section 2, the all for the life of the well.	Administrator-0	oved. In accordance in under bond  il & Gas Division  ry 25, 1985