





| 1) | Date: Mar | <u>ch 1</u> | .2 | | | , 1 | 84و |
|----|-----------------------|-------------|----|--------|---|------|--------|
| 2) | Operator's Well No | KEM | #: | 376 | | | |
| 3) | API Well No. | 47 | - | 035 | _ | 1947 | ······ |
| | | State | | County | | | Permit |

Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION

APPLICATION FOR A WELL WORK PERMIT

| 4) WELL TY | PE: A | Oil | / Gas | :X | / | | | | |
|---|---|--|------------------------|----------------|--------------|-------------------|---|--------------------------|----------------------------------|
| | В (| (If "Gas", | Production | X | / Un | derground sto | rage | / Deep <u>X</u> _ | / Shallow/) |
| 5) LOCATIO | N: E | levation: _ | 532 | | Wa | tershed: | <u> Sandy Cr</u> | <u>eek</u> | |
| | D | istrict: | Sand Anti | THE KAY | nsward | anty: <u>Ja (</u> | kson | Quadrangle: _ | Sandyville |
| 6) WELL OP | ERATOR | | | | | ing Co <i>a</i>) | DESIGNATI | ed agent <u>R. A.</u> | Pryce |
| Address | | | | | | * | Address | Same | |
| • | *************************************** | <u>Raven:</u> | swood. | WV 2 | 26164 | | | | |
| 8) OIL & GA | | | | | | | | CONTRACTOR: | |
| | | | | | | | NameC | int Hurt | |
| Address | | | | | | | Address | | 18 |
| | K1 <u>p</u> L | ey, WV | | 1 | - | | | <u>Elkview, WV</u> | DO PRINCE |
| 10) PROPOSE | D WELL | WORK: | | | | | | / Stimulate | WIN POUNT |
| | | | | | | | new formatio | | |
| | | | | | | pecify) | | | APR 1 1 1084 |
| 11) GEOLOGI | | | | | | * | | | 73 11 2 3 1331 |
| | _ | - | | 51 | | | | | OIL & GAS DIVISIO |
| | | | | | | | | feet. | MINI |
| | | | | | ···· | Is coal l | eing mined in tl | ne area? Yes | DEPT OF MIN |
| 15) CASING A | ND TUB | ING PRO | GRAM | | | | | | |
| CASING OR TUBING TYPE | | SPEC | CIFICATIONS Weight : | | | FOOTAGE INT | ERVALS | CEMENT FILL-UP | PACKERS |
| 102110 1112 | Sêze | Grade | per ft. | New Used | For | drilling | Left in weil | OR SACKS (Cubic feet) | |
| Conductor | | | | | | | | 175 | Kinds |
| Fresh water | 11 3 | /4" | | х | | 250 | 250 | 1350 sks cla | s A to surface |
| Coal | | ļ | | | | <u> </u> | | | Sizes |
| Intermediate | 8 5 | | ļ | _х | | 1930 | 1930 | 200 sks poz | mix.100 sks class / |
| Production | 5 1 | /2" | | _X | | 5115 | <u>5115</u> | | Dendozmi X |
| Tubing | | | | | | | | | 5 reg. by rule 15 |
| Liners | | ļ | | | _ | | | | Perforations: |
| | | | <u> </u> | | | | | | Top Bottom |
| | | | | | | | | | |
| <u> </u> | 13 | <u> </u> | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | *************************************** | *************************************** | | | | E USE ON | | | |
| | | | | | DRILL | ING PERI | MIT | | |
| ermit number_ | 47- | 035-19 | 47 | | | | | May 7, | 19 84 |
| | | | | | | | *************************************** | Dat | |
| his permit cove | ring the w | vell operato | or and well | location show | vn below is | evidence of | permission gran | ted to drill in accordan | ice with the pertinent legal re- |
| luirements subje | ct to the c | conditions of | contained he | erein and on | the reverse | hereof. Notif | ication must be | given to the District Oi | l and Gas Inspector, (Referito |
| No. 8) Prior to the listrict oil and g | he constru as inspecto | ction of ro | ads, locatio | ns and pits fo | or any pern | uitted work, II | n addition, the v | vell operator or his con | stractor shall notify the proper |
| | | | | | | , | | | |
| ne permitted we everse hereof. | ork is as d | iescribed in | the Notice | and Applicat | ion, plat, a | nd reclamation | on plan, subject | to any modifications a | nd conditions specified on the |
| ermit expires _ | May | 7, 19 | 86 | | | unless well we | rk is commence | d prior to that data and | prosecuted with due diligence. |
| | | | | | | unicas wen we | n k is commence | a prior to mai date and | prosecuted with due dingence. |
| | | | | [| | | | | |
| BondAE | Ager | | Plat: | Casing | Fee | | | | |
| - | | 1) | nH ! | mul | 966- | | | | |
| · | | | | 8 0 V Y | 0 2 3 | 1 | | 112 | |
| | | | | | | | Adn | ninistrator, Office of C | hil and Gas |
| OTE: Keep or | ne copy o | f this perm | it posted at | the drilling l | ocation. | | . 141 | | ii uiid Gas |
| | | | | _ | | | | | File |

See the reverse side of the APPLICANT'S COPY for instructions to the well operator.

Division of Energy

MAR 1 4 90

STATE OF WEST VIRGINIA DEPARTMENT OF ENERGY DIVSION OF OIL AND GAS

Oil and Gas

AFFIDAVIT OF PLUGGING AND FILLING WELL

AFFIDAVITE SHOULD BE IN TRIPLICATE, one copy mailed to the Division, one copy to be retained by the Well Operator and the third copy (and extra copies if required) should be mailed to each coal operator at their respective addresses.

| 70 rm | | | | | | | | |
|--|---|--|--|------------------------------|--|------------------------------|--|-------------------------------------|
| raım name: | KAISER ALU | MINUM PROPE | ERTY Operato | or Well | No.: | KEM-376 | ; | |
| LOCATION: | District: Latitude: | RAVENSWOOD 9300 Feet | Quadrangle: South of 38 West of 8 | County B Deg. | : JACI 57 M: | in. 30 | Sec. | |
| Well Type: | OIL | GAS | Water Dispos | al X | | | | |
| Company: Pea P.O Rav | ke Energy, In Box 8 enswood, WV | c. 26164 | Coal or On | Operat wner | or | | | |
| Agent: <u>Joh</u> Inspector: Permit Issu | n V. McCallis Jerry Tephabo ed: 11/28/8 | ter ck 9 | Coal or O | Operat wner | or | | | |
| | | | AFFIDAVIT | | | | | |
| STATE OF WE County of | | | | | | | | |
| Peake Enework of ploon the 29 and filled | k of pluggi rgy, Inc. ugging and | ng and fill filling th | and Edward Naw depose and ling oil and _, well opene above well, 1989 | gas we erator, l, that | lls and parts and side and sid | nd were partici work w | e empl .pated vas co | oyed by in the momenced |
| | | | iel. | | | | | £ |
| TY | PE | FROM | TO | | | MOVED | | |
| 5" Baker Per | PE m. Plug | FROM | TO 4960 | | | | | |
| 5" Baker Per 15 sks Class | PE m. Plug A | FROM 4960 | TO 4960 4810 | | | | | |
| 5" Baker Per 15 sks Class 10 sks Class | PE m. Plug A A | FROM | TO 4960 4810 4250 | PI | PE REI | MOVED | LE | EFT |
| 5" Baker Per 15 sks Class | PE m. Plug A A A | ### ################################## | TO 4960 4810 | PI | | MOVED | LE | FT |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class | PE m. Plug A A A A | ### ################################## | TO 4960 4810 4250 1770 | PI | of 5 1 | MOVED | LE | EFT |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class | PE m. Plug A A A A A A A | ### ################################## | TO 4960 4810 4250 1770 550 | PI | of 5 1 | MOVED | 3260' (| FT |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 56 sks Class | PE m. Plug A A A A A A A A | 4960 4350 1870 650 320 | TO 4960 4810 4250 1770 550 220 | PI | of 5 1 | MOVED | 3260' (1340' (| of 5 1/2" |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 75 sks Class 75 sks Class | PE m. Plug A A A A A A en all plugs | ## FROM 4960 4350 1870 650 320 100 | TO 4960 4810 4250 1770 550 220 | 1820' 600' | of 5 1 of 8 5 | /2" /8" | 3260' (1340' (270' | of 5 1/2" of 8 5/8" of 11 3/4 |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 75 sks Class 6% gel between Descri | PE m. Plug A A A A A A A Pen all plugs ption of mo | ### ################################## | TO 4960 4810 4250 1770 550 220 -0- | 1820' 600' | of 5 1 of 8 5 | /2" 6/8" API# 4X | 3260' (1340' (1270' (12 | of 5 1/2" of 8 5/8" of 11 3/4 |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 75 sks Class Class Descri and the | PE m. Plug A A A A A en all plugs ption of mo at the worday of Dec | ### ################################## | TO 4960 4810 4250 1770 550 220 -0- 8" casing erec | 1820' 600' | of 5 1 of 8 5 | /2" 6/8" API# 4X | 3260' (1340' (1270' (12 | of 5 1/2" of 8 5/8" of 11 3/4 |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 75 sks Class Class Descri and the | PE m. Plug A A A A A en all plugs ption of mo at the worday of Dec | ### ################################## | TO 4960 4810 4250 1770 550 220 -0- 8" casing erec | 1820' 600' | of 5 1 of 8 5 | /2" 6/8" API# 4X | 3260' (1340' (1270' (12 | of 5 1/2" of 8 5/8" of 11 3/4 |
| 5" Baker Per 15 sks Class 10 sks Class 20 sks Class 56 sks Class 75 sks Class 6% gel between Descri | PE m. Plug A A A A A en all plugs ption of mo at the wor day of Dec deponents ubscribe be | ### ################################## | TO 4960 4810 4250 1770 550 220 -0- 8" casing erec ging and fill 1989 15 /3 day | 1820' 600' ted and ling sa | of 5 1 of 8 5 | /2" 6/8" API# 4X | 270' (200 compl | of 5 1/2" of 8 5/8" of 11 3/4 |

MAR 1 9 1990