



1)	Date: Mar	ch 12	, 1984
2)	Operator's Well No.	KEM #547	FORM (V-2(B)
3)	API Well No.	47 - 035 -	1954

County

Permit

State

_	OIL	8	GAS DIVISION		
D	EP.	T.	OF	MIN	IES

### STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY	PE: A C	oil <u>w</u> or	/ Gas	X O	ONS (IF ANY)	LYO CONDITI	SDIFTCATIONS	
	B (1	If "Gas",	Production	X	/ Underground	storage	/ Deep	_/ ShallowX/)
5) LOCATIO	N: Ele	evation: _	700		Watershed: _	Low Gap	Run	
	Dis	strict:	Ravenswo	bod	County:	lackson	Quadrangle:	Liverpool
6) WELL OF	ERATOR	Kaise	r Exploi	ration a	and Mining Co			Pryce
Addres			Box 8			Address	Same	
			swood, I		4		-	
B) OIL & GA						9) DRILLING C		
			ock				int Hurt	
Addres			ox 101A			Address	P. O. Box	
	Committee of the commit		NV 252				Elkview, W	
			Plug off Other phy	old formation	on/ Performing well (specify)	rate new formation		ECETAFIL
					ian Brown Sh			MAR 2 3 1984
					feet feet			A CAO DIVICION
							feet.	
14) Appro					Is co	oal being mined in th	ne area? YesD	EPT. OF MINES
CASING OR TUBING TYPE	Size	SPEC Grade	Weight per ft.	New Used	FOOTAGE For drilling	Left in well	CEMENT FILL-UP OR SACKS (Cubic feet)	PACKERS
onductor				y 1 1 11 11 11 11 11 11 11 11 11 11 11 1				Kinds
esh water	10 3/4			X	250	250	150 sks cla	ss A to surface
al								Sizes
ermediate	7"			X	2425	2425	65 sks 50/5	pozmix,100 sks cla
oduction	4 1/2	11		X	4320	4320	225 sks 50/	
bing					BUSE ONRA	MITTO - MITTO		
ners								Perforations:
		amoithe	esar au si	olfe Vue l	STE PARTITION A	dates Trivetch	ally bringer or with	Top Bottom
- 6	hard .					5106		
			(8)	in6ilasqui	OFFICE USE			bevisser neugalgas
				11	DRILLING PE	RMIT		Well work started
rmit number_	47-0	35-195	54				May 2	19 84
init number _		40.75	Mark Comment		-		Dat	CONTRACTOR OF THE WAY TO SERVE THE S
irements subject 8) Prior to t	ect to the co	onditions of ros	contained he ads, location	rein and on to sand pits fo	the reverse hereof. No	tification must be a	given to the District Oil	ce with the pertinent legal re- and Gas Inspector, (Refer to tractor shall notify the proper
e permitted werse hereof.	ork is as de				ion, plat, and reclam	ation plan, subject	to any modifications ar	nd conditions specified on the
rmit expires	XXX	May	2, 1986	)	unless well	work is commence	d prior to that date and	prosecuted with due diligence.
Bond:	Agen	t. T	Plat:	Casing	Fee			OTHER INSPECTION
BLANKET	Agen	201	5 7	5	866-		<del>-</del> 1	Reason
1.63	al.	11.	- 1/		698	1.1	121	Page page
			-			Adn	ninistrator, Office of O	il and Gas
OTE: Keep o	ne copy of	this perm	it posted at	the drilling l	ocation.			E.

09/08/2023

FORM	IV-2(B)
Reverse	: Xa

FILE COPY	g joint d	2.4
- 14	M Jaw 19	





OIL & GAS DIVISION

STATE OF WEST VINGINIA OFFICE USE ONLY

DEPMIT MODIFICATIONS AND	CONDITIONS (I	F ANY)	TO THE	PROPOSED	WELL	WORK
DEDMIT MUDIFICATIONS AND	COMPTITUTE (1)	,				

		Underground storage Watershed ON Got			ON: Lievati	A.QCATA
Laugasvill		Mining Con DESIGNATI			RERATOR J.C.	WELL OF
	171317A-410	arthod			.S a	shbb A
	. 210000.1					
	CONTRACTOR			ROBE NOTIFI	AS INSPECTOR	02 110
		Name				
	V25 D C			Migit kod .	ILLIE 2	
	A Company of the Comp					
COO ENGINEERO COMO COMO	and the second s				D WELL WOR	
21W/II3D) take			old formation			
The second second			sical change in we			
				FORMATION.		GEOLOG
AND SHAD	CSGR			nplated well,	ared depth of con	
OIL & GAS DIVISIO				that Freshort		
		is coal being mined in it			edmate cost sean	
EPT. OF MIN	J				ND TURING P	
	h cémentare	FOOT ACE INTERVALS		SPRINTERNAME.		SING ON
PACKERS	ORSACIOS		New I will	Weight   Periodic		
	1 0 0 0 0 0 0 0 0					
- XG] 19159URE #900 A	A VIDEO CRYCLES IN	OFFICE USE ON	LY			8
Perforations						
his part of Form IV-2	(b) is to record the	dates of certain occurrence	es and any foll	ow-up inspect	ions.	
					Date	(e)
	<u> </u>	Date	- P ' -		Date	(3)
		T 11		2(2)		
		Follo	w-up inspection	1(8)		
application received						
		LING PERMIT	"Dul			
Application received Well work started			,120 ,,		4210-14	vodiana 1
Well work started	N. S. VSM		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		#500- <u>F</u> 4	teditan i
Well work started Completion of the drill		THART SERVET	, ,,,	of their fire now		
Well work started		LING PERMIT	loisd nwork nolls	ator and well for		
Well work started		LING PERMIT	loisd nwork nolls	ator and well for		
Well work started	id to drill in accordance we to the District of the Child of the Child of the contract of this contract.	(JANG PERMIT  Is evidence of permission grapts se hereof, vontreation must on gl entitled work in addition, the w as continenced.)	all on shown being the reverse of th	stor and well-locate contained sière rough, for alteres ours before aduate	ing the well operation to the condition of the condition of the condition of the condition of the constant of	octonii cover dents subjec Prior to the t oil and ga
Well work started  Completion of the drill process  Well Record received	id to drill in accordance wente the Dherka Oak a cil operator or his conta	(JANG PERMIT  Is evidence of permission grapts se hereof, vontreation must on gl entitled work in addition, the w as continenced.)	all on shown being the reverse of th	stor and well-locate contained sière rough, for alteres ours before aduate	ing the well operation to the condition of the condition of the condition of the condition of the constant of	oetmit cover dents subject Veter to the t oil and ga
Well work started Completion of the drill process Well Record received Reclamation completed	id to drill in accerdance to the District Out a second or his contact or his contact on the contact or the cont	is evidence of permission graphs to prove the work of a confiction work of all the work of	allor shown heich in and on the reve e.,? with for not no connitted work h d.,Application, phy	stor and well-locate contained sière rough, for alteres ours before aduate	ing the well open to the condition to destruction of subspector 24 ha is as described	or unit cover from subject Prior to the following gar ermitted wor chercof.
Well work started Completion of the drill process Well Record received Reclamation completed	id to drill in accerdance to the District Out a second or his contact or his contact on the contact or the cont	(JANG PERMIT  Is evidence of permission grapts se hereof, vontreation must on gl entitled work in addition, the w as continenced.)	allor shown heich in and on the reve e.,? with for not no connitted work h d.,Application, phy	afor and well local os contained nece rough, localtons ours belong actual i in the Notice an	ing the well open to the condition to destruction of subspector 24 ha is as described	octonii cover dents subjec Prior to the t oil and ga
Well work started Completion of the drill brocess Well Record received Reclamation completed	of to drill inexcerdance of the period of the second of the contract of the co	is evidence of permission graphs to prove the work of a confiction work of all the work of	all own shelf of the reversion of the re	cator and well locator of the communication of the catoria of the catoria of the Motice and the Communication of the Motice and the Communication of the Com	ing the well open to the concilion of concilion of concilion of the concil	retrait cover ments subject the first to make the milited work thereof.
Well work started  Completion of the drill process  Well Record received  Reclamation completed	of to drill inexcerdance of the period of the second of the contract of the co	is evidence of permission graphs to prove the work of a confiction work of all the work of	allor shown heich in and on the reve e.,? with for not no connitted work h d.,Application, phy	cator and well locator of the communication of the catoria of the catoria of the Motice and the Communication of the Motice and the Communication of the Com	ing the well open to the condition to destruction of subspector 24 ha is as described	or unit cover from subject Prior to the following gar ermitted wor chercof.

See the reverse side of the APFIJCANT'S COPY for instructions to the well operator.

IV-9 (Rev 8-81)



建压力制起

DATE April 6, 1984

WELL NO. KEM #547 Revised


API NO. 47 - 035 - 1954

# State of West Wirginia


Pepartment of Mines Bil und Gas Bivision

# CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Kaiser Exploration and Mi	ining Col	DESTGNATED AGENT R A Pryce	
		Address Same	
Address P. O. Box 8. Ravenswood.		Telephone	
Telephone 273-5371	77. sept 10		
LANDOWNER Burke Parsons Bowlby	<del>-</del> -	SOIL CONS. DISTRICT Western (Age)	
그 그 그는 그 그 사람이 하는 것이 되었다. 그는 그 사람들은 그는 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그 그	/ /	Sloration and Mining Company (Age	
This plan has been reviewed by			
and additions become a part of this pla	an: a	Date Date	
	Sa	(SCD Agent) highes	
ACCESS ROAD		LOCATION	
Structure Drainage Ditch	(A)	Structure Top diversion ditch	(1)
Spacing Earthen		Material Farthen	
Page Ref. Manual 2:12		Page Ref. Manual 2:12	
Structure Road Culverts	(B)	Structure	(2)
Spacing 16" diameter		Material U	
Page Ref. Manual 2.7		Page Ref. Manual	
Structure	(C)	Structure - 100 D	TA,
Spacing		Material S &	
Page Ref. Manual		Page Ref. Manual	
All structures should be inspected commercial timber is to be cut and a cut and removed from the site before	stacked a	ely and repaired if necessary. All and all brush and small timber to be ark begins.	Constitution of the Consti
of 1	REVEGETAT	CION	
Treatment Area I		Treatment Area II	
Lime 4 Tons/ac	re	Lime Same as Area I Tons/a	cre
Fertilizer 14-14-14 600 lbs/acm	e	Fertilizer lbs/ac	re
(10-20-20 or equivalent)		(10-20-20 or equivalent) Mulch Tons/a	
Mulch Hay 2 Tons/ac			
Seed*81% Orchard Grass/15% Rydbs/acc		Seed* lbs/ac	
Kentucky 31 Fescue 161bs/acm		lbs/ac	
Red Clover 8 lbs/acr	е	IDS/ dC	Te
*Inoculate all legumes such as veta Inoculate with 3X recommended amount.	h, trefoi	il and clovers with the proper bacterium	1.
	=:.:n =	Vincent Wood .09/08	<del>/20</del> 23
NOTES: Please request landowners' esperation to protest new		ADDRESS 116 Pfost Avenue	
secaling for one growing season. Attach separate sheets as		Ripley, WV 25271	
necessary for comments.		FHONE NO. 372-2709	



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.



1) Date: March 12 ,19 84

2) Operator's

Well No. KEM #547

3) API Well No. 47-035-1954 State County Permit

STATE OF WEST VIRGINIA DEPARIMENT OF MINES, OFFICE OF OIL & GAS

# NOTICE OF APPLICATION FOR A WELL WORK PERMIT

4) SU	RFACE OWNER(S) OF RECORD TO BE SERVED	5(i) COAL OPERATOR None
(i)	Name Burke, Parsons, and Bowlby	Address
(ii)	Address P. O. Box 231 Ripley, WV 25271 Name	5(ii) COAL OWNER(S) WITH DECLARATION ON RECO
(11)	Address	Address
( <u>iii</u> )	Name Address	NameAddress
		5(iii) COAL LESSEE WITH DECLARATION ON RECORD  Name None  Address
		id have received this Form and the following documents:

to be plugged, which sets out the parties involved in the drilling or other work, and describes the well and its location and, if applicable, the proposed casing and cementing program;

(2) The plat (surveyor's map) showing the well location on Form IV-6; and (3) The Construction and Reclamation Plan on Form IV-9 )unless the well work is only to plug a well), which sets out the plan for erosion and sediment control and for reclamation for the site and access road.

THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE RIGHTS REGARDING THE APPLICATION THE REASON ROU RELEVED THESE DOCUMENTS IS THAT FOR SAVE OF THE COPY OF THE APPLICATION (FORM IV-2(B) OR FORM 4, DESIGNATED FOR YOU. HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL

Take notice that under Chapter 22 of the West Virginia Code, the undersigned well op-OIL & GAS DIVISION erator proposes to file or has filed this Notice and Application and accompanying documents for a Well Work Permit with the Administrator of the Office of Oil and Gas, West Virginia Department of Mines, with respect to a well at the location described on attached Application T. OF MINES and depicted on attached Form IV-6. Copies of this Notice, the Application, the plat, and the Construction and Reclamation Plan have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in the person(s) named above (or by publication in the person(s) named above (or by publication in the person of by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Administrator.

#### 6) - ECTRACTION RIGHTS

Check and provide one of the following:

☐ Included is the lease or leases or other continuing contract or contracts by which I hold the right to extract oil or gas.

The requirement of Code 22-4-1-(c)(1) through (4). (See reverse side for specifics.)

7) ROYALTY PROVISIONS

Is the right to extract, produce or market the oil or gas based upon a lease or leases or other contract or contracts providing for flat well royalty or any similar provision for compensation to the owner of the oil or gas in place which is not inherently related to the volume of oil or gas so extracted, produced or marketed? Yes (NO)

If the answer above is No, nothing additional is needed. If the answer is Yes, you may use Affidavit Form IV-60.

See the reverse side for line item instructions, and for instructions concerning the required copies of the Notice and Application, plat, and Construction and Reciamation Plan.

The truth of the information on the Notice and Application is verified and sworm to and the Notice is signed on behalf of the Well Operator in my County and State by

R. A. Pryce		
this   3day of Cono	,	1984
My compission expires	8/30	1993

Spress (an	ners
Notary Public, Jackson	County,
State of West Virgini	a

M	

<b>DPERATOR</b>	R Kaiser	Explora	tion	and M	dining	Company
		7			,	

<u>Z</u>

m

By Kill	Q, P	_	
Its Gene	eral Manager	4	
Address P	. O. Box 8		
Ra	avenswood, WV	26164	
Telephone	304 273 5371		

MAR 2 9 1984

#### INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-1b(b) if "more than three tenants in common or other co-cwners of interest described in subsection (a) of this section hold interests
  - "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.

OF MINES

- 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
- 7) See Code § § 22-4-11(d, e).

#### CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-12b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-1m, 22-4-2, 22-4-2a, and 22-4-2b.

### INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the cath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page Delphia M. O'Dell et al Kaiser Exploration 1/8 of prevailing and Mining Company field price 175/49 175/725 187/1 186/28

# AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OF West Va COUNTY OF Gackson :
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of  (1) Notice on Form IV-2(A) X / Form IV-3(A) / Form IV-4(A) /  (2) Application on Form IV-2(B) X / Form IV-3(B) / Form IV-4(B) /  (3) Plat showing the well location on Form IV-6, and  (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. Kem 547 located in
West Virginia, upon the person or organization named-
BURKE, PARSONS, BOWLby Corp
on the zi day of March , 19 84 in the manner specified below.
- [COMPLETE THE APPROPRIATE SECTION]
For an individual:  [ ] Handing it to him / her / or, because he / she / refused to take it when I offered it, by leaving it in his // her / presence.
[ ] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership:  [ ] Handing it to  partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership:  [ ] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation:  [X] Handing it to the corporation's employeeX / officer / director / attorney in fact / named PAM DEEM  [MAR 2 3 1954
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE)  Notary Public Commissioner  09/08/2023

(F17979

OIL & GAS DIVISION



	STATE OF WEST VIRGINIA INFORMATION MEMO							
_	TO: WIMC DATE: 5-22							
-	FROM: Mike LOWIS TIME:							
-	OF: RECD. BY							
=	TELEPHONE NUMBER EXT.							
	☐ PLEASE CALL ☐ RETURNING YOUR CALL ☐ WILL CALL AGAIN ☐ CALLED TO SEE YOU							
=	THE ATTACHED PAPERS ARE REFERRED							
	PLEASE:  SIGN PREPARE REPLY FOR  COMMENT MY SIGNATURE  REPLY DIRECTLY WITH COPY TO ME  AS REQUESTED TAKE APPROPRIATE ACTION  FOR YOUR RETURN INFORMATION ROUTE TO:  APPROVE  SEE ME  FILE							
-	REMARKS/MESSAGE: Gave Walter Worgan (KEM Gas) verbal approva							
	to plug if necessary							
	JD 2 Berra 100' plug 50'-Surfa Salt sand 100' plug cement							

Klenese – Must have well record (iv-35) Margaret

P28 4541922

# IPT FOR CERTIFIED MAIL

INSURANCE COVERAGE PROVIDED— NOT FOR INTERNATIONAL MAIL

205	TAG	E	عبي سال	\$
1	CEF	RTIFI	ED FEE	4
ES		SPI	ECIAL DELIVERY	
RFE		RE	STRICTED DELIVERY	
TER FO	CES	/ICE	SHOW TO WHOM AND DATE DELIVERED	
CONSULT POSTMASTER FOR FEES	OPTIONAL SERVICES	IPT SERVICE	SHOW TO WHOM, DATE. AND ADDRESS OF DELIVERY	
<b>USULT P</b>	OPTION	RETURN RECEIPT	SHOW TO WHOM AND DATE DELIVERED WITH RESTRICTE DELIVERY	
		RETUI	SHOW TO WHOM, DATE AND ADDRESS OF DELIVERY WITH RESTRICTED DELIVERY	1
TOP	OTAI	PO	STAGE AND FEES	s
P	OST	MAR	KORDATE LOGI	



DEPT. OF MINES



OIL & GAS DIVISION
DEPT. OF MINES



IV-35 (Rev 8-81)

# State of Mest Mirginia Bepartment of Mines

Department of Mines Gil und Gas Division

Date	Sept	. 17	7, 19	984	
Opera	itor'	S			
Well	No	KEM	547	O'De	11
Farm					
API N	<b>10.</b> 47	-0	35	_	1954

# WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING AND/OR STIMU	LATING, O	R PHYSICAL	CHANGE	
WEIL TYPE: Oil x / Gas x / Liquid Injection (If "Gas," Production x / Undergrous LOCATION: Elevation: 700 Watershed Low District: Ravensood County Jackson	nd Storag	e/ Deer	o/ Sha.	
COMPANY Kaiser Exploration and Mining Company				
ADDRESS P.O. Box 8, Ravenswood, WV 26164	Casing	Used in	Left	Cement fill up
DESIGNATED AGENT R. A. Pryce	Tubing	Drilling	in Well	Cu. ft.
ADDRESS P.O. Box 8, Ravenswood, WV 26164  SURFACE OWNER Burke, Parsons, and Bowlby, Corp.	Size 20-16 Cond,			
ADDRESS	13-10"	253.5'	253.5'	150 sx Class A
MINERAL RIGHTS OWNER Delphia M. O'Dell, etal	9 5/8			
ADDRESS	8 5/8	No casino	or cemer	+
OIL AND GAS INSPECTOR FOR THIS WORKJerry	7	,		n 5/24/84
Tephabock ADDRESS Rt. 1 Box 101A, Ripley	5 1/2			t from state
PERMIT ISSUED	4 1/2			
DRILLING COMMENCED 5-19-84	3			
DRILLING COMPLETED 5-24-84	. 2			
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used			
GEOLOGICAL TARGET FORMATION Berea Sandstone		Dep	th 2376	feet
Depth of completed well 2470' feet 1	Rotary X	/ Cabl	e Tools_	

Water strata depth: Fresh NA feet; Salt NA Is coal being mined in the area? No Coal seam depths: NA Drilled on fluid - not known OPEN FLOW DATA Pay zone depth Producing formation feet Mcf/d Oil: Initial open flow 0 Bbl/d Gas: Initial open flow 0 Final open flow\_\_\_\_ Mcf/d Bbl/d Final open flow Time of open flow between initial and final tests\_\_\_\_\_ hours Static rock pressure psig(surface measurement) after hours shut in (If applicable due to multiple completion--) 09/08/2023 feet Pay zone depth Second producing formation Oil: Initial open flow Bbl/d Gas: Initial open flow Mcf/d Oil: Final open flow Bbl/d Mcf/d Final open flow Time of open flow between initial and final tests\_\_\_\_ hours Static rock pressure \_\_\_\_psig(surface measurement) after\_\_\_\_ hours shut in DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Plugged on 5/24/84 B. J. Hughes Cement

- 1) Run 12 BB1 Class A, 2% CAC12 from 2436' KB- 2300'KB plug Berea
- 2) Run 54.4 BBl of 6% GEL from 2300' KB-1678'KB
- 3) Run 8.7 BB1 Class A cement, 2% CACl2 from 1678'KB to plug salt sands
- 4) Run 110.4 BBl of 6% Bel from 15.78' KB-342'KB
   5) Run 32 BBl Class A cement, 2% CACl from 342' KB to surface Plugged at 1:45 AM

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all freshand salt water, coal, oil and ga
Soil and Shale	0	82	
Shale and Siltstone	82	338	
Sand	338	348	
Shale	348	488	
Pittsburgh Sand	488	573	The state of the s
Shale	573	622	
Sand	622	664	
Shale	664	1070	
Donkard Sands	1070	1386	
Shale and Siltstone	1386	1680	
Salt Sands	1680	1820	
Big Lime (Greenbrier)	1820	1918	
Shale	1918	1948	
Big Injun Sand	1948	2007	
Shale RuleT aldeD \	2007	2360	
Coffe Shale (Sunbury)	2360	2376	
Berea Horizon Francis Mississi	2376	the second secon	NO SAND
Shale	2376	2436	
Total Depth	2436	and the special state of the s	

(Attach separate sheets as necessary)

Well Operator

ned buttail

By: KAISER EXPLORATION AND MINING CONTROL OF THE PROPERTY OF T

Date: November 12, 1984

Note: Regulation 2.02(i) provides as follows: "The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."

National Contractions and the second

rit durin primit

Permit No. 035 1954

#### STATE OF WEST VIRGINIA

# DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



# INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

DEPT. OF MINES

Oil or Gas Well\_

Company	Kaiser Exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Address		Size			
Farm	ØDækkx Randolph	16			Kind of Packer
Well No	Kem #347	13			Size of
District	County Jackson	81/4			
Drilling comme	enced	65%			Depth set
Drilling comple	etedTotal depth	3			Perf. top
Date shot	Depth of shot				Perf. bottom
Initial open flo	w/10ths Water inIn	ch Liners Used			Perf. top
Open flow after	tubing/10ths Merc. inIn	ch			Perf. bottom
Volume	Cu. 1	t. CASING CEME	NTED	SIZE	No. FTDate
Rock pressure_	lbsh	rs. NAME OF SE	RVICE COMPA	ANY	
0i1	bbls., 1st 24 h	rs. COAL WAS EN	NCOUNTEREL	) AT	_FEETINCHES
Fresh water_	feetfe	eetFEET	INC	HES	_FEETINCHES
Salt water	feetfe	eet FEET	INC	HES	_FEETINCHES
	s urt Rig #4				

Remarks:

TD 131/4 hole 270' ran 6 jts 103/4 csg set 263.5 KB Cement Hughes 150 sacs class A neat 3% cacl 1/4 lb per sac off celeflake plug dowm 7 am .

5 21 84

Juny 3- [103/08/2023

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

# INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS	. 22		1
FARM	The second section of the second second section of the second section of the second se	DISTRICT		OUNTY	ng residence som	
espal Ate	44 13 5 2 1 25 6 2 25 5 1 24 5 6	in a second of the second of t				
illing Material Used	The state of the s				-	
iner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE LEAD		CONSTRUCTION-LOCATION	RECOVERED SIZE		
					7	
				14 M. C.		
	· · · · · · · · · · · · · · · · · · ·	A The Annual Control of the Control	The state of the same of the s			
	. * ***					
100 100 100 100 100 100 100 100 100 100				was fire and was a second		
			with the second			
						de s
mers Names	and the second s	and the second exception of an article of		and the second s	and an appropriate and a start for starting	
marks:			The state of the s		The professional property of the party of th	
marks:				4		Profession of the Party of the

#### DEPARTMENT OF MINES





# INSPECTOR'S PLUGGING REPORT

Liner Location PLUGS USED AND DE		DISTRICT	adversa, in the second	COUNTY Ja	ckson	
Liner Location PLUGS USED AND DE			at			
PLUGS USED AND DE						
		Amount	Packer	Location	1	
CEMENT-THICKNESS W	EPTH PLACED		BRIDGES	CASIN	G AND TUE	BING
	VOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOST
				None	103/4	263.5
			SERVER TO THE SERVER SE			
	•					
	The second secon					
		Anterna de la c				
	7928 18 10					
						PPS-PS-greaters. In white response residual section
Prillers' Names			#1			And the state of t
ct					a di <u>ante grossel hins fo</u> en hinsson et an hinfort anno è	Hills parallel fill a comment of the state o
Remarks:			and the second of the second o			
The second section is a second			376 Spotted plug 24 alt sand set cement			nt,
Gel to 328	cemen	t to surga	ace. will set monume	nt when r	ig is	off.
Coment by	DI Humb	oo ffinial	and 1.70 am E 21. 01.			
cement by	Do nugne	es lilnisi	ned 1;30 am 5 24 84			

\_ I hereby certify I visited the above well on this date.

#### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

# INSPECTOR'S WELL REPORT

rermit No.			The right of the state of the s	Oil or	Gas Well	
Company		CASING AND TUBING	USED IN DRILLING	LEFT IN	PACK	ERS
Address		Size		9		
Farm		16			Kind of Pac	ker
Well No		13				
District	County	81/4			Size of	
		65%			Depth set_	
		5 3/16				
	Total depth	3			Perf. top	
Date shot	Depth of shot	2		3	Perf. bottom	4
Initial open flow	/10ths Water inInch	Liners Used	•		Perf. top Perf. bottom	
Open flow after tubing	/10ths Merc. inInch				Terr. botton	I american de la composition della composition d
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SER	RVICE COMPA	NY		
	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INCH	ES	_FEET	INCHES
Salt water	feetfeet	FEET.	INCH	ES	FEET	INCHES
Drillers' Names			1-1-2-1-50	1		
		UKR I I A. I				
Remarks:						

09/08/2023

FORM IV-4(B)	FILE COPY
Obverse	
8-83	
MEG	
101/2(6	1517777
1911	26 V 1510
99	201111
Nov-	7111
TAGAT	3 100



1)	Date:	May 29	)		, 19_84
2)	Operator's Well No.	KEM	-	547	0'De11
3)	API Well No.	47	-	035	- 1954-F
		State		County	Permit

STATE OF WEST VIRGINIA
OFFICE OF OIL AND GAS, DEPARTMENT OF MINES

0.											
EDIL (	GAS DI										
CHI	L TYPE: K	VISION X		C	/ Liquid	la la atlan		Wasta dispos	al	,	
4) WEL	L Dike:	I I I I I I I I I I I I I I I I I I I			/ Underg					Shallow	Y A
5) LOC	ATION:	Elevation:	Production	720		ned:		Low Gar			
) LUC.	ATION:	District:			County		kenn	Quadrai			rnoo1
) WEI	I OPEDAT		er Expl.	and Min	ing Co.	7) DESIGN					1 0001
		.O. Box						Sam		dares	(
			od, WV	26164			11 CSS				
OIL			O BE NOTIF		1.36	9) PLUGGI	ING CON	TRACTOR	St. 31		4.000 2.00
Name	_ Jerr	y Tepha	bock			Name _	Cli	nt Hurt	9 - 100		
Ad	dress Rt	. 1, Bo	x 101-A			Addres	ss P.O	. Box 38	38		A
			V 2527				<u>Elk</u>	view, W	1		
Rec Top Top	eived v of Ber of Sal	erbal a ea = 23 t Sands	pproval	to plug KB	lugging this well is and abandon		m Depa	rtment c	of Oil	l and G (M	as 5/23/8 ike Liwi
) Run	8.7 bb	1 Class	% Gel fr A cemen	om 2300'	1 from 2436 KB to 1678' C1 from 167	KB				L F	. \( \)
) Run	8.7 bb	1 Class	A cemen 6% Gel f	om 2300' it, 2% Ca from 1578 i, 2% CaC		KB 8'KB to 1 KB. KB to sur	578'KB face.	to plug	g Salt	Sands DIV	JUN 2 1984
) Run ) Run	8.7 bb	1 Class	A cemen 6% Gel f A cement	om 2300' it, 2% Ca from 1578 i, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur	578'KB face.	to plug	g Salt	Sands	22
) Run ) Run	8.7 bb 110.5 32 bb1	1 Class	A cemen 6% Gel f A cement	rom 2300' it, 2% Ca from 1578 it, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur	578'KB	to plug	g Salt	TS ands	2 1984
) Run ) Run	8.7 bb 110.5 32 bb1	1 Class	A cemen 6% Gel f A cement	rom 2300' it, 2% Ca from 1578 it, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur	578'KB	to plug	g Salt	I Sands  I Sands  DF MINE	2 1984
) Run ) Run	8.7 bb 110.5 32 bb1	1 Class	A cemen 6% Gel f A cement	rom 2300' it, 2% Ca from 1578 it, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur	578'KB	to plug	g Salt	I Sands  I Sands  DF MINE	2 1984 L
) Run	8.7 bb 110.5 32 bbl	1 Class	A cement 6% Gel f A cement	rom 2300' it, 2% Ca from 1578 it, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur	578'KB	to plug	g Salt	I Sands  I Sands  DF MINE	2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
Permit nu	mbernit covering as subject to the sual permitt	ol Class bbl of Class 47-035- the well ope the conditioned work has	A cement 6% Gel f A cement  -1954-P  rator and wel commenced.)	rom 2300' it, 2% Ca from 1578 it, 2% CaC	KB to 1678' Cl from 167 'KB to 342' l from 342'	KB 8'KB to 1 KB. KB to sur BONLY PERMIT  Ce of permission Notification mo	face.	May 23	Date cordance rict Oil a	with the pend Gas Ins	1984 19 Sertinent legal re
Permit nu Phis permit nu perfore act	8.7 bb 110.5 32 bb 7  mber nit covering as subject to total permitt  The reve	d1 Class bbl of Class class class dbl of Class dbl of Class dbl of Class dbl	A cement 6% Gel f A cement  -1954-P  rator and wel commenced.)	I location showherein and on libed in the No	KB to 1678' C1 from 167 'KB to 342' I from 342' OFFICE USE PLUGGING with the reverse hereof.	KB 8'KB to 1 KB. KB to sur EONLY PERMIT  ce of permission Notification mu	face.	May 23 to plug in accent to the Distributions and	Date cordance rict Oil a	with the pend Gas Insons on the	1984 19 sertinent legal repector 24 hour
Permit nu Chis permitirement	8.7 bb 110.5 32 bb 7  mber nit covering as subject to total permitt  The reve	d1 Class bbl of Class class class dbl of Class dbl of Class dbl of Class dbl	A cement 6% Gel f A cement  -1954-P  rator and well ons contained commenced.) ork is as descr	I location showherein and on libed in the No	KB to 1678' C1 from 167 'KB to 342' I from 342' OFFICE USE PLUGGING with the reverse hereof.	KB 8'KB to 1 KB. KB to sur BONLY PERMIT  Ce of permission Notification mo	face.	May 23 to plug in accent to the Distributions and	Date cordance rict Oil a	with the pend Gas Insons on the	1984 19 sertinent legal repector 24 hour
Permit nu Phis permit nu perfore act	8.7 bb 110.5 32 bb 7  mber nit covering as subject to total permitt  The reve	d1 Class bbl of Class class class dbl of Class dbl of Class dbl of Class dbl	A cement 6% Gel f A cement  -1954-P  rator and well ons contained commenced.) ork is as descr	I location showherein and on libed in the No	KB to 1678' C1 from 167 'KB to 342' I from 342' OFFICE USE PLUGGING with the reverse hereof.	KB 8'KB to 1 KB. KB to sur EONLY PERMIT  ce of permission Notification mu	face.	May 23 to plug in accent to the Distributions and	Date cordance rict Oil a	with the pend Gas Insons on the	1984 19 sertinent legal repector 24 hour
Permit nu Permit nu Permit experiment experi	8.7 bb 110.5 32 bb 7  mber nit covering as subject to total permitt  The reve	d1 Class bbl of Class 47-035- the well ope the conditioned work has permitted worse hereof. May	A cement 6% Gel f A cement 4 cement 4 cement 4 cement 4 cement 4 cement 5 cement 6 c	I location showherein and on bed in the No	KB to 1678' C1 from 167 'KB to 342' I from 342' OFFICE USE PLUGGING who below is evident the reverse hereof. tice and Applicationunless	KB 8'KB to 1 KB. KB to sur EONLY PERMIT  ce of permission Notification mu	face.  face.  and a granted to ust be give to any mode menced property.	May 23 to plug in accent to the Distributions and ior to that dat	Date cordance rict Oil a d condition and produce and p	with the pend Gas Insons on the	1984 19 sertinent legal repector 24 hour
Permit nu Chis permiturement efore act  Bond: Black	mber	the well ope the condition of work has permitted wo	A cement 6% Gel f A cement 4 cement 4 cement 5 cement 6 c	I location showherein and on bed in the No	KB to 1678' C1 from 167 'KB to 342' I from 342' OFFICE USE PLUGGING with the reverse hereof. tice and Application unless	KB 8'KB to 1 KB. KB to sur EONLY PERMIT  ce of permission Notification mu	face.  face.  and a granted to ust be give to any mode menced property.	May 23 to plug in accent to the Distributions and	Date cordance rict Oil a d condition and produce and p	with the pend Gas Insons on the	1984 19 sertinent legal repector 24 hour

#### OFFICE USE ONLY

#### PERMIT MODIFICATIONS AND CONDITIONS (IF ANY) TO THE PROPOSED PLUGGING

OFFICE USE ONLY	A HIGH THE PERSON OF THE PROPERTY OF THE PROPE
This part of Form IV-4(b) is to record the dates of certain occurrences and any follow-up inspec	ctions.
Date	Date(s)

All the second s	Date		Date(s)
Application received	I	Follow-up inspection(s)	
Plugging started	OFFICE OSE ONLY	"	
Plugging completed	FEUGGING PERMIT	" "	
Well Record received			0-11

# OTHER INSPECTIONS of shadoos or guid or bothing notestaned to compute stayout revolutionary to the role rate of the stayout and the stayout the stayou

Reason:			The second second			
onditions on the	ny modifications and c	ium, pless subject to a	re Notice and Applicat	h ni todnikob za riski	The aermitted wit	
Reason:						



File

FORM TV-4(B) THE COLY



1)	Date:	May 20		_, 19
2)	Operator's Well No.	KāM	- 547	O'Dell
3)	API Well No.	49 -	035	- 1054-
		State	County	Permit

#### STATE OF WEST VIRGINIA OFFICE OF OIL AND GAS, DEPARTMENT OF MINES

# APPLICATION FOR A PERMIT TO PLUG AND ABANDON A WELL

5)	WELL TYPE: A Oil / Gas / Liquid injection / Waste disposal /  B (If "Gas", Production / Underground storage) / Deep Shallow /)  LOCATION: Elevation: Watershed: / County: / County: / DESIGNATED AGENT /  WELL OPERATOR Address / Liquid injection / Waste disposal /  Watershed: / Deep Shallow /)  Address Address / Address / DESIGNATED AGENT /  Address Address / DESIGNATED AGENT
	OIL & GAS INSPECTOR TO BE NOTIFIED  Name
W	CORK ORDER: The work order for the manner of plugging this well is as follows:  Received verbal approval to plug and abandon well from Department of Oil and Gas 5/23/  White Lie is a solution of Salt Sands = 1680' KB  10 3/4" casing set at 253; KB
123	Run 12 bbl Class A cement, 2% CaCl from 2436'KB to 2300'KB to plug Berea.  Run 54.4 bbl of 6% Gel from 2300'KB to 1578'KB  Run 8.7 bbl Class A cement, 2% CaCl from 2678'KB to 1578'KB to plug Salt Sands.  Run 110.5 bbl of 6% Gel from 1578'KB to 342'KB.

47-035-1954-P

May 23, 1986

# INSTRUCTION TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of IV-4(b) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified (which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Mines, Office Oil & Gas).

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not represented the operator will proceed to plug and fill said well in the manner required by Section 10, Article 4, Chapter 22 of the Code and given in detail on obverse side of this application.

**NOTE:** If you wish this well to be plugged according to 22-4-10(d) then as per Regulation 17:05 you must complete and return to this office on IV-16 "Request by Coal Operator, Owner, or lessee for plugging under Code 22-4-10(d)" prior to the issuance of this plugging permit.

State of West Virginia

sasmo

Notary Public,

Jackson

[8-83]



### State County Permit 2) Operator's Mell No. (EM-547 3) APT Well No. 47 1) Dece: May 29 78 6T

DEPT, OF MINES OIF & GAS DIVISION

1984 T 3 NOC

304-273-5371

Telephone

TIM Y NOOM	WEA ONA ;	TO PLUC	MOLIDOTTA	M TO TOTTO
SENION &	D INTERNE	VACO 'SV	OUL MAD G	D ZOLLIO
	CIMIY	HIA JEEN	AD TIMES	

Ravenswood, WV 26764	commussion expires 8/30 , 19 93 .
Address P. O. 80x 8	. 48 el , mul lo yab al al
	33487.A.Z
Its General Manager	
BY	exator in my County and State by
0	s Notice is signed on behalf of the Well
OPERATOR Kaiser Exploration and Mining	bas of mrows bas beilited and sworm to and
TIM	solicit art no notasmotri art lo num a
an or training to female to less an among a	mnistrator.
at before the day of mailing or delivery to the	plication, and the plat have been mailed by registered or or ned above (or by publication in certain circumstances) on o
In the attached form IV-6. Copies of this Notice, the	cation described on the attached Application and depicted or
sertiment of Mines, with respect to the well at the	ministrator of the Office of Oll and Gas, West Virginia Dep
edt ding flag a nobrada bra pulg of timmed a tol sins	STITES SUITS MOLTOS SUR MODIFICALTON SUR SCOOMSSILATING GOODING
To alil or esecond retained well operator proposes to file or	Take notice that under Chapter 22 of the West Virginia O
	A, YOU ARE NOT REQUIRED TO TAKE ANY ACTION AT ALL.
APPLICATION (FORM IV-4 (B) DESIGNATED FOR YOU. HOW-	THE "INSTRUCTIONS" ON THE REVERSE SIDE OF THE COPY OF THE
E KICHLE KECKEDING THE APPLICATION WHICH ARE SUMMRIED	THE REASON YOU RECEIVED THESE DOCUMENTS IS THAT YOU HAVE
the plugging work order; and	(1) The Application to Plug and Abandon a Well on Form work, and describes the well and its location and t (2) The plat (surveyor's map) showing the well location
off in bevious satting parties involved in the VI—4(B). which sets and the plucquing work order;	THE PERSON(S) NAMED ABOVE: You should have received this min (1) The Application to Plug and Abandon a Well on Form work, and describes the well and its location and to The plat (surveyor's map) showing the well location (2)
off in bevious satting parties involved in the VI—4(B). which sets and the plucquing work order;	(1) The Application to Plug and Abandon a Well on Form work, and describes the well and its location and t
off in bevious satting parties involved in the VI—4(B). which sets and the plucquing work order;	(1) The Application to Plug and Abandon a Well on Form work, and describes the well and its location and t
Address Form and the following documents:  The fill work out the parties involved in the the plucquing work outer; and	(1) The Application to Plug and Abandon a Well on Form Work, and describes the well and its location and t
Form and the following documents:  IV-4(B), which sets out the parties involved in the the plucquing work outer; and	THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form work, and describes the well and its location and t
Memoral Medical Solution of the following documents:  Torm and the following documents:  TV-4(B), which sets out the parties involved in the the plucquing work outer; and	THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form (1) work, and describes the well and its location and t
None Name None Address  Torm and the following documents:  IV-4(B), which sets out the parties involved in the the plucquing work and	THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form work, and describes the well and its location and it
Address  Name None None None Address  Address  Address  Address  Torm and the following documents:  IV-4(B), which sets out the parties involved in the the plucquing work order; and	THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form work, and describes the well and its location and it
None Name None Address  Torm and the following documents:  IV-4(B), which sets out the parties involved in the the plucquing work and	Address  Add
Address  Name None None None Address  Address  Address  Address  Torm and the following documents:  TV-4(B), which sets out the parties involved in the the plucquing work outs; and	Address Address Address Address Address THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form  (1) The Application to Plug and Abandon a Well on Form  work, and describes the well and its location and it
Address  Name None None None Address  Address  Address  Address  Torm and the following documents:  TV-4(B), which sets out the parties involved in the the plucquing work outs; and	Name Address  Address
Name Address Address Name None None None Address  None None None Address  A	Address Address Address Address Address THE PERSON(S) NAMED ABOVE: You should have received this The Application to Plug and Abandon a Well on Form  (1) The Application to Plug and Abandon a Well on Form  work, and describes the well and its location and it
Name Mone Address Address Address  Mame Name Name None Address  None None Address  Address  None None Address	Address Rt. 21 South  Name  Address  Ad
Name Address Address Name None None None Address  None None None Address  A	Address Rt. 21 South  Name  Address  Ad
(ii) COAL OWNER(S) WITH DECLARATION ON RECORD:  Address Address  A	Address Rt. 21 South  Name  Address  Ad
Address  Name None  Manne  Man	Address Rt. 21 South Address Rt. 21 South Address  Name Address  A
Address  Name None  Manne  Man	Address Rt. 21 South Address Rt. 21 South Address  Name Address  A
Address  Name None  Name None  Name  Address  Address  Address  Address  Address  Address  Address  Address  Name  Name  Name  Address  Name  Address  Address  Address  Address  Porm and the following documents:  Form and the following documents:  Porm and the following documents:  Prom and the following documents:	Name Burke, Parsons & Bowlby Corp. Address Rt. 21 South Address  Name Address  Name  Address
S(i) COAL OPERATOR WITH DECLARATION ON RECORD:  Name None  Address  Address	Address Rt. 21 South Address Rt. 21 South Address  Name Address  A

See the reverse side for line item instructions and the plat, sec.

OIL & GAS DIVISION

4861 & IVON

County,

# INSTRUCTIONS TO APPLICANT

#### CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
  - 4) Surface owner(s) of record to be served with Notice and Application.

    However, see also Code § 22-4-lm(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
  - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.

### CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-1k and Regulation 7.02 provide that the original and two copies of the Application must be filed with the Administrator, accompanied by (i) an original and four copies of the Notice, (ii) an original and four copies of a plat in the form prescribed by Regulation 11, and (iii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-9.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code §§ 22-4-lm and 22-4-9.

Delphia M. O'Dell et al Kaiser Exploration and Mining Co. 1/8 of prevailing 175/49 field price 175/725 187/1 186/28

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

AFFIDAVI	IT OF	ALUGGING	AND	FILLING	WELL
1 3 1 500	1 1 10 1 10 1 1		AIND	FILLING	VVFII

None		Kaiser Exploration a	and Mining	Company
COAL	PERATOR OR OWNER	NAME OF WELL	OPERATOR	
	OIL & GAS DIVISION	P. O. Box 8 Ravenswo	ood, WV	26164
None	MEPT. OF MINE			
***************************************	PERATOR OR OWNER	November 21 WELL AND LO	OCATION	<b>19</b> 84
	ADDRESS	Ravenswood		District
Burke Parsons	& Bowlby			1001100
LEASE O	R PROPERTY OWNER	Jackson		County
	Ripley, WV 25271			
	ADDRESS	Well No. KEM 547-Delph	ia O'Dell	
		47-035-1954	D-11 -1	,
		Delphia M. O'	Dell, et a	1⊥Farm
STATE INSPECTOR S	SUPERVISING PLUGGING Jerr	ry Tephabock		
CTATE OF WEST	AFFID	AVIT		
STATE OF WEST				
County of Jackso	ss:	Clint Hurt & Asso	ciatos. Di	~ #2 ~
Larry	Moore a	Walter Morgan	crates; Ri	.g #2 crev
being first duly swe	orn according to law depose a	and say that they are experi		1 6
plugging and Citing	oil and gas wells and were emp	and the they are experie	cheed in the	WOLK OL
was commenced on and filled in the foll	the 23 day of May owing manner:	, 19.84, and that	the well was	plugged
SAND OR ZONE RECORD	FILLING MATERIAL	PLUGS USED	CA	BING
FORMATION		BIZE A KIND	CeG	CSG
FORMATION	Cement Surface - 328	10 3 ///" ccc	PULLED	LEFT IN
FORMATION	Cement Surface - 328'	10 3/4" csg.		
	Gel 328' - 1580'		PULLED	LEFT IN
	Gel 328' - 1580' 'Cement 1580' - 1680'		PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300'		PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' 'Cement 1580' - 1680'		PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'		PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300'		PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'  Total Depth 2436'	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'  Total Depth 2436'	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	LEFT IN
alt sand top 1680	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED	253" -85
alt sand top 1680 erea top 2376'  COAL SEAMS	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	PULLED -0-	253" 253"
alt sand top 1680 erea top 2376'  COAL SEAMS	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	10 3/4" csg.	NOF MONUME	253" 253"  Face with
alt sand top 1680 erea top 2376'  COAL SEAMS  (ME)	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	DESCRIPTION 7" casing 30"	DN OF MONUME above sur KEM 547 Pl	253" 253"  Face with ugged
alt sand top 1680 erea top 2376'	Gel 328' - 1580'  'Cement 1580' - 1680'  Gel 1680' - 2300'  Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc	DESCRIPTION: 5-24-84 API 4	DN OF MONUME above sur KEM 547 Pl 7-035-1954	-85. ENT face with ugged
COAL SEAMS  COAL SEAMS  (ME)  AME)  and that the work  May	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc by law  of plugging and filling said w , 19 84.	Tribed  Tribed  Tribed  7" casing 30"  inscription:  5-24-84 API 4  Kaiser Explor	DN OF MONUME above sur KEM 547 Pl 7-035-1954 ation and	253"  253"  Face with ugged  Mining Co
COAL SEAMS  COAL SEAMS  (ME)  and that the work  May  And further dep	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc by law  of plugging and filling said w 19 84 onents saith not.	DESCRIPTION:  7" casing 30" inscription: 5-24-84 API 4 Kaiser Explor  Yell was completed on the  Larry More	DON OF MONUME above sur KEM 547 pl 7-035-1954 ation and 24th	253" 253"  Face with ugged  Mining Co  day of  09/08/20
COAL SEAMS  COAL SEAMS  (ME)  and that the work  May  And further dep	Gel 328' - 1580' Cement 1580' - 1680' Gel 1680' - 2300' Cement 2300' - 2436'  Total Depth 2436'  Erect monument as presc by law  of plugging and filling said w , 19 84.	DESCRIPTION:  7" casing 30" inscription: 5-24-84 API 4 Kaiser Explor  Yell was completed on the  Larry More	DN OF MONUME above sur KEM 547 Pl 7-035-1954 ation and 24th	253" 253"  Face with ugged  Mining Co  day of  09/08/20



# State of West Virginia

# Department of Mines Gil and Gas Division Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT January 25, 1984



OIL & GAS DIVISION
DEPT. OF MINES

COMPANY Kaiser Exp. & Mining Co.	PERMIT NO035-1954-P
P. O. Box 8	FARM & WELL NO <u>Burke-Parsons-Bow1by</u> #KEM-547
Ravenswood, West Virginia 26164	DIST. & COUNTY Ravenswood/Jackson
	IN COMPLIANCE
RULE DESCRIPTION	Yes No
23.06 Notification Prior to Starting Work 16.01 Required Permits at Wellsite 17.02 Method of Plugging 18.01 Materials used in Plugging 23.02 Maintained Access Roads 25.01 Necessary Equipment to Prevent Waste 23.04 Reclaimed Drilling Pits 23.05 No Surface or Underground Pollution 17.06 Statutory Affidavit 7.06 Parties Responsible 7.05 Identification Markings	
I HAVE INSPECTED THE ABOVE CAPTIONED WELL AND	D RECOMMEND THAT IT BE RELEASED:
	SIGNED Juny 2 Topholoch
	DATE 128 35
Your Affidavit of Plugging was received and namber The well designated by the above permit number	Administrator-Oil & Gas Division February 8, 1985
	DATE

