FORM IV-2(B) (Obverse) 7-83



1)	Date:	June	13	19 84
2)	Operator's Well No.	(900 34)	KEM 599	FORM IV-
3)	API Well No.	47 - (35 - 1975	and the same of th
		Ctata	Country	D

	011.0	STATE OF WEST VIRGINIA						
	Oil &	GADEPARTMENT OF MINES, OIL AND GAS DIVISION						
D		TE APPLICATION FOR A WELL WORK PERMIT						

				V	an non	A A COUNTY OF BUILDING	THE THEORY OF A S	NACHT ARTERIA	A con coord
4) WELL TY								DEFFICATIONS	
			Production 86				torage		_/ Shallow/)
5) LOCATIO		vation: trict:		The water on the	2			Quadrangle: _	(0361)
o were or								AGENTR.	
		Box 8		<u> </u>	ring c	.0. 43330			A. Pryce
Address			d. WV	261.6/				P.O. Box 8 Ravenswood,	WV 26164
8) OIL & GA			THE RESERVE AND ADDRESS OF THE PARTY OF THE				9) DRILLING CO		NV ZOTOT
Name		Tepha		IED			Name Cli		
		THE PERSON NAMED IN COLUMN	Box 101	Δ			Address	P.O. Box 3	00
Address	, Ri	nlev	WV 2	5271			Address	Elkview. W	
			Drill_X		D-:11		/ D.J.:11		DIVIET STATE
0) PROPOSE	D WELL V	VORK:				deeper	ate new formation_	/ Stimulate	TANK PROPERTY
							ate new formation_		Me
1) 6501.06	CAL TAR	SET FOR				ell (specify)	nian Brown S	halo	11N 2 7 1984
1) GEOLOG	ated depth o						irrair brown 3	nare	3011 - 1
	ated depth o oximate trata			B1 / A			N/A	feet.	OIL & GAS DIVISIO
,	oximate trata						al being mined in the	Ieel.	DEPT. OF MIN
5) CASING				N/A		15 CO	ar being innied in the	area: res	DE PA- OF MIL
account to the second	AND TUBIL		IFICATIONS			FOOTAGE II	NTERVALE	CEMENT FILL-UP	PACKERS
CASING OR TUBING TYPE	1		Weight	. 1			1	OR SACKS	PACKERS
- 15 x 5x	Size	Grade	per ft.	New Us	ed	For drilling	Left in well	(Cubic feet)	The state of the s
Conductor	10 2//	П		V		ara / toal	250 400'	150 1 01	Kinds
Fresh water	10 3/4			X		250 700	250 400	150 sks Cla	s A (to surface)
Coal	711			V		2507	2507	65 cks 50/5	Sizes 100 also 6
ntermediate	7"			X		2597	2597	225 aka 50/5	pozmix,100 sks (
Production	4 1/2			X		4512	4512	223 SKS 50/	50-poemix
Tubing						APRO SATIONS CO.			
Liners				0.0					Perforations:
		REGISTER	501 GIF 8	iones va	8 0 6 3	n occurrence:	81418167 OF COTES	DE 010001 01 21 10	Top Bottom
							- 68		
	Mark 1	and the same of th		- ALC 32-88			Date		
				Junitosa	OI	FFICE USE C	ONLV		bevious neitenilgaz
		0 0 Q 3F			THE PERSON NAMED IN	RILLING PE		agram amendra Gray	to make the control of the
					-	MEELING I E		Market III is a series	Well work started
			Permit number 47-035-1975					July 9,	19 84
ermit number_	47-	035-19	975						
ermit number_	47-	035-1	975	ile Jar				Dat	Completion of the drills
his permit cov	ering the we	ell operato	or and well					d to drill in accordar	ce with the pertinent legal re-
This permit covering the coveri	ering the we	ell operato	or and well contained h	erein and	on the re	everse hereof. No	tification must be giv	d to drill in accordar	ce with the pertinent legal re- and Gas Inspector, (Refer to
This permit covoluirements subject. 8) Prior to t	ering the we ect to the co	ell operato onditions o	or and well contained he	erein and one one and pits	on the re	everse hereof. No	tification must be given In addition, the we	d to drill in accordar	ce with the pertinent legal re- and Gas Inspector, (Refer to
This permit covoluirements subject. 8) Prior to the district oil and g	ering the we ect to the cohe construct	ell operato onditions of tion of ros r 24 hours	or and well contained he ads, location before act	erein and one one and pits tual permit	on the re s for any tted work	everse hereof. No permitted work. k has commenced	tification must be given in addition, the weed.)	d to drill in accordar ven to the District Oil ll operator or his con	and Gas Inspector, (Refer to tractor shall notify the proper
This permit covuluirements subjusted to the control of the control of the coverage of the permitted with the	ering the we ect to the cohe construct	ell operato onditions of tion of ros r 24 hours	or and well contained he ads, location before act	erein and one one and pits tual permit	on the re s for any tted work	everse hereof. No permitted work. k has commenced	tification must be given in addition, the weed.)	d to drill in accordar ven to the District Oil ll operator or his con	ce with the pertinent legal re- and Gas Inspector, (Refer to
This permit covuluirements subjuct. o. 8) Prior to the district oil and go the permitted we werse hereof.	ering the we ect to the cohe construct gas inspector	ell operato onditions of tion of ros r 24 hours	or and well contained he ads, location is before act the Notice	erein and one one and pits tual permit	on the re s for any tted work	permitted work. k has commenced plat, and reclama	tification must be given in addition, the we did.) ation plan, subject to	d to drill in accordar ven to the District Oil Il operator or his con o any modifications a	and Gas Inspector, (Refer to tractor shall notify the proper
This permit coverage of the permitted we everse hereof.	ering the we ect to the cohe construct gas inspector	ell operato onditions c tion of ros r 24 hours scribed in	or and well contained he ads, location is before act the Notice	erein and one one and pits tual permit	on the re s for any tted work	permitted work. k has commenced plat, and reclama	tification must be given in addition, the we did.) ation plan, subject to	d to drill in accordar ven to the District Oil Il operator or his con o any modifications a	and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the prosecuted with due diligence.
This permit coviquirements subjusted to the permitted we everse hereof.	ering the we ect to the cohe construct gas inspector work is as designed.	ell operato onditions of tion of ros r 24 hours scribed in	or and well contained he ads, location is before act the Notice	erein and one and pits and pits and permit and Appli	on the re s for any tted work ication, p	everse hereof. No permitted work. k has commenced plat, and reclamaunless well	tification must be given in addition, the we did.) ation plan, subject to	d to drill in accordar ven to the District Oil Il operator or his con o any modifications a	and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the prosecuted with due diligence.
This permit coverage of the permitted we everse hereof.	ering the we ect to the cohe construct gas inspector	ell operator on dition of ros r 24 hours scribed in y 9,	or and well contained hads, location is before act the Notice 1986	erein and one one and pits tual permit	on the re s for any tted work	everse hereof. No permitted work. k has commenced plat, and reclamaunless well	tification must be given in addition, the we did.) ation plan, subject to	d to drill in accordar ven to the District Oil Il operator or his con o any modifications a	and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the
This permit cov quirements subj to. 8) Prior to t district oil and g The permitted we everse hereof.	ering the we ect to the cohe construct gas inspector work is as designed.	ell operator on dition of ros r 24 hours scribed in y 9,	or and well contained he ads, location is before act the Notice	erein and one and pits and pits and permit and Appli	on the re s for any tted work ication, p	everse hereof. No permitted work. k has commenced plat, and reclamaunless well	tification must be given in addition, the we did.) ation plan, subject to	d to drill in accordar ven to the District Oil Il operator or his con o any modifications a	and Gas Inspector, (Refer to tractor shall notify the proper and conditions specified on the prosecuted with due diligence.

NOTE: Keep one copy of this permit posted at the drilling location.

SURFACE OWNER'S COPY



1)	Date:	Ju	ine 13	as a change	, 19_8	4 第二時
	Operator's	A	KE	M 599		
2386	Well No API Well N	0 47	***		and the second second	

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY					/				_/ ShallowX/)
	· 在1000000000000000000000000000000000000	1834 134 35 SE	SECRETARY AND PROPERTY AND			Watershed:		Lowing ap Run	_/ ShallowA/)
5) LOCATIO	Service Tone Age 2 will be seen	evation: strict:	Photography and School St. St.	Charles No. of Cont. of Cont.	A STREET, STRE	科學於於#國際的學術於一個的學術以及中華的	Property of the second of the	Quadrangle:	Liverpool
6) WELL OP	A STATE OF THE PARTY OF THE PAR	Control of the Contro	total latest and appropriate	AND DESCRIPTION OF STREET	A STATE OF THE PARTY OF THE PAR			ED AGENT R.	
Address	A STATE OF THE PARTY OF THE PAR	Box	100 ST 100 ST 170 ST	医 中国的第三人称单			Address	P.O. Box B	
Address	A STATE OF THE STA	enswoo	NAME OF THE OWNER, OF	200 A 100	64		Address	Ravenswood.	WV 26164
8) OIL & GA		Company Magazina (Magazina)	TO BERT SHOWN CONTRA	Tolder of a Triffic and	in the said	Decide Later A. C.	9) DRILLING	CONTRACTOR	经分别的 化电影电影 医电影
Name	Charles and the second of the second	Commence Commence	STATE OF THE PARTY	4834	Control Code Code		Name C	A DECEMBER OF THE PROPERTY OF THE PERSON OF	主义 共和国等等为
Address	For the surface to the second	and the second second second second second	Box 10	14			Address	Market State of Control of Contro	88
	ALCOHOLD SEAL TRANSPORTER	foley.	WV	2527	148.84			Elkview, W	V A A A A A A A A A A A A A A A A A A A
10) PROPOSE			2.1 第四次的环境区。	U	/ Drill	deener	/ Padrill	/ Stimulate_	X
iu) PROPOSE	D WELL	WORK.			公司的 是2000年	The state of the s	forate new formatio	EN SELECTION DE NOMBRE DE SELECTION DE SELEC	·····································
			Company of the state of the sta	STATE OF THE PARTY	HER SECTION FOR THE SECTION	n well (specify)_			
U) GEOLOGI	CAL TAR	GET FOR	MATION	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		De	vontan Brown	Shale 5	NECELIVE
12) Fetime	ted denth	of complet	ed well.		4519	fe	et January 4		AROGO A CELL
						feet; s		feet.	
14) Appro	Conference Standards						coal being mined in t	he area? Yes	JUN 27 1984
5) CASING						Carrier Car	the Maria Maria Arthur		- SUMBION
CASING OR	1	THE RESERVE	IFICATION	S	1	FOOTAG	E INTERVALS] CEMENT FILL-UP	OIL & GAS DIVISION
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	PPT OF MINES
Conductor		1003.000		12000	2 No. 7 No. 6		A RATE TO A		Kinds
Fresh water	10 3/	R	710000	X	486	250	250	150 sks Cla	ss A (to surface)
Coal	ACCORD	der hijd	-0.00	- 396	- 11692	· · · · · · · · · · · · · · · · · · ·	and the second second	e de la companya della companya della companya de la companya della companya dell	Sizes
Intermediate	74	Sec. Sec.	120000	¥	16.30	2507	2597	65 sks 50/5	pozmix,100 sks Cl
Production	41/	pa San	44000	Y	HOAR	4512	4512	225 sks 50/	o Bepan Qezmix
Tubing	7.50	0.50		100					
Liners				1	- u				Perforations:
Spile Talk Co.	- 14	4.4			Harris II				Top Bottom
a for at the Salar	100000	一位的身	Part Sta		SACE.				Transconding to the second
的现在分词,他们们可以有一个大大的。	-	TOTAL STREET, STREET		Control of the Contro	MARKET HALL COME	TO A STATE OF THE PARTY OF THE	THE RESIDENCE OF THE PROPERTY OF THE PARTY O	CONTRACT BRANCH FLANCIS BROKE PURE AND ADMINISTRATION OF THE PROPERTY OF	The second secon
	多比斯	CONTRACT.		一类的	一種發展的	建筑建筑	ed system as		□ 持体を再とり記憶器の参数


The law requires a comment period for surface owners. However, the permit can be issued in less than 15 days from the filing of the Application if the surface owner(s) of record sign(s) the following "Voluntary Statement of No Objection" on a facsimile of this surface owner's copy of the Application.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by corporation, partnership, etc.)	(For execution by natural persons)
NAME:	
By	Date:
Its Date	



IV-9 (Rev 8-81)



DATE June 7, 1984
WELL NO. KEM 599


State of Mest Wirginia

API NO. 47 -035 - 1975


Bepartment of Mines Gil und Gas Division


CONSTRUCTION AND RECLAMATION PLAN

COMPANY NAME Kaiser Exploration and Mi	ning Co DF	SIGNATED AGENT P A Pryce
		Address Same
Telephone 273-5371		Telephone 273-5371
LANDOWNER Burke, Parsons and Bowlby C		
		loration and Mining Company (Agent)
This plan has been reviewed by	. 1	
and additions become a part of this pla	4	1-84
and districted recent a part of this plan	***	(Date) DECEIVE
	210	iren G. Leose
		(SCD Agent) JUN 27 1984
ACCESS ROAD		LOCATION OIL & GAS DIVISION
Structure Cross Drains	(A)	Structure Top Divers Por Dotch MINE
Spacing 80; 135; 60; 80; 135; 45; 135;	135; 60;6	OMaterial Earthen
Page Ref. Manual 2 - 4		Page Ref. Manual 2 - 12
Structure Drainage Ditch	(B)	Structure (2)
Spacing Earthen		Material []
Page Ref. Manual 2 - 12		Page Ref. Manual
Structure Road Culvert	(C)	Structure DR & (3)
Spacing Size on sketch		Material 33 6
Page Ref. Manual 2 - 7		Page Ref. Manual 20
All structures should be inspected commercial timber is to be cut and s cut and removed from the site before	tacked and	and repaired if necessary. All all brush and small timber to be begins.
R	EVEGETATIO	N
Treatment Area I		Treatment Area II
Lime 4 Tons/acr	e	Lime Same as area I Tons/acre
or correct to pH		or correct to pH
Fertilizer 14-14-14 600 lbs/acre (10-20-20 or equivalent)		Fertilizer lbs/acre (10-20-20 or equivalent)
Mulch Hay 2 Tons/acr		Mulch Tons/acre
Seed* 81% Orchard Grass/15% Rylashacre		Seed*lbs/acre
Kentucky 31 Fescue 16 lbs/acre		lbs/acre
Red Clover 8 lbs/acre		lbs/acre
*Inoculate all legumes such as vetch Inoculate with 3X recommended amount.	, trefoil	and clovers with the proper bacterium.
	FLAN FRE	FARED BY Vincent Wood 09/08/2023
NOTES: Please request landswhere's cooperation to protest new	244	APDRESS 116 Pfost Avenue
seedling for one growing season. Attach separate sheets as		Ripley, WV 25271
necessary for comments		272 2700



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





FORM	IV-2(A)
Obver	se
[8-83]]

1)	Date:	June	13	,19 84
2)	Operator!	S		

Well No. KFM 599

3) API Well No. 47 - 035 - 1975

State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

		NOTICE OF APPLICATION	IN FOR A WELL	WORK PERMIT	
4) SU	RFACE OWN	JER(S) OF RECORD TO BE SERVED		COAL OPERATOR	
(i)	Name Bu	rke, Parsons and Bowlby Corp		Address	
(ii)	Address Name Address	Rt. 21 South P. O. B Ripley, WV 25271 Rupert,	ox 4216 [WV 25 9 841)	COAL OWNER(S) Name Address	WITH DECLARATION ON RECOR
(;;;)	Name -			Name	
()	Address			Address	
	_		5(iii)	COAL LESSEE WI	ITH DECLARATION ON RECORD:
The second	Name of the last o			Address	
Concentration of	7	and the same	8		
	UN 2 ± 1984	TO THE PERSON(S) NAMED ABOVE: You show to be plugged, which sets out and describes the well and its cementing program; (2) The plat (surveyor's map) show to plug a well), which sets out the construction and Reclamating the construction for the site and a reclamation for the site and a show the construction for the site and the construction for the	the parties involved location and, if appring the well location on Flan on Form IV-2 the plan for experient	-2(B) (or Form IV-4 if d in the drilling or copplicable, the propose on on Form IV-6; and	the well is ther work, d casing and
		THE REASON YOU RECEIVED THESE DOCUMENTS OF THE THE THE THE THE TIME THE THE THE THE THE THE THE THE THE TH	MENTS IS THAT YOU HA		
		Take notice that under Chapter 22 erator proposes to file or has filed the for a Well Work Permit with the Administ Department of Mines, with respect to a and depicted on attached Form IV-6. Construction and Reclamation Plan have by hand to the person(s) named above (obefore the day of mailing or delivery to before the day of mailing or delivery to Check and provide one of the following Included is the lease or leases on I hold the right to extract oil The requirement of Code 22-4-1-(c) 7) ROYALTY PROVISIONS Is the right to extract, produce or mor other contract or contracts provide for compensation to the owner of the coto the volume of oil or gas so extract	restricted and Application of the Office well at the location pies of this Notice, been mailed by registry by publication in the Administrator. The Administrator. The Continuing of the Conti	ation and accompanying of Oil and Gas, West described on attached the Application, the tered or certified maccertain circumstances) ontract or contracts be see reverse side for specific acceptance of the contract of the certain circumstances of the	y which JUN 27 1984 we calculate the constraint of the constraint
		If the answer above is No, no you may use Affidavit Form IV-60.	thing additional is	needed. If the answer	
		See the reverse side for line it the required copies of the Notic Reclamation Plan.	em instructions, and e and Application, p	for instructions conclust, and Construction	perning and
Notice and signed in my this	ce and Apsworn to ed on behavior of the country found of the country for the c	the information on the oplication is verified and the Notice is alf of the Well Operator and State by 1984 ion expires August 30, 1993.	By Its Addi	General Manage cess P.O. Box Ravenswood	8
	otary Publicate of	lic, <u>Jackson</u> County, WEst Virginia			09/08/2023

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-l2a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- (1) the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc.

Delphia M. O'Dell Et.Al. Kaiser Expl. & Mining Co. 1/8th in prevailing 175/725 field price 187/1 186/28

Royalty

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

COUNTY OF JACKSON :
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of— (1) Notice on Form IV-2(A) × / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) × / Form IV-3(B) / Form IV-4(B) / (3) Plat snowing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well) all with respect to operator's Well No. 12-599 located in
Ravenswood District, Jackson County, West Virginia, upon the person or organization named
BurkE, PARSONS, Bowley, Corp
on the 15th day of $\frac{\sqrt{198+1000}}{\sqrt{198+1000}}$ County, State of $\frac{600}{\sqrt{198+10000}}$ county, State of $\frac{600}{\sqrt{198+10000000}}$
- [COMPLETE THE APPROPRIATE SECTION]
For an individual: [] Handing it to him / her / or, because he / she / refused to take it when I offered it, by leaving it in his / her / presence.
[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of about of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership: [] Handing it to partnership or, because the partner refused to take it when I handed it over, by leaving it in the presence of the partner.
For a limited partnership: [] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation: [Manding it to the corporation's employee Mofficer / director / attorney in fact / named Pan Deem.
(Signature of person executing service)
JUN 2 1 1984
Taken, subscribed and sworn before me this 18th day of June , 1984. OIL & Myscommission expires Oct 29, 1993 EFT. OF MINES
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE) Notary Public COMMISSIONER F09/08/2023E OF WV



IV-35	1111	
Rev 8-81)	1////	
	< W , .	0



State of Mest Wirginia

Bepartment of Mines Bil und Gas Bivision

Date	11/	05/84		
Opera	ator	's		
Well	No.	KEM	599	
Farm	0'	Dell		

WELL OPERATOR'S REPORT

OF

11 11 1	OF	DEC 1-3-1984
1. 11.	DRILLING, FRACTURING AND/OR STIMULATING, OR PHYS	STCAT CHANCE
1,0	/	OIL & GAS DIVISION
WELL TYPE:	Oil/ Gas_x/ Liquid Injection_/ Waste Disp (If "Gas," Production_x/ Underground Storage/	
LOCATION:	Elevation: 862 Watershed Low Gap Run	
	District: Ravenswood County Jackson Quadra	ngle_Liverpool

COMPANY Kaiser Exploration and Mining Co.					•
ADDRESS P. O. Box 8 Ravenswood, WV 26164 DESIGNATED AGENT R. A. Pryce	Casing	Used in	Left	Cement fill up	
	Tubing	Drilling	in Well	Cu. ft.	
ADDRESS Same SURFACE OWNER Burke-Parsons-Bowlby Corporation	Size 20-16 Cond.	9			
ADDRESS Rt. 21 South, P. O. Box 231, Ripley, WV MINERAL RIGHTS OWNER Delphia O'Dell	-13-10" ^{3/4}	552	552	250 sks class A	
ADDRESS	9 5/8				
OIL AND GAS INSPECIOR FOR THIS WORK Jerry	8 5/8	· · · · · · · · · · · · · · · · · · ·		175 -1 5	0.45.0
Tephabock ADDRESS Ripley, WV 25271	7	2537	2537	175 sks 5 100 sks c	lass A
PERMIT ISSUED	5 1/2			225 sks	
DRILLING COMMENCED 7/23/84	4 1/2	4505	4505	50/50 poz	
DRILLING COMPLETED 7/29/84	3				
IF APPLICABLE: PLUGGING OF DRY HOLE ON CONTINUOUS PROGRESSION FROM DRILLING OR REWORKING. VERBAL PERMISSION OBTAINED ON	Liners used				
GEOLOGICAL TARGET FORMATION Devonian Brown Shale		Dept	h 4395-45	16 feet	

GEOL	OGICAL TARGET FORMATION Devonian Brown Shale	Depth 4395-4516 feet
	Depth of completed well 4512 feet Rota	ry x / Cable Tools
	Water strata depth: Fresh N/A feet; Sal	t N/A feet
	Coal seam depths: N/A Is	coal being mined in the area? NO
OPEN		Drilled on fluid - not known
	Producing formation Devonian Brown Shale	Pay zone depth 4394-4516 feet
	Gas: Initial open flow 0 Mcf/d Oil	
	Final open flow 241.1 Mcf/d	Final open flow 0 Bbl/d
	Time of open flow between initial	
	Static rock pressure 1275 psig(surface me	asurement) after 72 hours shut in
	(If applicable due to multiple completion)	09/08/2023
	Second producing formation	Pay zone depth feet
	Gas: Initial open flow Mcf/d Oil	: Initial open flow Bbl/d
	Final open flow Mcf/d Oil	
	Time of open flow between initial	
	Static rock pressure psig (surface mea	

(Continue on reverse side)

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

8/02/84 NL McCullough perf Shale 17 holes (.41" dia) from 4106-4395. 8/03/84 NOWSCO foam frac Shale. Used: 60,000 lbs 20/40 sand; 750 mscf total N2; 316 bbls total fluid.

WELL LOG

FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Soil and Shale	0	195	
Sand	195	225	
Shale and Siltstone	225	628	
Sand	628	710	
Shale	710	777	
Sand	777	804	
Shale and Siltstone	804	1222	
Little Tunkard Sand	1222	1304	
Shale Big Tunkard Sand Shale	1304 1384	1384 1888	
Salt Sands	1813	1954	
Big Lime (Greenbrier)	1954	2054	
Shale	2050	2081	
Big Injun Sand	2081	2132	
Shale	2132	2486	
Coffee Shale	2486	2509	
Berea Sand	2509	2510	
Shale	2510	3767	
Brown Shale	3767	4495	
Shale	4495	4515	
Total Depth	4515		
		1	
		1	1

(Attach separate sheets as necessary)

Well Operator

By: KAISER EXPLORATION AND MINING COMPONO 8/2023

Date: November 12, 1984

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including and, encountered in the drilling of a well."

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION

Company Kaiser Exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN	PAC	CKERS
Address	Size				
Farm	16			Kind of Pa	icker
Well No. Kem 599	13			Size of	2004
DistrictCounty_Jackson	81/4			Diac VI	
Orilling commenced 7 23 84	6%			Depth set_	
Orilling completedTotal depth	3			Perf. top_	
Date shotDepth of shot	_ 2			Perf. botto	m
nitial open flow/10ths Water inIn	ch Liners Used				
Open flow after tubing/10ths Merc. inInc	eh			Perf. botto	m
/olumeCu. F	t. CASING CEME	NTED	SIZE	No. FT	Date
Rock pressurelbs,hr	NAME OF SER	VICE COMPA	NY		•
bbls., 1st 24 hr	s. COAL WAS EN	COUNTERED	AT	_FEET	INCHES
resh waterfeetfe	et FEET_	INCH	ES	_FEET	INCHES
alt water feet fee	et FEET_	INCH	ES	FEET	INCHES
Orillers' Names Hurt Rig #4 Archer					Maria de la companya

7 23 84 Spud Date 11:00Am TD 131/4 hole 582' 5:00 pm ran 13 jts 103/4 csg cement by noscoe to surface 250 sks class a neat 3% cacl 1/4 lb per sk celloflake plug down 8:15 pm cement weight 15.2 lb. Good return to surface.

Jeng 7 09/08/2023

7 23 84

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS							
	ADDRESSCOUNTY									
ARM										
illing Material Used	-				responsible to					
iner Loc	ation	Amount	Packer	Location						
PLUGS USED A	PLUGS USED AND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING				
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS				
· · · · · · · · · · · · · · · · · · ·										
					1					
	• 100		•			-				
				-						
			the state of the s			LATO SATERAÇÃO DE SERVICIO POR ESCUENTA				
rillers' Names										
				nation committee that a state of an analysis agreement against the state of the sta						
emarks:				and the second districts of the second secon						

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

Oil or Gas Well_____

Permit No. 035 1975

Company Kaiser Expl	oration	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACE	ERS
Address		Size				
FarmOdell	en 190 Postor do Exporte estad de estad	16			Kind of Pac	ker
Well NoKel	m 599	13			Size of	
District	_County_Jackson	81/4			Size of	
Drilling commenced		6%		-	Depth set	Market and the second s
Drilling completed	_Total depth	3			Perf. top	
Date shotDe	pth of shot	2			Perf. botton	
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	1
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
lock pressurelb	hrs.	NAME OF SEF	RVICE COMPA	NY		
0:1		COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh waterfee	etfeet	FEET_	INCH	ES	_FEET	INCHES
alt waterfee	etfeet	FEET_	INCH	ES	_FEET	INCHES
Orillers' Names Hurt Ri	g #4 Archer					

Remarks:

7 26 84 TD 91/2 hole 2577 8 00pm Ran 62 jts 7' csg set 2548 noscoe cemented 175 sks 50/50 poz 10/% salt 1/4 lb per sk flocele plug down 6:00 am 7 27 84

7 27 84 WOC.

7 27 84

Jensy ~ Tepho 09/08/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.				***	II No		
OMPANY			ADDRESS			1.214	
ARM	The state of the s	DISTRIC	TC	OUNTY	z w zask		
800 × 1 × 100							
illing Material Used							
iner Loc	eation	Amount	D. J.				
		Amount	Packer	Location			
	ND DEPTH PLACED		BRIDGES	RECOVERED SIZE		ND TUBING	
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS	
					1		
				-			
× 200 00 00 00 00 00 00 00 00 00 00 00 00			The first property of the second				
	S						
	4. XV 1. 4 V.		The second of th				
illers' Names		var sankisana sa	S. A.		8		
				Control of the Contro			
marks:			and the second s				
			10 mm				
	1.1						
DATE	hereby certify I vi	sited the above	ve well on this date.				

menal And Andrea

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. OF MINES

Permit No.			\$	Oil or Gas Well			
Company Kasier	Exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS		
Address		Size					
Farm_Odell		16	(1.00 (1.00		Kind of Packer		
Well No. Ko	em 599	13		30	Size of		
District	County_Jackson	81/4			Size of		
Drilling commenced		6%			Depth set		
	Total depth	5 3/16			D-d-t-		
Date shot	Depth of shot	2			Perf. bottom		
Initial open flow	/10ths Water inInch	Liners Used			Perf. top		
Open flow after tubing	/10ths Merc. inInch				Perf. bottom		
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FTDate		
Rock pressure	lbshrs.	NAME OF SER	VICE COMPA	NY			
Oil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEETINCHES		
Fresh water	feetfeet	FEET_	INCH	ES	FEETINCHES		
Salt water	feetfeet	FEET_	INCH	ES	FEETINCHES		
Drillers' Names							
Remarks:							

Drilling 61/4 hole at 3712' at 7:37 pm.

7 28 84

July /2009/08/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS			
ARM		DISTRICT		OUNTY		
illing Material Used					138	
iner Loc	eation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASING AND TUE		BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED SIZE		
				-		
					-	P
				1.		
			2000			
			4			-
illers' Names						
				·		
marks:			and the second of the second of the	*	•	,

Permit No. 035 1975

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



INSPECTOR'S WELL REPORT

OIL & GAS DIVISION
DEPT. of MINES

Permit No. OD 1777		Gas Well	3		
Kaiser Exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKE	ERS
Address	Size		80 8 5,080 8 10 10 10 10 10 10 10 10 10 10 10 10 10		
FarmOdell	16	<u> </u>		Kind of Pack	er
Well No	10			Size of	
DistrictCounty_Jackson	81/4				
Drilling commenced	6%			Depth set	
Drilling completed 7 29 84 Total depth 4512	5 3/16 3			Perf. top	
Date shotDepth of shot	2			Perf. bottom	
Initial open flow/10ths Water in Inch	Liners Used		And the state of the state of the state of	Perf. top	
Open flow after tubing/10ths Merc. in Inch				Perf. bottom	
VolumeCu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure lbs hrs.	NAME OF SER	VICE COMPA	NY		
Oilbbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	_FEET	_INCHES
Fresh water <u>feet</u> feet	FEET_	INCH	ES	FEET	_INCHES
Salt water feet feet	FEET_	INCH	ES	FEET	_INCHES
Drillers' Names		2			

Remarks:

7 29 84 Td 4512 4:00 am ran 112 jts 41/2 csgset 4515 kb noscoe cement 225sks 50/50 poz 10% salt 12.5 lb per sk gilsonite plug down 6:00 pm

7 29 84.

7 30 84 moving off.

7 30 84

Jeny Tepl09/08/2023

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY			TRICTCOUNTY				
ARM		DISTRICT.					
lling Material Used							
ner Loc	ation	Amount Packer		Location			
	ND DEPTH PLACED		BRIDGES		CASING AND TUBING		
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	Los	
					4		
				-			
	The state of the s			-			
	•						
	77 9 20						
	V	1380 11 11					
	· · · · · · · · · · · · · · · · · · ·						
illers' Names							
				The second second second second	And in contrast of the last of		

I hereby certify I visited the above well on this date.

DATE








OIL & GAS DIVISION
DEPT. OF MINES

State of West Virginia Department of Mines Oil and Gas Division Charleston 25305

FINAL INSPECTION REPORT
INSPECTORS COMPLIANCE REPORT

COMPANY	Kaiser Exploration & Mining Corp. PERMIT NO 035 1975						
	P. 0. Box 8	FARM & WELL NO _	Kem 599				
	Ravenswood, WV 26164	DIST. & COUNTY _	Jackson				
		TN C	OMPLIANCE				
RULE	DESCRIPTION	YES	NO				
23.06	Notification Prior to Starting Work	x	The state of the s				
25.04	Prepared before Drilling to Prevent	Waste X					
25.03	High-Pressure Drilling						
16.01	Required Permits at Wellsite	X					
15.03	Adequate Fresh Water Casing	X					
15.02	Adequate Coal Casing						
15.01	Adequate Production Casing	X					
15.04	Adequate Cement Strenght	X					
15.05	Cement Type	X					
23.02	Maintained Access Roads	X					
25.01	Necessary Equipment to Prevent Waste	· ·					
23.04	Reclaimed Drilling Pits	X					
23.05	No Surface or Underground Pollution	ing Pinelines X					
23.07	Requirements for Production & Gather	ing Pipelines X					
16.01	Well Records on Site						
16.02	Well Records Filed						
7.05	Identification Markings	X					
I HAVE I	NSPECTED THE ABOVE CAPTIONED WELL AND	RECOMMEND THAT IT	BE RELEASED:				
			7 / 1 1 1				
		SIGNED \	2 Teshalors				
		770	11 01				
		DATE / 11	14 84				
with Cha	1 record was received and reclamation pter 22, Article 4, Section 2, the above for the life of the well.						
		1-11	1				
		Administrator-Oi	1 & Gas Division				
		Janua	ry 25, 1985				
		DATE					



FORM IV-2(B) COAL OWNER'S COPY



1)	Date:	June	13	, 19 84
2)	Operator's Well No		KEM 599	
3)	API Well No.	47		7
		State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

5) LOCATION		If "Gas",	Productio	n	χ	/ Underground s	torage	/ Deep	_/ Shallow ¥ /)
		evation: _						LowBan Run	
		strict:						Quadrangle:	
6) WELL OPI	ERATOR	Kaise	er Exp	1. &	Mining			AGENT	
Address	P.6). Box	8				Address	P.O. Box 8	
	Ray	zenswoo	od, WV	26	164			Ravenswood	WV 26164
8) OIL & GAS	S INSPEC	TOR TO	BE NOTI	FIED			9) DRILLING CO	ONTRACTOR:	
Name			The state of the s				Name	int Hurt	
Address	_ P	t. 1,	Box 10	DIA			Address	P.O. Box	188
	_ 8	dipley,	, WY	2527	1			Elkview, 1	IV
0) PROPOSE	D WELL	WORK:	Drill	X	_/ Drill	deeper	/ Redrill	/ Stimulate	X /
			Plug of	f old	formation_		ite new formation_		
						well (specify)			
1) GEOLOGI	CAL TAR	GET FOR	MATION	,		Devo	nian Brown	Shale	
12) Estima									
13) Approx	ximate trat	a depths:	Fresh, _	N/	2	feet; salt,	NIA	feet.	
14) Approx	ximate coa	l seam dep	ths:	N/	A			area? Yes	/ No
5) CASING A	ND TUBI	NG PROC	GRAM	147					
CASING OR		SPEC	CIFICATIONS	3	- 11	FOOTAGE IN	TERVALS	CEMENT FILL-UP	PACKERS
TUBING TYPE	Size	Grade	Weight per ft.	New	Used	For drilling	Left in well	OR SACKS (Cubic feet)	
Conductor									Kinds
resh water	10 3/	त् ।s		X		250400	260 400	150 sks Cla	Control of the Contro
Coal							100 m	130 SKS UIG	ss A (to surface
ntermediate	7"			X		2507	25.07	65 sks 50/8	0 pozmix.100 sks
roduction	41/	28		X		AE19	2007 4510	£25 sks 50/	Depths set
ubing						4917	4014	ALU BRO DUI	Deptins set
iners		•							Desc.
									Perforations:
									Top Bottom
			11101	RUCI	10NS 10 (COAL OPERATO	D OHLINDS		
a	of this App T V	olication by	operator, by Code § by the Departing waiver corded a d	coal ow 22-4-3 rartment must be	vner(s), and must be filed be complete	coal lessee are her d with the Departn	ient of Milles Within	y objection they wish fifteen (15) days after all owner or coal lessed ued within fifteen (15)	the receipt
The undersigned	of this App	The following the following the has reconstructed the following the foll	operator, by Code § by the Deparing waiver corded a d filling of t	coal ow 22-4-3 rartment must be eclaration the App	vner(s), and must be filed be complete on under Collication.	coal lessee are her d with the Departn d by the coal oper ode §22-4-20, if th WAIVER	eby notified that an nent of Mines within ator and by any coa e permit is to be issi	y objection they wish fifteen (15) days after all owner or coal lessed ued within fifteen (15)	the receipt
The undersigned	or this App	The following the hole of the following the has received and the half of the h	operator, by Code § by the Deparing waiver corded a defiling of t	coal ow 22-4-3 r artment must be eclaration	vner(s), and must be filed be complete on under Collication.	coal lessee are her d with the Departn d by the coal oper ode §22-4-20, if th WAIVER	eby notified that an nent of Mines within ator and by any coa e permit is to be issi	y objection they wish fifteen (15) days after all owner or coal lessed ued within fifteen (15)	the receipt
The undersigned imined this properties of the control of the contr	coal opera	The following th	operator, by Code § by the Deparing waiver corded a defiling of t	coal ow 22-4-3 in artment must be eclaration the App	vner(s), and nust be file be complete on under Colication. owner ts which cov done at thi	coal lessee are her d with the Departn d by the coal oper ode §22-4-20, if the WAIVER	eby notified that an nent of Mines within ator and by any coa e permit is to be issi	y objection they wish fifteen (15) days after all owner or coal lessed ued within fifteen (15)	the receipt
The undersigned	coal opera	The following th	operator, by Code § by the Deparing waiver corded a defiling of t	coal ow 22-4-3 in artment must be eclaration the App	vner(s), and nust be file be complete on under Colication. owner ts which cov done at thi	coal lessee are her d with the Departn d by the coal oper ode §22-4-20, if the WAIVER	eby notified that an nent of Mines within ator and by any coa e permit is to be issi	y objection they wish fifteen (15) days after all owner or coal lessed ued within fifteen (15)	the receipt