

		State	Cour	ity	Permit
3)	API Well No.		035 -	1978	
2)	Operator's Well No.	Y900 KE	M 589	(H)C. V	Lydios
1)	Date:	June 3	.1	, 19	84

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

A) WEIT	TVDE	011			V		WORK I ERIV	<u></u>	
4) WELL	I IPE: A	Oil	11. 5	Gas	X	ONS OF ANY)	ND CONDITIO	UFICATIONS A	TOM TIMETE MOT
5) LOCAT		1	, I Toute		- / \	/ Undergroun	d storage	/ Deep	/ Shallow/)
3) LOCAI		Elevation:		819 rant	1	Watershed:	McGr	aw Run To	3656)
6) WELL	OPEDATO	District: _	er Eyn	l R.	Minin	g Co. 25550		Quadrangle:	
Addr	PACC	PO	Box 8	1. Q	minim	9 60. 2350	7) DESIGNAT	EDAGENT R. A	. Pryce
, idui			nswood	1.11/	261	<u> </u>	Address	P.O.	Box 8
8) OIL & C	GAS INSPE	CTOP TO	O DE NO	WV	261	64		D	
Name	Jerry	Tenhal	O BE NO	IFIED			9) DRILLING	CONTRACTOR: Clint	78164
Addre		Rt.	1, Box	101	Δ	Augustalian I	Name	Clint	Hurt
		Ripl	ley, WI	NO MARK WILLIAM	5271		Address		30x_388
10) PROPOS	SED WELL				100	The same of the sa		Elkvi	WIND COSTIVE
		ORK.	CONTRACTOR OF THE PARTY OF THE	The second second	_/ Dri		/ Redrill	/ Stimulate	M
			Other	nhyeica	Lohanas	on/ Perfo in well (specify)	rate new formation	n/	1111 0 7 4004
11) GEOLOG	GICAL TAR	GET FO	RMATIO	V	Orisk	an v			JUN 27 1984
12) Estin	nated depth	of comple	eted well.		5209	Manage Auto Carlo			OIL & GAS DIVISION
13) Appr	roximate tra	ta depths:	Fresh.			reet			
14) Appr	oximate coa	il seam de	pths:				, <u></u>	feet.	DEPT. OF MINE
15) CASING	AND TUB	NG PRO	GRAM			Is co	al being mined in th	e area? Yes	/ No/
CASING OR TUBING TYPE	1	SPE	CIFICATION	S		FOOTAGE	interaction of		rac sac
TODANG TITE	Size	Grade	Weight per ft.	New	Used	FOOTAGE I	NTERVALS	CEMENT FILL-UP OR SACKS	PACKERS
Conductor					Cseu	For drilling	Left in well	(Cubic feet)	
Fresh water	10 3/4	11		X		250 350	05626		Kinds
Coal						60 JSC	250 350	150 sks Clas	s A (to surface)
Intermediate	711			X		2309	2200		Sizes
Production	4 1/2	(Bis.		X		5209	2309	65 sks 50/5	D pozmix, 100sks Cla
Tubing Liners						PRINCE ONLY	5209	225 50/50 po	ZBejtik set
Liners									Professional Control of the Control
		sections	ani qua	rollat	vas b	a recentrences a	state in many		Perforations:
	A CONTRACTOR OF THE PARTY OF TH						THE HISTORY	M DIOTECOTO H	Top Bottom
	URL	-		to the same			24.03		
						MANUAL TO A THE STATE OF THE ST	218(1)		
200			- 1	Moin	comin-	Lighting The I			
	A STATE OF	15 - 1 1 200	ST CONTRACTOR			OFFICE USE OF	NLY		Amelication received
	47.0	25.1	ba Calle ş		D	RILLING PER	MIT		20 shoke shift
ermit number	4/-0	35-19	78	darby (ff)					Well work started
is normit								July 16,	19 84
irements subject	ing the well	operator	and well l	ocation	shown b	elow is evidence of	normiesis	Date	Completion of the drill
. 8) Prior to the	construction	of road	ntained he	rein and	d on the r	everse hereof. Notif	ication must be give	to drill in accordance	with the pertinent legal re- nd Gas Inspector, (Refer to
strict on and gas	inspector 2	4 hours b	efore actu	al nern	ittad	y permitted work. I	n addition, the well	Operator or his seed	nd Gas Inspector, (Refer to
e permitted wor	k is as descr	ibed in th	ne Notice a	nd An	liantion	whas commenced.)			conditions specified on the
erse hereof.	T1171	16 1	000	ma App	meation,	plat, and reclamatio	on plan, subject to a	iny modifications and	conditions specified
mit expires	July	10, 1	.986	1000		unless well wo	rk is some	Marie Marie free com	specified on the
Company of the Company		1/				amess well wo	ik is commenced pr	ior to that date and pro	osecuted with due diligence.
Bond:	Agent: 2	Pla	t: (Casing	Fe				OTHER INSPECTION
BLANKET	Un	In	12 1		96				
	XI	11/1	UM	141	63	3 7	20	1	Reason
			4				1 /axan	x4 1 1	12.
TE: Keep one	copy of this	permit -	osted at a			1	Administ	rator Occi	asse
	.,						11	rator, Office of Oil a	nd Gas
		See the	reverse sid	e of the	APDI 14	CANTIE CONT	U		00/00/000
			310	or th	APPLI	CANT'S COPY for	instructions to the	well operator.	09/08/2023

IV-9 (Rev 8-81)



DATE	June 11, 1094	
WELL NO	VEM 500	

State of Mest Mirginia API NO. 47-035


Department of Mines Bil und Gas Division

CONSTRUCTION AND RECLAMATION PLAN


COMPANY NAME Kaiser Exploration and	Mining Co	DESIGNATED AGENT	Same	
Address P. O. Box 8, Ravenswood,		마마는 하는데 소녀와 하는 스타리 그릇이 그렇게 하는데 되는데 없네를 하다.		
Telephone 273-537]		Telephone		
LANDOWNER BERNARD LOCKH			STRICT Wester	n
Revegetation to be carried out by	THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER, THE PERSON NAMED IN COLUMN 2 IS NOT THE OWNER,			
This plan has been reviewed by and additions become a part of this p	nlane	-11 = 84	_SOD. All corre	ctions
The second a part of this i	pran:	Date		
	8	aven B. Fees	2	
		(SCD Agent)		
ACCESS ROAD		I	OCATION	
Structure Cross Drains	_ (A)	Structive To	Diversion Ditch	1 (1)
Spacing . 45', 250', 60'		Material		(1)
Page Ref. Manual 2 - 4		•	al 2 - 12	
		auge ner. Pariti	2 - 12	
Structure Drainage Ditch		Structure		(2)
Spacing Earthen	_	Material_		
Page Ref. Manual 2 - 12	-	Page Ref. Mamus	ป	- In-
Structure Road Culverts	(C)	Structure		4
Spacing 20" Diameter		Material		(3)
Page Ref. Manual 2 - 7		Page Ref. Manua		
All structures should be inspecte commercial timber is to be cut and cut and removed from the site befor	d regularl stacked an e dirt wor	and repaired if all brush and so begins.	necessary. All mall timber to be	
	REVECEPATIO	N		
Treatment Area I		(Proposite		
or correct to pH 4 Tons/acr	re	Lime	ment Area II	
lartilian and		or correct to	PH	ns/acre
(10-20-20 or equivalent)	3	Fertilizer 14-1	4-14 600 lbs	s/acre
ulch Hay 2 Tons/acr	æ	(20 20	or editivatient	=)
eed 81% Orchard Grass/15% Ryelbs/acre		The same of the sa	2 Ton	s/acre
Red Clover 8 lbs/acre		01% Urchar	d Grass/15%Ryabs	/acre
lbs/acre		Kentucky 3	1 Fescue 1161bs	
		Red Clover	8 lbs	/acre
*Inoculate all legumes such as vetch, woulate with 3X recommended amount.	, trefoil d	nd clovers with t	the proper bacter	ium.
	FIAN PREE			
MOTES: Please request landouners!			it Wood	/08/2 023
cooperation to man-in-	Y	TDRESS 116 Pf	ost Avenue	
Attach separate sheets as		Ripley	, WV 25271	
necessary for comments.	7.50	E NO. 372-27		
		-	(, in) (,	


ATTACH OR PHOTOCOPY SECTION OF INVOLVED TOPOGRAPHIC MAP. QUADRANGLE LIVERPOOL

Well Site Access Road —



ketch to include well location, existing access road, roads to be constructed, wellsite, drilling pits and necessary structures numbered or lettered to correspond with the first part of this plan. Include all natural drainage.





FORM IV-2(A) Obverse [8-83]

1)	Date:	June	11	,1984
2)	Operator's			,

2) Operator's Well No.

KEM 589

3) API Well No. 47-035-1978
State County Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OFFICE OF OIL & GAS

	NOTICE OF APPLICATION E	FOR A WELL WORK PERMIT
4) SURFACE OWN	IER(S) OF RECORD TO BE SERVED	F (:) CO37
	ernard & Wilda Lockhart	Address
Address	Rt. 3, Box 109	
	Sandyville, WV 25275	5(ii) COAL OWNER(S) WITH DECLARATION ON RECORD:
(11) Name		Name
Address_		Address
(iii) Name -		Name
		Address
_		5(iii) COAL LESSEE WITH DECLARATION ON RECORD:
		Name
		Address
	TO THE PERSON(S) NAMED ABOVE: You should I	have received this Form and the following documents:
	(1) The Application for a Well Work Pe	Print on Form IV-2(P) (or Form TV 1 is at
	and describes the well and its loo	parties involved in the drilling or other work, cation and, if applicable, the proposed casing and
	(2) The plat (surveyor's map) showing	the well location on Form W. C. and
	(3) The Construction and Reclamation P	lan on Form TV-9 lunlogs the sell sends in a
	reclamation for the site and acces	
	THE REASON YOU RECEIVED THESE DOCUMENT	C TC MEAN WAY INTO DECEMBER OF THE PERSON OF
		ON THE REVERSE SIDE OF THE COPY OF THE APPLICATION HOWEVER, YOU ARE NOT REQUIRED TO TAKE ANY
		he West Virginia Code, the undersigned well op-
	Department of Mines, with respect to a well and depicted on attached Form IV-6. Copies Construction and Reclamation Plan have been by hand to the person(s) named above (or by before the day of mailing or delivery to the EXTRACTION RIGHTS Check and provide one of the following: Included is the lease or leases or other positions of the contract oil or a contract oil or	her continuing contract or contracts by which
	The requirement of Code 22-4-1-(c)(1)	through (4). (See reverse side for specifics.) L & GAS DIVISION
	7) ROYALTY PROVISIONS	DEPT. OF MINES
	or other contract or contracts providing	for flat call are based upon a lease or leases
	for compensation to the owner of the oil of to the volume of oil or gas so extracted,	
		g additional is needed. If the answer is Yes,
	See the reserve aid- 5-11	
	Reclamation Plan.	nstructions, and for instructions concerning d Application, plat, and Construction and
	the information on the	WELL
Notice and Ap	plication is verified	OPERATOR Kasier Exploration and Mining Co.
and sworn to	and the Notice is	
in my Country	alf of the Well Operator	By C. A. I'
in my County	1 2 =	ItsGeneral Manager
this day of	A Trice	Address P.O. Box 8
	ion expires 8/30 , 19 93 .	Ravenswood, WV 26164
	0	Telephone 273-5371
Notare Di	enese Carney	
Notary Pub	lic, Jackson County,	09/08/2023

State of West Virginia

INSTRUCTIONS TO APPLICANT

CONCERNING THE LINE ITEMS:

- 1) Date of Notice.
- 2) Your well name and number.
- 3) To be filled out by the Office of Oil & Gas.
- 4) & 5) Use separate sheet if necessary.
 - 4) Surface owner(s) of record to be served with Notice and Application. However, see also Code § 22-4-lb(b) if "more than three tenants in common or other co-owners of interest described in subsection (a) of this section hold interests in such lands".
 - 5(i) "Coal Operator" means any person, firm, partnership, partnership association or corporation that proposes to or does operate a coal mine.
- 5(ii, iii) See Code § 22-4-20.
 - 6) See Code § 22-4-11(c). However, in lieu of filing the lease(s) or other continuing contract(s), the Applicant may fill out the information in the space provided below.
 - 7) See Code § § 22-4-11(d, e).

CONCERNING THE REQUIRED COPIES FOR FILING AND SERVICE:

Filing. Code § 22-4-lk and Regulation 7.02 provide that the original and required copies of the Notice and Application must be filed with the Administrator, accompanied by (i) a plat in the form prescribed by Regulation 11, (ii) a bond in one of the forms prescribed by Regulation 12, or in lieu thereof the other security allowed by Code § 22-4-lk(d) and the reclamation required by Code § 22-4-l2b and Regulation 23, (iv) unless previously paid on the same well, the fees required by Code § 22-4-la(c) and 22-3-12a, and (v) if applicable, the consent required by Code § 22-4-8a from the owner of any water well on dwelling within 200 feet of the proposed well.

Service. In addition, service must be made on the surface owner(s) and the person(s) with an interest in the coal. See Code § § 22-4-lm, 22-4-2, 22-4-2a, and 22-4-2b.

INFORMATION SUPPLIED UNDER CODE § 22-4-11(d) IN LIEU OF FILING LEASE(S) AND OTHER CONTINUING CONTRACT(S)

Under the oath required to make the verification on the obverse side of this Notice, I depose and say that I am the person who signed the Notice for the Applicant, and that-

- the tract of land is the same tract described in the Application to which this Notice applies, partly or wholly depicted in the accompanying plat, and described in the Construction and Reclamation Plan;
- (2) the parties and recordation data (if recorded) for lease(s) or other continuing contract(s) by which the Applicant claims the right to extract, produce or market the oil or gas are as follows:

Grantor, lessor, etc. Grantee, lessee, etc. Royalty Book Page

Bernard & Wilda Lockhart Kaiser Expl. & Mining Co. 1/8th of prevailing

09/08/2023

field price

AFFIDAVIT OF PERSONAL SERVICE ON SURFACE OWNER

STATE OF West Va COUNTY OF GACKSON:
The undersigned, being first duly sworn, says that the undersigned served a true and complete copy of all sides of— (1) Notice on Form IV-2(A) × / Form IV-3(A) / Form IV-4(A) / (2) Application on Form IV-2(B) × / Form IV-3(B) / Form IV-4(B) / (3) Plat showing the well location on Form IV-6, and (4) Construction and Reclamation Plan on Form IV-9 (unless the application is to plug a well)
all with respect to operator's Well No. K-589 located in County, West Virginia, upon the person or organization names Beward fockhart & Wilda Jockhart
on the 18 day of June , 1989 in the manner specified below.
- [COMPLETE THE APPROPRIATE SECTION]
For an individual: [Manding it to him / hem / or, because he / she / refused to take it when I offered it, by leaving it in his / hem / presence.
[] Handing it to a member of his or her family above the age of 16 years named who resides at the usual place of abode of the person to be served, and asking the family member to give it to the person to be served as soon as possible.
For a partnership: [] Handing it to
For a limited partnership: [] Handing it to the general partner, named, or, because the general partner refused to take it when I tried to hand it over, by leaving it in the presence of the general partner.
For a corporation: FCETVariance in fact / named/ officer / director / JUN 27 1984 Wilao K Roy
OIL & GAS DIVISION (Signature of person executing service) EPT. of MINES
Taken, subscribed and sworn before me this 20 day of 1984. My commission expires 0.428,1993
Stephen to Kelly
(AFFIX SEAL IF NOTARIZED IF OUTSIDE THE STATE) Notary Public COMMISSIONER FOROS/08/2/02/30F WV

DEFT OF MINES



SURFACE OWNER'S COPY



3)	API Well No.	47		
2)	Operator's Well No.	KEM	589	
1)	Date:	Nune 11		, 19_84

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT


	PERATOR		Gra Expl.	int & M	ining	Watershed: _ County: Co .	Jackson 7) DESIGNATI	LD AGENT	Liverpool Pryce
Addres	-	P.O. 8 Ravens	ox 8 wood.	WV	26164		Address	P.O.	30x 3 Swood WV 26164
8) OIL & GA Name Address	Jerry T		ck , Box	101A	271		9) DRILLING (Name Address	CONTRACTOR int	furt ex 388
11) GEOLOG 12) Estim		GET FOR	Other p MATION ed well,	f old f hysical	change in Oris		rate new formation	on/	DECEIVE JUN 27 1984
13) Appre	oximate trat						t, NA	feet.	
13) Appre	oximate trat	seam dep	ths:			Is co	t, NA pal being mined in t INTERVALS Left in well		DEPT. OF MINE
13) Appro 14) Appro 15) CASING CASING OR	oximate trat oximate coal AND TUBI	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet)	DEPT. OF MINE
13) Appro	oximate tratoximate coal	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	5	.	Is co	pal being mined in t	he area? Yes CEMENT FILLUP OR SACKS	DEPT. OF MINE Kinds A (to surface)
13) Appro	oximate trat oximate coal AND TUBI	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New X	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet)	OINO & GAS DIVISION DEPT. OF MINE Kinds SE A (to surface) Sizes
13) Appro	oximate trat oximate coal AND TUBI Size	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet)	OINO & GAS DIVISION DEPT. OF MINE Kinds SE A (to surface) Sizes DOZMIX, 1005ks Clas
13) Appro	oximate trat oximate coal AND TUBI Size 10 3/4	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New X	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet) 150 sks Clas	OINO & GAS DIVISION DEPT. OF MINE Kinds SE A (to surface) Sizes
13) Appro 14) Appro 15) CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production	oximate trat oximate coal AND TUBI Size 10 3/4	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New X	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet) 150 sks Clas	OINO & GAS DIVISION DEPT. OF MINE Kinds SE A (to surface) Sizes DOZMIX, 1005ks Clas
13) Appro 14) Appro 15) CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	oximate trat oximate coal AND TUBI Size 10 3/4	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New X	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet) 150 sks Clas	OINO& GAS DIVISION DEPT. OF MINE Kinds Kinds A (to surface) Sizes Dozmix, 100sks Clas
13) Appro 14) Appro 15) CASING OR TUBING TYPE Conductor Fresh water Coal Intermediate Production Tubing	oximate trat oximate coal AND TUBI Size 10 3/4	seam dep NG PROC SPEC Grade	ths: GRAM IFICATIONS Weight	New X	.	FOOTAGE For drilling	Dal being mined in t	CEMENT FILL-UP OR SACKS (Cubic feet) 150 sks Clas	OINO GAS DIVISION DEPT. OF MINE Kinds SE A (to surface) Sizes Depths set Perforations:

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners on the reverse side of this Application for a Well Work Permit, and that I have received copies of (1) a Notice of Application for a Well Work Permit on Form IV-2(A), (2) an Application for a Well Work Permit on Form IV-2(B), (3) a survey plat on Form IV-6, and (4) a Construction and Reclamation Plan on Form IV-9, all for proposed well work on my surface land as described therein.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued based on those materials.

(For execution by corporation, partnership, etc.)	(For execution by natural persons)	
NAME:	Bernard Lockhart D	Pate: 6/18/84
Ву	Wilder Lookhast	Date: 6/18/84
ItsDat	(Signature)	ate:





STATE OF WEST VIRGINIA OIL AND GAS CONSERVATION COMMISSION CHARLESTON 25305

Theodore M. Streit, Administrator Department of Mines Office of Oil and Gas

RE: APPLICATION FOR PERMIT #47-035 - 1978 TO DRILL DEEP WELL
COMPANY: KAISER EXPLORATION AND MINING COMPANY
FARM: BERNARD AND WILDA LOCKHART
COUNTY:JACKSON DISTRICT:GRANT
The application of the above company is
The application of the above company is APPROVED FOR ORISKANY COMPLETION
(APPROVED - DISAPPROVED)
Applicant HAS complied with the provisions of Chapter twenty-two,
(APPROVED - DISAPPROVED) Applicant HAS complied with the provisions of Chapter twenty-two

- 2. Provided a tabulation of all deep wells within one mile of the proposed location, including the API number of the deep well, well name, and the name and address of the operator, and, None
- 3. Provided a plat showing that the proposed location is a distance of 427 feet from the nearest unit boundary and showing the following wells drilling to or capable of producing from the objective formation within 3,000 feet of the proposed location: None

Very truly yours,

Brett Loflin

Petroleum Engineer

THE PARTY OF THE P

IV-35 (Rev 8-81)

State of Mest Birginia

Bepartment of Mines Gil und Gas Bivision

Date 11/02/84						
Operator's						
Well No. KEM 589						
Farm Bernard Lockart						
API No.47 - 035 - 1978						

(Continue on reverse side)

WELL OPERATOR'S REPORT OF

DRILLING, FRACTURING AND/OR STIMULATING, OR PHYSICAL CHANGE

WELL T	YPE: Oil / Gas x / Liquid Injection (If "Gas," Production x / Undergrou	/ Wast	e Disposa e/ Dee	1/ p/ Sha	allowx /)	
LOCATIO	ON: Elevation: 819 Watershed Mc	,			Olssen-drugsteeme	
	District: Grant County Jacks		Quadrangl	e Liverno	0]	
			200000000000	CHIVELDO		
		e dagair sellen mengular kerinda mengular mengul				-
COMPANY	Kaiser Exploration and Mining Co.					
ADDRESS	S P. O. Box 8 Ravenswood, WV 26164	Casing	Used in	Left	Cement	7
DESIGNA	ATED AGENT R. A. Pryce	Tubing	Drilling		fill up Cu. ft.	
ADDRESS	Same	Size		- TI WCII	Cu. It.	-
SURFACE	CWNER Bernard and Wilda Lockart	20-16				
ADDRESS		Cond.		A CONTRACTOR OF THE PARTY OF TH	310 sks	1
MINERAL	RIGHTS OWNER Bernard and Wilda Lockart		772	772	class A	-
ADDRESS		9 5/8	- Managario College de College de Alberto de College de Alberto	m Crist Statement Conference S		-
OIL AND	GAS INSPECTOR FOR THIS WORK Jerry	8 5/8			175 sks 5	50/5
	ck ADDRESS Ripley, WV 25271	7	2317	2317	100 sks	las
	ISSUED 7/16/84	5 1/2	ner della comici è più de ci de manner i proprieta de menero quantita de	e a constitutiva e e e e e e e e e e e e e e e e e e e	225 sks	1
	IG COMMENCED 8/09/84	4 1/2	5289	5289	50/50 poz	2
	G COMPLETED 8/17/84	3				1
	JCABLE: PLUGGING OF DRY HOLE ON	. 2				
CONTINU	OUS PROGRESSION FROM DRILLING OR NG. VERBAL PERMISSION OBTAINED	Liners used				
(TOT 0.27)			MADE STATE OF THE		WARREST WITH COURT WEST PROPERTY.	1
	CAL TARGET FORMATION Oriskany Sandstone		Dept			
De	pth of completed well 5313 feet Ro	otary x	_/ Cable	Tools		
	ter strata depth: Fresh N/A feet;					
Co.	al seam depths: N/A	Is coal b	eing mine	d in the	area? No	
OPEN FLA	OW DATA	Drilled o	on fluid -	not know	n	
Pro	oducing formation Devonian Brown Shale	Pav	zone dept	h 4147-4	376 foot	
Ga	s: Initial open flow 0 Mcf/d (Dil: Init	ial open	flow 0	Db7 /3	
	Final open flow 216.5 Mcf/d	Fina	l open fl	UM 0	Db1/d	
	Time of open flow between initia	al and fin	al tests	4 hou	PDT/G	
Sta	atic rock pressure 1180 psig(surface	meagureme	nt) after	72 have	us 	
(I)	f applicable due to multiple completion-	1	arcer		9/08/2023	
			zona donti			
Gas	cond producing formationMcf/d (Dil. This	ial one	6)	reet	
	Final open flow Mas/a	orr: Titte	rar oben :	r TOM	Hp1/d	
	Final open flow Mcf/d (orr: Ling	T oben III	W	Bbl/d	
St	Time of open flow between initiation atic rock pressurepsig(surface material psig)	neasuremen	al tests_ t) after	hou	rs s shut :-	
		The same of the same of	The book	INUL	2 Sinc III	

12. 1771

DETAILS OF PERFORATED INTERVALS, FRACTURING OR STIMULATING, PHYSICAL CHANGE, ETC.

Oriskany Sandstone was water wet; well was plugged back and completed in the Devonian Brown Shale.

8/27/84 NL McCullough set permanent plug at 4510 and perf Brown Shale 20 holes (.39" dia) from 4147-4376.

8/28/84 NOWSCO foam frac Brown Shale. Used: 60,000 lbs 20/40 sand; 680 mscf total N_2 ; 310 bbls total fluid.

WELL LOG

	W	فللل لللك	
FORMATION COLOR HARD OR SOFT	TOP FEET	BOTTOM FEET	REMARKS Including indication of all fresh and salt water, coal, oil and gas
Shale and Siltstone Sand Shale and Siltstone Sand Shale and Siltstone Dunkard Sands Shale Salt Sands Big Lime (Greenbrier) Shale Big Injun Sand Shale Coffee Shale (Sunbury) Berea Horizon Shale Brown Shale Shale Onondaga Limestone Oriskany Sandstone Helderberg Limestone	0 515 550 722 775 1290 1745 1820 1905 2040 2074 2165 2500 2522 2522 3769 4382 5094 5210 5298	515 550 722 775 1290 1745 1820 1905 2040 2074 2165 2500 2522 3769 4382 5094 5210 5298 5334	No Sand S/G @ 4220 Salt Water @ 5215
Total Depth	5,334		

(Attach separate sheets as necessary)

,						^
	Kaiser	Exploi	ration	and	Mining	Company
400	Well	Opera	tor			
	-	_	0			09/08/2023
E	y:	- · d-	1.1	1	COLUMN CONTRACTOR CONT	
•	Date: No	vombor	2 10	2/		
£.	vace: NO	Veinnei	۷, 19	04	AND DESCRIPTION OF THE PARTY OF	

Note: Regulation 2.02(i) provides as follows:

"The term 'log' or 'well log' shall mean a systematic detailed geological record of all formations, including that, encountered in the drilling of a well."

035 1978

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES



OIL & GAS DIVISION

INSPECTOR'S WELL REPORT

DEPT. of MINES

Company_Kaiser Explo	ration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACE	CERS
Address		Size				
FarmLockhar	t	16			Kind of Pac	ker
Well No		13			3.00	1 2 5 5 5 F
	Taalzaan	10			Size of	
District	_County	81/4			-	
Drilling commenced		65/8			Depth set_	
D ::::		5 3/16				
Drilling completed	Total depth	3			Perf. top	
Date shotDe	pth of shot	2			Perf. botton	1
Initial open flow	/10ths Water inInch	Liners Used			Perf. top	
Open flow after tubing	/10ths Merc. inInch				Perf. bottom	1
Volume	Cu. Ft.	CASING CEMEN	NTED	SIZE	No. FT	Date
Rock pressure	hrs.	NAME OF SER	VICE COMPA	NY		
Dil	bbls., 1st 24 hrs.	COAL WAS EN	COUNTERED	AT	FEET	INCHES
Fresh waterfe	etfeet	FEET_	INCH	ES	FEET	INCHES
Salt waterfe	etfeet	FEET_	INCH	ES	FEET	INCHES
Drillers' Names						and a few participants of the control of the contro

- 8 13 84 Ran 55 jts csg 7'' set 2327 kb plug down 6:00 am.
 - 8 15 84 Drilling 61/4 hole at 4359'/.

Juny Tople

8 15 84

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

COMPANY			ADDRESS			
					17	
illing Material Used						
	ation	Amount	Packer	Location		
	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	ros
				00.		
				-		Partie i de gradia de casada
-						
						en egyegén
		m Ridea Pa				
illand Na						
illers' Names		terestram gravitation to the gravity development of the contraction of		The second secon	and the second section of the second	Remiterations in the contract of
marks:			and the second s			
			Attended to the second			

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION

OIL & GAS DIVISION

DEPT. OF MINES

INSPECTOR'S WELL REPORT

Permit No. 035 1978	179,000	48		Gas Well_	
Company Kaiser Exploration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL		PACKERS
Address	Size				
Farm	16	15		Kind of	Packer
Well No. Kem 589	13			G: 6	
DistrictCounty_ Jackson	81/4			Size of	
Drilling commenced	6%			Depth s	set
	5 3/16				-
Drilling completedTotal depth	3			Perf. to	p
Date shotDepth of shot	_ 2			Perf. bo	ottom
Initial open flow/10ths Water inIn	ch Liners Used			Perf. to	p
Open flow after tubing/10ths Merc. inIn-	ch			Perf. bo	ottom
VolumeCu. F	t. CASING CEME	NTED	_SIZE	No. F	T Dat
Rock pressurelbsh	NAME OF SER	VICE COMPA	NY		
Dilbbls., 1st 24 hr	s. COAL WAS EN	COUNTERED	AT	_FEET	INCHES
Fresh water <u>feet</u> fe	etFEET_	INCH	ES	_FEET	INCHES
Salt water <u>feet</u> <u>fe</u>	et FEET	INCH	ES	_FEET	INCHES
Drillers' Names					
Hurt Rig #4	and the second s				
Remarks:					

poz 10% salt 12.5 lbs per sk gibsonite. plug down 7:15 am.

8 17 84 moving to Kem 4 035

414

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

OMPANY			ADDRESS			
ARM		DISTRICT	a a complete de la complete del la complete de la complete del la complete de la	COUNTY		
lling Material Used						
ner Loc	ation	Amount	Packer	Location		
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CASIN	G AND TU	BING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOCATION	RECOVERED	SIZE	LOS
				-		-
				-		
3						
		returned to				
illers' Names					-	
marks:				graffa — kaz komá s a		,
	2:					

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES OIL AND GAS WELLS DIVISION



OIL & GAS DIVISION

INSPECTOR'S WELL REPORTET. OF MINES

Permit No. 035 19	78			Oil or	Gas Well	
Company Kaiser E	xploration	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PAC	KERS
Address		Size				
FarmLockha	rt	16			Kind of Pa	cker
	Kem 589	13			Size of	70 4 5 20
District	Jackson County	81/4				
Drilling commenced		65/8			Depth set	
Drilling completed	Total depth	3			Perf. top_	
Date shot	Depth of shot	2			Perf. botto	om
Initial open flow	/10ths Water inInch	Liners Used				om
Open flow after tubing_	/10ths Merc. inInch				Ferr. botto)m
Volume	Cu. Ft.	CASING CEME	NTED	SIZE	No. FT	Date
Rock pressure	lbshrs.	NAME OF SE	RVICE COMPA	ANY		
Oil	bbls., 1st 24 hrs.	COAL WAS EN	NCOUNTERED	AT	FEET	INCHES
Fresh water	feetfeet	FEET	INCI	HES	_FEET	INCHES
Salt water	feetfeet	FEET	INCI	HES	_FEET	INCHES
Drillers' Names						Kemanks
				w-w		
Remarks:						

12 14 84

DATE

smoothed ready for reseed in spring.

OGIOS/2023 DIPTRICT WELL INSPECTOR Form 26 2/16/82

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES

OIL AND GAS WELLS DIVISION

INSPECTOR'S PLUGGING REPORT

Permit No.			W 8 80128	19MI	Well No	
COMPANY	as \$47		ADDRESS			Market and the second
FARM		DISTRICT _		COUNTY	Entertain de sentimente - Principalitation	Access the second of the second
ALCOHOL AND WAY	1.3(2.V) 33461.				58.00	Visigates 1
Liner Loc	cation	Amour	nt Pac	cker	Location	
PLUGS USED A	ND DEPTH PLACED		BRIDGES	CA	SING AND T	JBING
CEMENT-THICKNESS	WOOD-SIZE	LEAD	CONSTRUCTION-LOC	CATION RECOVER	ED SIZE	LOST
			390			
						CHI STURE
archiel 11.7			The state of the s			577 7 87
Per bottom			Process of		S	
			errer et Kastillanda	3503H a 1 6 1	30151	s to sook condi
77, 77	3878	_GaTMan ib	9707 D 17770			
	OMPANY	MOTANA 10	20			ala bisan ke t
	TA GHEET	KUUUUMI SA				
Drillers' Names	INCHES		l gra			1143
Remarks:	N. M. State of automobile process, comme			CONTRACTOR AND ADDRESS OF THE STATE OF THE S	The state of the s	SERVE AND RESIDENCE AND ADDRESS.
DATE	I hereby certify I vis	ited the above w	ell on this date.			

DISTRICT WELL INSPOSION NO.





OIL & GAS DIVISION

DEPT. OF MINES


State of West Birginia

Bepartment of Mines Gil and Gas Bivision

Charleston 25305

FINAL INSPECTION REPORT INSPECTORS COMPLIANCE REPORT December 27, 1984

COMPANY	Kaiser Exp. & Mining Co.	PERMIT NO	035-1978
P. 0.	Box 8	FARM & WELL NO	Bernard & Wilda Lockhært
Raven	swood, West Virginia 26164	DIST. & COUNTY	Grant/Jackson
		IN	COMPLIANCE
RULE	DESCRIPTION	YE	S NO
23.06	Notification Prior to Starting Work	Х	(
25.04	Prepared before Drilling to Prevent W	aste	/
25.04	High-Pressure Drilling		
16.01	Required Permits at Wellsite		X
15.03	Adequate Fresh Water Casing		<u> </u>
15.02	Adequate Coal Casing	- 7	
15.01	Adequate Production Casing		
15.04	Adequate Cement Strenght		<u> </u>
15.05	Cement Type		X
23.02	Maintained Access Roads		X
25.01	Necessary Equipment to Prevent Waste		X
23.04	Reclaimed Drilling Pits		X
23.05	No Surface or Underground Pollution		X
23.07	Requirements for Production & Gatheri	ng Pipelines	X
16.01	Well Records on Site		
16.02	Well Records Filed		
7.05	Identification Markings		X
	5		
I HAVE	INSPECTED THE ABOVE CAPTIONED WELL AND	RECOMMEND THAT I	T BE RELEASED:
			2-10/2
		SIGNED Jew	of Tophallown
		//	12 85
	•	DATE 6	12 85
	ll record was received and reclamation	requirements and	proved. In accordance
Your we.	apter 22, Article 4, Section 2, the abo	requirements app	main under bond
with Ch	apter 22, Article 4, Section 2, the and	OVE WELL WILL LEE	mili didel boile
coverage	e for the life of the well.	-	
		1-1	
		Administrator-	-Oil & Gas Division
		June 19,	1085
		DATE 19,	
		Dr.	



HALI

COAL OWNER'S COPY



1)	Date:	June 11		, 19 84
2)	Operator's Well No	KEM	589	
3)	API Well No.	47		
		State	County	Permit

STATE OF WEST VIRGINIA DEPARTMENT OF MINES, OIL AND GAS DIVISION APPLICATION FOR A WELL WORK PERMIT

4) WELL TY					<u> </u>				v	
A LOCATIO		If "Gas",		n 819'	^	/ Undergroun Watershed:	d storage	Deep A	_/ Shallow/)	
5) LOCATIO		evation: _ strict:		ant		County:	Jackson	Quadrangle:	Liverpool	
6) WELLOP					dining (Co.		AGENT R. A.	Pryce	
Address		P.O. 1					Address		Ray R	
		Ravens	swood.	MA	26164			Raven	swood WV 26164	
8) OIL & GA	S INSPEC	CTOR TO	BE NOTI	FIED			9) DRILLING CO			
Name	Jerry '	Tephabo	ock				Name	Clint	furt	
Address		Rt.	1, 80x		STATE OF THE PARTY		Address		ox 388	
		Riplo	ay, WV	21	5271			Elkvie	V, WV	
10) PROPOSE	D WELL	WORK:	Drill		_/ Drill		/ Redrill		<u>X</u> _/	
							orate new formation_	/		
						well (specify)				
11) GEOLOGI										
12) Estima						fee				
13) Appro							alt,		3.00	
14) Appro						IS (coal being mined in the	area? Yes	/ No/	
15) CASING A	IND TOB		JKAM IFICATIONS			FOOTACI	E INTERVALS	CEMENT FILL-UP	DACKEDS.	
CASING OR TUBING TYPE		1	Weight	1	1			OR SACKS	PACKERS	
Contract	Size	Grade	per ft.	New	Used	For drilling	Left in well	(Cubic feet)		
Conductor Fresh water	10 3/	2 10		V		250 7	(0 250 P) (1)	150 sks Clas	s A (to surface)	
Coal	10 3/			^		280 1	(3)	100 SKS CIAS	Sizes	
Intermediate	70			V		2300	2309	65 sks 50/9	O nozmix 100sks C	lace A
Production	4 1/2	R		Ŷ		5209	5209	225 50/50 pc	Depths set	1055 H
Tubing						7203	3603			
Liners									Perforations:	
									Top Bottom	
							Y Y			
									Recognition of the second	
			INS	TRUC	TIONS TO	COAL OPERA	TOR, OWNER, OR I	LESSEE		
	The	named coa	l operator	, coal o	wner(s), and	d coal lessee are	hereby notified that a	ny objection they wish	n to make or	
						ed with the Depa	artment of Mines withi	in fifteen (15) days afte	er the receipt	
	of this Ap	pplication	by the Dep	partmer	ıt.					
		The follow	wing waiv	er must	be complete	ed by the coal	operator and by any co	oal owner or coal less	PP	
							if the permit is to be is			
		days of th	e filing of	f the Ap	oplication.					
						WAIVE	,			
m										
									oal under this well location has n added to the mine map. The	
undersigned has	no objection	on to the v	ork propo	osed to	be done at the	his location, pro	ovided, the well operat	tor has complied with	all applicable requirements of	
the West Virginia										
				111	U		701 7			
Date:			, 1	0			By / /4/14	641 . 1.	SHAR	
Date			, 1				by			
							Its			
									09/08/2023	
									Coal Owner	