



247-S  
~~250 S~~  
~~164 W~~  
 163-W

New Location   
 Drill Deeper   
 Abandonment

Company GLEN TOMPKINS  
 Address ROUTE 5, BOX 195  
CHARLESTON, WVA.  
 Farm GEORGE DELANEY  
 Tract \_\_\_\_\_ Acres 36 Lease No. \_\_\_\_\_  
 Well (Farm) No. 1 Serial No. \_\_\_\_\_  
 Elevation (Spirit Level) 868.73  
 Quadrangle RIPLEY  
 County JACKSON District RAVENSWOOD  
 Engineer D. F. Dye  
 Engineer's Registration No. 804  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 5-10-48 Scale 1" = 400'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. JAC-110-A

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.  
 - Denotes one inch spaces on border line of original tracing.

6-6-161 Liverpool





STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

754

110-A

WELL RECORD

Oil or Gas Well (KIND)

Permit No. \_\_\_\_\_

Company Glen Tompkins

Address Charleston, W. Va.

Farm George Delaney Acres 36

Location (waters) \_\_\_\_\_

Well No. 1 Elev. 868.73

District Ravenswood County Jackson

The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_

Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_

Drilling commenced \_\_\_\_\_

Drilling completed \_\_\_\_\_

Date Shot From 2520 To 2532

With 30 qts.

Open Flow /10ths Water in \_\_\_\_\_ Inch  
/10ths Merc. in \_\_\_\_\_ Inch

Volume \_\_\_\_\_ Cu. Ft.

Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.

Oil \_\_\_\_\_ bbls., 1st 24 hrs.

Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet

Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size Wood Conductor 16'			Kind of Packer
16			
13			
10	870'		Size of
8 1/4	1278'	700	
6 5/8	2237'	182 2 1/2	Depth set 2 1/2
5 3/16			
3			Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_

COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
✓ Pittsburgh	white	hard	610	690			
✓ 2d Pittsburgh	"	"	690	800			
Lime shell	light		872	880			
Red rock			880	890			
Lime and sand			890	913			
Red rock			913	925			
Lime	black	hard	925	950			
Red rock			950	1080			
Lime	black	hard	1080	1105			
Slate and shell		1	1105	1155			
Yellow - soft			1155	1170			
Sand			1170	1197			
Slate			1197	1212			
✓ Dunkard sand	white	hard	1212	1290			
Slate			1290	1340			
✓ Gas sand	white	hard	1340	1362			
Slate			1362	1390			
✓ 2d Gas sand	white	soft	1390	1440			
Slate			1440	1470			
Sand			1470	1500			
Black slate			1500	1550			
Sand			1550	1665			
Slate			1665	1675			
Lime		hard	1675	1683			
Slate			1683	1850			
✓ Salt sand			1850	1920	Water	1860'	
Slate			1920	1925			
Sand			1925	2063			
Little lime	(BIG lime?)		2063	2078			
Sand	(Injun?)		2078	2123			
Slate			2123	2170			
Lime shells			2170	2420			
Shells			2420	2430			
White slate			2430	2497			
✓ Berea			2497	2517			
TOTAL DEPTH				2544			
				410			

Berea sand (shot hole) 2517' to 2532'

Cleaned out in July 1939 - making 5" per week before cleaning - started off at 15" per week after cleaning