

New Location   
 Drill Deeper   
 Abandonment

FEB 1 1953

Company SAM BEREN  
 Address 516 - 4th. ST., MARIETTA, OHIO  
 Farm DAVID WARD  
 Tract \_\_\_\_\_ Acres 8000 Lease No. 25660  
 Well (Farm) No. 27-35 Serial No. 2468  
37-45 Serial No. 2476  
 Elevation (Spirit Level) SEE ABOVE 2478  
2486  
 Quadrangle CLENDENIN  
 County KANAWHA District CABIN CREEK  
 Engineer C. E. Kuch  
 Engineer's Registration No. 9  
 File No. \_\_\_\_\_ Drawing No. \_\_\_\_\_  
 Date 8-12-49 Scale 1" - 660'

STATE OF WEST VIRGINIA  
 DEPARTMENT OF MINES  
 OIL AND GAS DIVISION  
 CHARLESTON

WELL LOCATION MAP  
 FILE NO. See ABOVE

+ Denotes location of well on United States Topographic Maps, scale 1 to 62,500, latitude and longitude lines being represented by border lines as shown.

- Denotes one inch spaces on border line of original tracing.

6-0-221

KAOR - 698-A, 699-A  
 703-A, & 706-A

DAVID WARD Nos. 2476, 2478, 2468 & 2486 - SAM BEREN -



STATE OF WEST VIRGINIA  
DEPARTMENT OF MINES  
OIL AND GAS DIVISION

1502

WELL RECORD

Permit No. Kan-699-82

Oil or Gas Well Oil (KIND)


Company W. L. THAXTON  
Address BOX 147 - Sissonville, W. Va.  
Farm David Ward Acres 8000  
Location (waters) Kellys Creek  
Well No. 2478 Elev. 1582'  
District Cabin Creek County Kanawha  
The surface of tract is owned in fee by \_\_\_\_\_  
Address \_\_\_\_\_  
Mineral rights are owned by \_\_\_\_\_  
Address \_\_\_\_\_  
Drilling commenced January 20, 1920  
Drilling completed March 24, 1920  
Date Shot \_\_\_\_\_ From \_\_\_\_\_ To \_\_\_\_\_  
With \_\_\_\_\_

Casing and Tubing	Used in Drilling	Left in Well	Packers
Size			Kind of Packer
16			
13	15"	12'	
10	480	480	Size of
8 1/4	1400	1400	
6 5/8	1750	1750	Depth set
5 3/16			
3	2175	2175	Perf. top
2			Perf. bottom
Liners Used			Perf. top
			Perf. bottom

Open Flow \_\_\_\_\_ /10ths Water in \_\_\_\_\_ Inch  
\_\_\_\_\_ /10ths Merc. in \_\_\_\_\_ Inch  
Volume \_\_\_\_\_ Cu. Ft.  
Rock Pressure \_\_\_\_\_ lbs. \_\_\_\_\_ hrs.  
Oil \_\_\_\_\_ bbls., 1st 24 hrs.  
Fresh water \_\_\_\_\_ feet \_\_\_\_\_ feet  
Salt water \_\_\_\_\_ feet \_\_\_\_\_ feet

CASING CEMENTED \_\_\_\_\_ SIZE \_\_\_\_\_ No. Ft. \_\_\_\_\_ Date \_\_\_\_\_  
COAL WAS ENCOUNTERED AT \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES  
\_\_\_\_\_ FEET \_\_\_\_\_ INCHES \_\_\_\_\_ FEET \_\_\_\_\_ INCHES

Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Surface			0	12			
Slate	2		12	20			
Coal			20	23			
Slate			23	40			
Slate			40	60			
Sand			60	100			
Slate			100	128			
Sand			128	150			
Slate			150	175			
Sand			175	220			
Slate			220	313			
Coal			313	316			
Slate			316	421			
Coal			421	426			
Slate			426	520			
Sand			520	550			
Slate			550	600			
Sand			600	650			
Slate			650	660			
Sand			660	710			
Slate			710	750			
Sand			750	810			
Slate			810	840			
1st Salt Sand			840	980			
Slate			980	1020			
2nd Salt Sand			1020	1165			
Slate			1165	1185			
3rd. Salt Sand			1185	1315			
Slate			1315	1365			
Red Rock			1365	1370			
Slate			1370	1400			
Red Rock			1400	1410			
Sand			1410	1505			
Red Rock			1505	1620			
Slate			1520	1550			
Maxon			1550	1625			
Slate			1625	1640			
Lime			1640	1650			
Slate			1650	1665			



Formation	Color	Hard or Soft	Top	Bottom	Oil, Gas or Water	Depth Found	Remarks
Line			1665	1710			
Slate			1710	1715			
Line			1715	1725			
Slate			1725	1737			
Big Lime			1737	1940			
Injun			1940	1960			
Slate			1960	1988			
Weir			1988	2172			
Slate			2172	2175			
Total Depth				2175			
							1st Gas 1960-1980 6/10 M 2"
							2nd Gas 2162-2172 8/10 M 2"
							Oil 2162-2172

Date \_\_\_\_\_, 19\_\_\_\_

APPROVED \_\_\_\_\_, Owner

By \_\_\_\_\_ (Title)