

### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, November 18, 2022 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 1

47-041-00228-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: SUMMERS, C. R.

U.S. WELL NUMBER: 47-041-00228-00-00

Vertical Plugging

Date Issued:

Promoting a healthy environment.

## PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### **CONDITIONS**

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01 4704100228 P

1) Date October 26 , 20 22 2) Operator's Well No. Summers #1 3) API Well No. 47-041 - 00228

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PER	MIT TO PLUG AND ABANDON
4) Well Type: Oil/ Gas $X$ / Liquid (If "Gas, Production or Und	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5) Location: Elevation 1140' District Skin Creek	Watershed Right Fork Stonecoal Creek County Lewis Quadrangle Adrian
OEP Paid Plugging Contract Address  Address  Charleston, WV 25304	7) Designated Agent Jason Harmon Address 601 57th St. Charleston, WV 25304
8) Oil and Gas Inspector to be notified  Name Bryan Harris  Address P.O.Box 157  Volga, WV 26238  304-553-6087	9) Plugging Contractor  Name Address
see Plugging Project: 47041002.	
	Office of Oil & Gas  NOV 1 7 2022  WV Department of Environmental Protection
Notification must be given to the district oi work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector Bryan Harr	Date Oct 26, 2022

#### PLUGGING PROJRCT 4704100228 Summers #1

#### REMEDIATION AND/OR PLUGGING WORK PLAN V.

Notify Inspector Specialist, Bryan Harris @ 304-553-6087. Notification is required 24 hrs prior to commencing plugging operations

- 1. Move in rig up to 6 5/8" casing. Pull 2" tubing.
- 2. Run in hole with work string to TD. Fill hole with fresh water. Gel hole to 1000'.
- 3. Set cement plug 4100' 3800'. Pull work string, WOC. Tag plug, add cement if needed.
- 4. Pull 13 joints 6 5/8" casing. Run in hole with work string to 2100', set cement plug 2100' - 2000'. Pull work string, WOC. Tag plug, add cement if needed.
- 5. Pull remaining 6 5/8" casing. Run in hole to 1800', set cement plug 1800' 1700'. WOC, tag plug.
- 6. Pull work string to 1500', set cement plug from 1500' to 1400'. pull work string. WOC.
- 7. Run in hole with work string, set cement plug from 1200' to 1100'. WOC.
- 8. Run in hole with work string to 600'. Set cement plug 600' 500'. WOC, tag plug.
- 9. Pull 10' casing. Set cement plug from 400' 300'. WOC, tag plug.
- 10. Set cement plug from 200' to surface.
- 11. Set monument. Reclaim
- 2. NOTE.. Any casing found in the well with out cement in the annulus that cannot be retrieved must be perforated and cement at all saltwater, freshwater, coal, oil, gas, casing shoe and elevation points.

RECEIVED Office of Oil & Gas NOV 17 2022 WV Department of

Environmental Protection

## WELL PLUGGING PROJECT 4704100228 Summers #1

### Well detail:

6 5/8" casing with 2" tubing visible at surface.

6 5/8" rusted thru at surface. 2" very deteriorated. Gas leaking at surface.

Well was drilled in 1953 to the Benson Sand. Completed with sand frac.

Well records show: 325' 10" casing

2035' 6 5/8" casing 4086' 2" tubing TD 4124' Fresh Water at 50' Coal 515' Elev. 1140'

Water 1190', 1717'. Gas show 1487', 2087', 3914'. Benson Sand 4085' - 4097'

#### Site-based considerations:

Surface property is managed as a Wildlife Management Area by Department of Natural Resources.

Access road goes along Stonecoal Lake for about 6000'

Access road is currently being used as a walking trail and access to cemeteries.

Access road will be upgraded and maintained with stone during operations. A final dress of stone will be applied as needed for reclamation.

RECEIVED Office of Oil & Gas

NOV 1 7 2022

WW Department of Environmental Protection 041-228

RECEIVED Office of Oil & Gas

NOV 17 2022

WV Department of Environmental Protection



STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES OIL AND GAS DIVISION

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

To The Department of Mines, Charleston, W. Va.	
No Coal being mined in this area.	P. C. McKenzie Company, Agent
8	P. O. Box 10396, Pittsburgh 3h, Pa.
ADDRESS	COMPLETE ADDRESS
	September 1st 19 53
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
ADDRESS	Buckhannon & Skin Creek District 8
C. R. Summers, et ux	Count ies
OWNER OF MINERAL RIGHTS	Well No. 1 80° 15'
R. F. D. #1, Horner, West Virginia	C. R. Surmers Farm
GENTLEMEN:	
The undersigned well operator is entitled to o	drill upon the above named farm or tract of land for
oil and gas, having fee title thereto, (or as the case	may be) under grant or lease dated 10/26/50
	by C. R. Summers, at ux to
	y and recorded on the 1st day
	in the office of the County Clerk for said County in
	3/7/51 in Upshur County, Book 26, Page #59
to be drilled for oil and gas by the undersigned well of and County above named, determined by survey and land marks.  The undersigned well operator is informed and of coal beneath said farm or tract of land on which a aries of the same, who have mapped their workings coal operators or coal owners (if any) above named:	courses and distances from two permanent points, or believes there are no coal operators operating beds said well is located, or within 500 feet of the bound- and filed their maps as required by law, excepting the
The above named coal operators or coal owners desire to make to such proposed location, or which the drilling of a well at said proposed location will ca coal mines, must be received by, or filed with the Depa a copy of this notice and accompanying plat by said that forms for use in making such objections will be on request and that all such objections must set forth	(if any) are notified that any objections they may
(The next paragraph is to be completed only	in Department's copy.)
	mailed by registered mail, or delivered to the zbove shown respective address XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
	truly yours, P. C. MCKENZIE COMPANY, AGENT
SEP 1953 Address )	P. 0. Ikur 10396
REPARTMENT OF MANES & Well Operator	Pittsburgh 3L
REPARTMENT OF MANES Well Operator	Pennsylvania

ten days from the receipt of said notice and plat by the department of mines, within said period of ten days from the receipt of said notice and plat by the department of mines, to said proposed location, the department shall forthwith issue to the well operator a drilling permit reciting the filing of such plat, that no objections have been made by the coal operators to the location, or found thereto by the department, and that the same is approved and the well operator authorized to proceed to drill at said location.

LEW-228 PERMIT NUMBER

11/18/2022

RECEIVED Office of Oil & Gas

NOV 1 7 2022

WV Department of Environmental Protectic



#### STATE OF WEST VINGINIA

## DEPARTMENT OF MINES

### NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL

Charleston, W. Va.	. 2
No Coal Being Mined in this Are	P. C. McKenzie Co., Agent
COAL OPERATOR OR COAL OWNER	
	P. O. Box 10396, Pittsburgh 34,
ADDRESS	COMPLETE ADDRESS
	September 1st 1953
COAL OPERATOR OR COAL OWNER	PROPOSED LOCATION
ADORESS	Skin Creek District
ADDRESS	Lewis
C. R. Summers, et ux	Lewis County
OVNER OF MINERAL RIGHTS	Well No. 1 80° 15'
R.F.D. #1, Horner, W. Va.	11011 110111111111111111111111111111111
ADDRESS	C. R. Summers Farm
GENTLEMEN:	9
The undersigned well operator is entitled to	drill upon the above named farm or tract of land for
il and gas, having fee title thereto, (or as the ca	use may be) under grant or lease dated 9-20-51
	debyCreed R. Summers, et ux to
not " West Cos Co	lat .
ren. & west. Gas co.	and recorded on the day
November, 1951	
	, in the office of the County Clerk for said County in
The enclosed plat was prepared by a compete obe drilled for oil and gas by the undersigned we and County above named, determined by survey a and marks.	ent engineer and blows the proposed location of a well
The enclosed plat was prepared by a compete obe drilled for oil and gas by the undersigned we and County above named, determined by survey a and marks.	ent engineer and blows the proposed location of a rell ill operator on the farm and in the Magisterial District and courses and distances from two permanent points, or
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a survey and marks.  The undersigned well operator is informed a fixed coal beneath said farm or tract of land on whice the same, who have mapped their working the same, who have mapped their working the same of the same, who have mapped their working the same of the same	ent engineer and blows the proposed location of a well ill operator on the farm and in the Magisterial District and courses and distances from two permanent points, or
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sand marks.  The undersigned well operator is informed a fixed coal beneath said farm or tract of land on whice a same, who have mapped their working the same, who have mapped their working the same, who have mapped their working the same of the same, who have mapped their working the same of the same, who have mapped their working the same of the same	ent engineer and shows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid well is located, or within 500 feet of the bounders and that their maps as required by law, excepting the das additioners.  It is any are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective entire the formation of Mines within ten days from the receipt of the partment. Said coal operators are further notified the furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or the direction and distance the proposed location should the said the direction and distance the proposed location should be the said the said the proposed location should be a said to the said the proposed location should be the said the
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sand marks.  The undersigned well operator is informed a fixed coal beneath said farm or tract of land on whice a same, who have mapped their working the same, who have mapped their working the same of the same, who have mapped their working the same of the s	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid wall is located, or within 500 feet of the bounders and all their maps as required by law, excepting the day and are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective enament of Mines within ten days from the receipt of indepartment. Said coal operators are further notified by furnished to them by the Department of Mines promptly that definitely as is reasonably possible the ground or ale the direction and distance the proposed location should only in Department's copy.)
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we hand County above named, determined by survey a sand marks.  The undersigned well operator is informed a for coal beneath said farm or tract of land on whice aries of the same, who have mapped their working the coal operators or coal owners (if any) above named the drilling of a well at said proposed location, or dich the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Doa copy of this notice and accompanying has by said that forms for use in making such objections will not request and that all such objections must set for grounds on which such objections are based and indicate the moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we mamed coal operators or coal owners at their abover on the same day with the mailing or Jelivery	ent engineer and shows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid well is located, or within 500 feet of the bounders and that their maps as required by law, excepting the data additional are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective element of Mines within ten days from the receipt of the furnished to them by the Department of Mines promptly that definitely as is reasonably possible the ground or the direction and distance the proposed location should only in Department's copy.)
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a survey and marks.  The undersigned well operator is informed a fit coal beneath said farm or tract of land on whice the coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named the drilling of a well at said proposed location, or which the drilling of a well at said proposed location, will coal mines, must be received by, or filed with the Driver of this notice and accompanying that by said that forms for use in making such objections will on request and that all such objections must set for grounds on which such objections are based and indicate the moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we not the same day with the mailing or Jelivery West Virginia.	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid wall is located, or within 500 feet of the bounders and all their maps as required by law, excepting the day and are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective enament of Mines within ten days from the receipt of indepartment. Said coal operators are further notified by furnished to them by the Department of Mines promptly that definitely as is reasonably possible the ground or take the direction and distance the proposed location should only in Department's copy.)
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a survey and marks.  The undersigned well operator is informed a fit coal beneath said farm or tract of land on whice the coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named the drilling of a well at said proposed location, or which the drilling of a well at said proposed location, will coal mines, must be received by, or filed with the Driver of this notice and accompanying that by said that forms for use in making such objections will on request and that all such objections must set for grounds on which such objections are based and indicate the moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we not the same day with the mailing or Jelivery West Virginia.	ent engineer and shows the proposed location of a rell ill operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds the said well is located, or within 500 feet of the bounders and that their maps as required by law, excepting the das additional are notified that any objections they may they are required to make by Section 3 of said Code, if any are notified that any objections they may they are required to make by Section 3 of said Code, if ause a dangerous condition in or about their respective partment of Mines within ten days from the receipt of ind Department. Said coal operators are further notified be furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or the direction and distance the proposed location should only in Department's copy.)  The remaided by registered mail, or delivered to the above we shown respective address.
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a survey and marks.  The undersigned well operator is informed a fit coal beneath said farm or tract of land on whice the coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named the drilling of a well at said proposed location, or which the drilling of a well at said proposed location, will coal mines, must be received by, or filed with the Driver of this notice and accompanying that by said that forms for use in making such objections will on request and that all such objections must set for grounds on which such objections are based and indicate the moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we not the same day with the mailing or Jelivery West Virginia.	ent engineer and blows the proposed location of a rell ill operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid wall is located, or within 500 feet of the bounders and all their maps as required by law, excepting the day and all their maps as required by law, excepting the day are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective that ment of Mines within tan days from the receipt of ind Department. Said coal operators are further notified by furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or rate the direction and distance the proposed location should only in Department's copy.)  There mailed by registered mail, or delivered to the above we shown respective address ———————————————————————————————————
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sund marks.  The undersigned well operator is informed a for coal beneath said farm or tract of land on whice aries of the same, who have mapped their working the coal operators or coal owners (if any) above named the desire to make to such proposed location, or which the drilling of a well at said proposed location will be coal mines, must be received by, or filed with the Dear copy of this notice and accompanying last by said that forms for use in making such objections will be moved to overcome same.  (The next paragraph is to be completed on Copies of this notice and the enclosed plat we mamed coal operators or coal owners at their abover on the same day with the mailing or delivery West Virginia.	ent engineer and blows the proposed location of a rell ill operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid wall is located, or within 500 feet of the bounders and all their maps as required by law, excepting the day and all their maps as required by law, excepting the day are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective that ment of Mines within tan days from the receipt of ind Department. Said coal operators are further notified by furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or rate the direction and distance the proposed location should only in Department's copy.)  There mailed by registered mail, or delivered to the above we shown respective address ———————————————————————————————————
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a and marks.  The undersigned well operator is informed a fit coal beneath said farm or tract of land on whice the same, who have mapped their works coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named the drilling of a well at said proposed location, or which the drilling of a well at said proposed location, will coal mines, must be received by, or filed with the Do and a copy of this notice and accompanying last by said that forms for use in making such objections will on request and that all such objections must set for grounds on which such objections are based and indicate the moved to overcome same.  (The next paragraph is to be completed on Copies of this notice and the enclosed plat we named coal operators or coal owners at their abover on the same day with the mailing or Jelivery West Virginia.	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid wall is located, or within 500 feet of the bounders and all their maps as required by law, excepting the day a and their maps as required by law, excepting the day are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective element of Mines within ten days from the receipt of indepartment. Said coal operators are further notified by furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or take the direction and distance the proposed location should only in Department's copy.)  There mailed by registered mail, or delivered to the above we shown respective address ———————————————————————————————————
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sund marks.  The undersigned well operator is informed a for coal beneath said farm or tract of land on whice aries of the same, who have mapped their working the coal operators or coal owners (if any) above named the desire to make to such proposed location, or which the drilling of a well at said proposed location will be coal mines, must be received by, or filed with the Dear copy of this notice and accompanying last by said that forms for use in making such objections will be moved to overcome same.  (The next paragraph is to be completed on Copies of this notice and the enclosed plat we mamed coal operators or coal owners at their abover on the same day with the mailing or delivery West Virginia.	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid well is located, or within 500 feet of the bounders and lifti their maps as required by law, excepting the das additional are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective element of Mines within ten days from the receipt of the peratment. Said coal operators are further notified the furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or the direction and distance the proposed location should only in Department's copy.)  There mailed by registered mail, or delivered to the above we shown respective address ———————————————————————————————————
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sund marks.  The undersigned well operator is informed a soft coal beneath said farm or tract of land on whice the same, who have mapped their works coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Deal copy of this notice and accompanying lat by said on request and that all such objections must set for grounds on which such objections are based and indicate moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we mamed coal operators or coal owners at their abover on the same day with the mailing or delivery West Virginia.	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid well is located, or within 500 feet of the bounders and all their maps as required by law, excepting the data and the their maps as required by law, excepting the data and the sees.  It is any are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective extended to Mines within ten days from the receipt of the peratment. Said coal operators are further notified by furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or that the direction and distance the proposed location should only in Department's copy.)  The mail of the direction and distance the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective address the proposed location should not be shown respective.  P. C. McKenzie Co., Agent Pittsburgh 31, Pa.
The enclosed plat was prepared by a compete to be drilled for oil and gas by the undersigned we and County above named, determined by survey a sund marks.  The undersigned well operator is informed a soft coal beneath said farm or tract of land on whice the same, who have mapped their works coal operators or coal owners (if any) above named. The above named coal operators or coal owners (if any) above named desire to make to such proposed location, or which the drilling of a well at said proposed location will coal mines, must be received by, or filed with the Deal copy of this notice and accompanying lat by said on request and that all such objections must set for grounds on which such objections are based and indicate moved to overcome same.  (The next paragraph is to be completed of Copies of this notice and the enclosed plat we mamed coal operators or coal owners at their abover on the same day with the mailing or delivery West Virginia.	ent engineer and blows the proposed location of a rell all operator on the farm and in the Magisterial District and courses and distances from two permanent points, or and believes there are no coal operators operating beds haid well is located, or within 500 feet of the bounders and lifti their maps as required by law, excepting the das additional are notified that any objections they may they are required to make by Section 3 of said Code, if cause a dangerous condition in or about their respective element of Mines within ten days from the receipt of the peratment. Said coal operators are further notified the furnished to them by the Department of Mines promptly that as definitely as is reasonably possible the ground or the direction and distance the proposed location should only in Department's copy.)  There mailed by registered mail, or delivered to the above we shown respective address ———————————————————————————————————

PERMIT NUMBER



### DEPARTMENT OF MINES

### OIL AND GAS DIVISION Z

<del></del>	- 11 - 220	5	WELL I		o:·:	Oil or Ga	s Well	(KIND)
, P. (			, Agent	Casing and	Used in	Left in		
D (	O. Box 103	96, Pgh. 34	4. Pa.	Tabing	Drilling	Well	- P	ackers
C 7		8 A					<del></del>	
				Size.	5 5 34			. ""
ocation (waters)	Stone Co	al Creek	lev_1140	16		;	Kind of I	acker
Well No.	Trook	County Lev	ris	13			<u> </u>	
District Skill C	reek	County Dev	mmers, et u		325	325	Size of_	
The surface of tra	ict is owned in fe	R.F.D	.#1,Horner	, 814	888	<u>:</u>	_:	
Mineral rights are				a. 6%	2 0 3 5	· 2 035	Depth se	t
dineral rights are		ddress		53/16		1	1	
The state of the s		ber 15, 19	53	8		<u> </u>	Perf. top	
Drilling commence				2	4086	4 086		tom
Date Shot				Liners Used		<u> </u>	Perf. top	·
With	rrun.	**************************************	teo at - (%)			200 g is	Perf. bot	tom
Open Flow	/10ths Water is	1	Inch	است		<del></del>	<del></del>	
	/10ths Water in	111	Inch		NTED	SIZE	No. Ft	Date
	152.000		Cu. Ft.			<u> </u>	!	× 1/
· Oranic	1600	lbs 168	hrs.		COLL MARKET	Am 515	PPP	INCHES
Oil	1		bbls., 1st 24 hrs.	COAL WAS EN				
Fresh water		feet	feet	2000	INC	1	FEET_	INCHES
Salt water	. 1	feet	feet	FEET	INC	HES	FEET_	INCHES
Formation	Color	Hard or Soft	Тор	Bottom	Oil, Gas or Water	Depth Found		Remarks
Clay	Brown		0	10		1	:	
Sand	White		10	25		. "	:	
Red Rock			25	:: 38:				
Lime	White		38	89	Water at	50 ft.		
Red Rock			: 89	112.	NEW TRANSPORT NO.		;	k
Lime	Broken		112	220		0	. !	RECEIVED
Slate &Shel			220.	257			1	
Gritty Lim			257 .	285			1	1 702
Slate &Shel			285	290				NOV 17 202
Sand			290 ·	300			:	
Slate			300	.302		1.		WV Departme
Gritty Lim	ke		302	322	_ : :: .			Environmen
Slate			322 :	.365	Steel Liz	1e 325 ft.		ē
Lime			365	399		1		ri.
Sand			399	414	***************************************	villa 1. 3		
Slate	1 1		414	430		:	1	
			430 493	493				4.8
Sand	11 1			I EIE I			- 1	
Slate &She	11		(7)	515			1	43
Slate &She			515	520	50 gg 45			
Slate &She Coal Slate &She			515 520	520 565		.		nda ja ir
Slate &She Coal Slate &She Lime			515 520 565	520 565 588	er gest et	.		
Slate &She Coal Slate &She Lime Sand			515 520 565 588	520 565 588 615	- et 3	. had t		48 1142 p. 19 2
Slate &She Coal Slate &She Lime Sand Slate			515 520 565 588 615	520 565 588 615 627	was d	. no. div. 1		neta p. 17 g
Slate &She Coal Slate &She Lime Sand Slate Sand	ii :		515 520 565 588	520 565 588 615	வதுத் கீ	es de la		neth for the fig.
Slate &She Coal Slate &She Lime Sand Slate Sand Slate Slate &She	ii :		515 520 565 588 615	520 565 588 615 627 685	er jaar et s	ET 1\222326		man post
Slate &She Coal Slate &She Lime Sand Slate Sand	ii :		515 520 565 588 615 627 685	520 565 588 615 627 685 700		\$\tag{2\12223.24}		
Slate &She Coal Slate &She Lime Sand Slate Sand Slate &She Sand	11		515 520 565 588 615 627 685 700	520 565 588 615 627 685 700 833		\$11222324; MAR 1054		
Slate &She Coal Slate &She Lime Sand Slate Sand Slate &She Sand	11		515 520 565 588 615 627 685 700 835	520 565 588 615 627 685 700 835 888	TOTAL STATE OF THE PARTY OF THE	MAR 1954	引	
Slate &She Lime Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate Sand	11		515 520 565 588 615 627 685 700 835	520 565 588 615 627 685 700 835 888 920	4151617.27	MAR 1954 VEST VIEGINA	E 0.27	
Slate &She Lime Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate &She Sand Slate Sand Slate Sand	11		515 520 565 588 615 627 685 700 835 888	520 565 588 615 627 685 700 835 888 920 946 994	3.4151617.25	MAR 1954	E 0.27	
Slate &She Lime Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate Sand Slate Sand	11		515 520 565 588 615 627 685 700 835 888 920 946 994	520 565 588 615 627 685 700 835 888 920 946 994 1040	TOTS WISTON'S	MAR 1954 VEST VIEGINA	E 0.27	
Slate &She Coal Slate &She Lime Sand Slate Sand Slate &She Sand Slate &She Sand Slate Sand Slate Sand Slate Sand	11 11 11		515 520 565 588 615 627 685 700 835 888 920 946	520 565 588 615 627 685 700 835 888 920 946 994	1107314151617.25	MAR 1954 VEST VIEGINA	E 0.27	

Formation	Color	Hard or	Тор 2	Bottom	Oil, Gas or Water	Depth Found	Remarks
ilate	,		1170	.1171			
		1	1171	1260	Water 1190	l-bailer p	er hr.
and R. &Lim	.	1	1260	:1347	,		
late &She		ļ	1347	1370			
ime		1	1370	1385		34	
		1	1385	1415		A 64	
ate &She	•		1415	1485		1	
ig Lime		Į	1485	1580	Shows gas	1487 ft.	
ig Injun			1580	1583			li .
ate 📜	100	i	1583	1625	:		l'
ime Hard	1		1625	1630			* :
ate		t	40.000	1685			1
ınd		1	1630	1695			
ate: &Shel		1	1685		Water at 12	17 ft. 1-ha	ler per hr.
und:		1	1695	1890	Hater at 1	Da	T
R. &Lim		1	1890	1930	:	1	1 4
ate &Shell	1 1	1	1930	1965	Ė	1	1:
ritty Lim	e		1965	1984	li .	1	
ed Rock	1 1		1984	1995		P+ 300	3 54
ime	1	1	1995	2030	Steel Line	Run at 200:	7
and	1 1	A.	2030	2061		li	(;
ink Rock	1		2061	2076	1 1 2 2 2 1 1 1 1		!
and Gor		- 1	2076	2115	Gas 2087-	2089 <u>iu</u> -	l
ate	1	ł	2115	2168	i.	10 v	V 1"
and	1 1		2168	2174	l;	ļ:	CENE
late 19915	j. 1	Į.	2174	2197		l)	REOF OF
and		- 1	2197	2225	ŀ	Į.	Office 4:
ate :		1	2225	2227	İ.	1:	1 W.
and	1		2227	2242	l.	L	Office of Oil
ate; &She		1	2242	2367	1	h	1
	1 1 11 17 17 1	I	2367	2570	11.51.51	7.00	" W
ime late &She		1	2570	2605	1.0	}	ENVIRO
		l	2605	2748	•	Ž.	li
ritty Lin	1 [	i	2748	3005		ž n	i
	-		3005	3050			
ime	C211 .		3050	3072	64.675	11.00	18 - 48
ate &She			3072	3274			
ime		a grant of the	3274	3400		1	i i i i i i i i i i i i i i i i i i i
late &She				3475			E MCEDO
ritty Lin			3400 3475		internation		1:
late &She	4			.3580	1	1	7,7,7,7,7
ime	I	****** * * * * * * * * * * * * * * * *	3500	3770			
late &She	Щ э		3580	The second secon		1::-	
and :			3770	-3780			
late &She	<del>1</del> 1	1965 N. 196 N. 196 N.	3780	3913		3014	
and			3913	3915	Little Gas	at 3914	
late &She	:11		3915	4031:9			1
ime	: *** ** ***	[25] L. J. J.	4031	4060		i [ ], ', ti	2 S. Eur. Barrier
late &She	:1)	1	4060	4085	1.9%	:[:::::::::::::::::::::::::::::::::::::	31
and -Ben	Bon	1.73	4085	4097		1	
andy Lin	ne i		4097	.4100		1 2735	T
late &She	1		4100	4104			
	ne - 17 - 17 - 17	22.	4104	4107		1-3.: 1	;   : r <del> </del>
	me Shells		4107	4124	7	1 753	
Total I				4124	1:	11	
		. ,		d and fus	tiring on 2	/11 /54 still	testing and
VOTE:	Completed	various hole	surveys an	u sand Irac	Il from Bon	on need in	sand fracturing
	carrying on	operation n	ccessary to			. Luseu III	sand fracturing.
A	operation.			27/0	ala (*	2 2 3	225# in 42 brs.
Many account to the second	7	efore Sand				· 1	IL IL II.
1. 1142 - Jan	Tennal				<u>.</u>		
	01 Fl	approximate	ly 30 days a	uter Sand I	Fracturing:	1513 Feb Co-	( 1 ch. () 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
arrest floor	Oben Prow	000 cu.ft.	Rock Press			1	(B) (CE) (CE)

30 days after Sand F	acturing:	essure 1225#	zang galana '	00011200
OR WITH OWN LIATE THE DESCRIPTION OF THE BASE OF APPROVED ST	Date	þ.	, 19 Owner	
Ву_	-8.	(Title)	11/18	/2022

## DEPARTMENT OF MINES OIL AND GAS DIVISION

### INSPECTOR'S WELL REPORT

Permit No Lew , 22P			Oil or (	jas Well Jan
P. C. mr. Kennie Cr. Court	CASING AND	USED IN DRILLING	LEFT IN	PACKERS
Address Pittsburgh Pa.	Size			.,, *
Address Pittsburgh Pa. Farm C. R. Summer	16.	s		Kind of Packer
Well No One	10			Size of
District Shin Creek County Jours	814		* 1	3 ( W) 10 ( W) 10 ( W)
Drilling commenced 9-15-53	6%			Depth set
Drilling completed depth 650	5 3/16		·	Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
Open flow after tubing/10ths Merc. inInch				7 7 9
VolumeCu. Ft.	CASING CEME	ENTED	SIZE	No. FTDate
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS E	NCOUNTERE	O AT	FEETINCHES
Fresh waterfeetfeet	FEET	INC		FEETINCHES
Salt waterfeetfeet	FEET			FEETINCHES
Drillers' Names Ray C. Jelist Rol	est Mora	- Jepes	Staln	aker JUR Hente
		-	Offi	RECEIVED Gas
Remarks: Permit of	<b>.</b>		N	OV 17 2022
25 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	10772		En	NV Department of NV Department Protection
MOV 195	3115			al exis
11-6-5-3  DATE  MOV 195  WEST VICINI  CONTROLL   6177		\	-0	
11-6-33 ESS 1/3 C 27	15/16/2	M	idsell	DISTRICT WELL INSPECTOR
740,05500				11/18/2022

06-11

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### INSPECTOR'S WELL REPORT

Permit No. Lew 928			Oil or C	Sas Well Jos
PC make into Gu	CABING AND TUBING	USED IN DR:LLING	LEFT IN WELL	PACKERS
Company P. C. Mc Kenziele Ges	Size		. 30 <sup>28</sup> de	and part
	16			Kind of Packer
Farm C. R. Sunmers	13			
Well No. One	10			Size of
District Shin Creek County Lewis	<b>∠</b> 8¼			
Drilling commenced 9-15-53	6%			Depth set
Drilling completeddepth 2 7/4	4 5 3/16			Bood ton
\$ 3 €			•	Perf. bottom
Date shotDepth of shot				Perf. top
Initial open flow/10ths Water inI	nch Liners Used			Perf. bottom
Open flow after tubing/10ths Merc. inI	nch		-	A
VolumeCu.	.FL CASING CEM	ENTED	SIZE	No. FTDate
Rock pressurelbs	.hrs.			
Oil bbls., 1st 24		NCOUNTERE	D AT	FEETINCHES
				_FEETINCHES
Fresh waterfeet				71.0
Salt waterfeet				FEETINCHES
Drillers' Names Ray C Johnst.	Robert.	muso		in white it
Remarks: Log & Permit C	The same of the sa		Offi	RECEIVED Gas
	2122232		N	01 17 2022
181900	2122324252g			WV Department of Vironmental Protection
518)	NOV 1953 ESI VIRGINA		: · En	VIII O
11-17-53 (SISTERIAL)	MENT OF MINES		m le	Carton
11-17-50 DATE	or mines			DISTRICT WELL INSPECTOR
retain (No. 1)	0106/8			11/18/2022

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

### INSPECTOR'S WELL REPORT

Permit No. Jew 227			(KIND)			
Sumpany P. C. McKennie	CASING AND TUBING	USED IN	LEFT IN WELL	PACKERS		
Cumpany P. C. McKenzie  Address Pittsburgh Pa  Farm C. B. Summers	Sizo .			· · ··································		
OR 8	16		<del></del>	Kind of Packer		
Farm L. J. Summer	13			x 4440 A. H. A. 2.16.2		
Well No.	<u> 16</u>			Size of		
District Skin breek County Lewis	81/4			Size of		
0-15-53	6%			Depth set		
Drilling commenced 9-15-5.3	5 3/16					
Drilling completed depth_3/50	3			Perf. top		
Date shotDepth of shot	2	N 20		Perf. bottom		
e en a a a a a a a a a a a a a a a a a a	Liners Used	,		Fig. top		
Initial open flow/10ths Water inInch	Liners Csed					
Open flow after tubing/10ths Merc. inInch				Perf. bottom		
		30 0 F W X	* **	0 0 00 000		
VolumeCu. Ft.	CASING CEME	ENTED	SIZE	No. FTDate		
Rock pressurelbshrs.			<u> </u>			
O:1bbls., 1st 24 hrs.	COAL WAS E	NCOIINTEDET	· • AT	FEETINCHES		
United the second secon	COAL WAS E	NCOUNTEREL	/ A1	TEE!INUNES		
Fresh waterfeetfeet	FEET	INC	HES	FEETINCHES		
Salt waterfeetfeet	FEET	INC	HES	FEETINCHES		
Drillers' Names Ray @ Johnst V	Robert	mara	m	i i incress en en el		
	y were	<i></i>		RECEIVED Office of Oil & Gas		
Remarks:			***************************************	NOV 1 7 2022		

WV Department of Environmental Protection

11-25-53

DISTRICT WELL INSPECTOR

11/18/2022

OG-11

# STATE OF WEST VIRGINIA DEPARTMENT OF MINES OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Parmit Horsew. 22P			Oil or (	Sas Well Jaz
Do makerais & Good	CASING AND TUBING	USED IN DRILLING	LEFT IN WELL	PACKERS
Company P. C. McKenzie la agent	Size		-	
Farm C. R. Summers	16	<u>.</u>		Kind of Packer
Farm ( · ) . Summers	13	ya e,		
Well No One	i0	( Fac 1900a)	* * *	Size of
District Shen Creek County Lewis	81/4			
Drilling commenced 9-15-53	6%			Depth set
	5 3/16			
Drilling completed depth #12#	3	<del> </del>		Perf. top
Date shotDepth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used			Perf. top
				Perf. bottom
Open flow after tubing/10ths Merc. inInch	1	•	*	g s e
VolumeCu. Ft.	CASING CEM	ENTED	SIZE	No. FTDate
Rock pressurelbshrs.				
Oilbbls., 1st 24 hrs.	COAL WAS E	CNCOUNTERE	D AT	FEETINCHES
Fresh waterfeetfeet	FEE	TINC	HES	FEETINCHES
Salt waterfeetfee		TINC	HES	FEETINCHES
Drillers' Names Roy @ Johnst Rohe				
0 2/	st IIIos	an you		
Remarks: Shut Lown for				Office of Oil & Gas
Shut down for	order	<b>—</b> ,		NOV 17 2022
EST8976	11172737875 A			WV Department of Environmental Protection
	11954 E			5 (a) (534 - \$25, 752 (5444 ) - (4.1
C OFPARTMEN	IT OF MINES	. /		0
1-4-54		_()	m	(Cash
BINE DATE	326545556			DISTRICT WELL INSPECTOR
				11/18/2022

### STATE OF WEST VIRGINIA

### DEPARTMENT OF MINES OIL AND GAS DIVISION

## 

mpany P. C. Machengiela Egent  Siza  Siza  Italian Greek  Italian Greek  County Jewan  Italian Cone  Italian Co	INSPECTOR	'S WELL	REPOR'		. 94
mpany P. C. Markenzelo agast  Tusina Drill. 1119 WELL  Size  Size  Size  Size  Kind of Packer.  13  10.  Site of  Site of  BY.	comit No Lew, 998			Oil or C	ias Well Jak
Attrict Min Dreek County Season  In the strict Min Dreek County Season  It is convened 9-15-53  It is shot Depth of shot  Liners Used Perf. top   P. C. McKenzielo Gount	CABING AND	USED IN DRILLING	LEFT IN WELL	PACKERS	
Attrict Min Dreek County Season  In the strict Min Dreek County Season  It is convened 9-15-53  It is shot Depth of shot  Liners Used Perf. top   Home Pittolywork, Pa	Size		. *	er in a system of the	
Attrict Min Dreek County Season  In the strict Min Dreek County Season  It is convened 9-15-53  It is shot Depth of shot  Liners Used Perf. top   CR Summers	16			1,774	
Strict Silven Breek County Secure 844 By 684 Depth set 684	161. P	10			
illing commenced 9-15-53    Signature   Depth set   Depth set					Size of
te shot Depth of shot  tinl open flow /10ths Water in Inch  tinl open flow /10ths Water in Inch  ten flow after tubing /10ths Mere. in Inch  Dume Cu. Ft.  CASING CEMENTED SIZE No. FT Date  ck pressure lbs hrs.  bbls., 1st 24 hrs.  COAL WAS ENCOUNTERED AT FEET INCHES  esh water feet feet FEET INCHES FEET INCHES  the water feet feet FEET INCHES FEET INCHES  willers' Names Ray & John & Robert Maran John Marker and Office of Oil & Gas  NOV 17 2022  WY Department of Engineering To Sandfras Bendard  FEB 1954  WEST MICHES  FEB 1954  WEST MICHES  DITERITY WELL INSPECTOR  DITERITY WELL INSPECTOR  DITERITY WELL INSPECTOR  DITERITY WELL INSPECTOR					Depth set
te shot Depth of shot 2 Perf. bottom.  tinal open flow /10ths Water inInch  cen flow after tubing /10ths Merc. inInch  lume		5 5/16	ļ		
tinl open flow	illing completeddepth	3			Perf. top
tinl open flow	te shotDepth of shot	2	<del> </del>		(8) %
ch flow after tubing /10ths Merc. in Inch    Inch   Casing Cemented   Size   No. FT   Date   Ck pressure   Ibs   hrs.	itial open flow/10ths Water inInch	Liners Used			
bbls., 1st 24 hrs.  bbls., 1st 24 hrs.  coal was encountered at FEET INCHES  esh water feet feet FEET INCHES FEET INCHES  ilt water feet feet FEET INCHES FEET INCHES  illers' Names Ray C Johnst Robert mann John Stalmohen and Please of Oil & Gas  NOV R. Heater  THE ANSWERS FEED Office of Oil & Gas  NOV 1 7 2022  WEST MARKET FEED OFFICE OF OIL & GAS  NOV 1 7 2022  WY Department of Engigenmental Protection  THE BIST WALL INSPECTOR	en flow after tubing/10ths Merc. inInch		<b>!</b>		Feri. bottom
bbls., 1st 24 hrs.  COAL WAS ENCOUNTERED AT FEET INCHES  esh water feet feet FEET INCHES FEET INCHES  tillers' Names Roy C Jobiet Robert moran Jober Stalnober as  williers' Preparing to Sandfras Benaum Sand  Office of Oil & Gas  NOV 17 2022  WYD Department of  ENTRY MINISTERS OF THE PROJECTION  DISTRICT WELL INSPECTOR	olumeCu. Ft.	CASING CEMI	ENT'ED	SIZE	No. FTDate
bbls., 1st 24 hrs.  COAL WAS ENCOUNTERED AT FEET INCHES  esh water feet feet FEET INCHES FEET INCHES  tillers' Names Roy C Jobiet Robert moran Jober Stalnober as  williers' Preparing to Sandfras Benaum Sand  Office of Oil & Gas  NOV 17 2022  WYD Department of  ENTRY MINISTERS OF THE PROJECTION  DISTRICT WELL INSPECTOR	ock pressurelbshrs.		(5))		
illers' Names Roy C globiat, Robert moran John Stalmaker a.  OW. R. Heater  The paring to Sandfrac Benauer Sand  Office of Oil & Gas  NOV 17 2022  WEST WILL INSPECTOR			NCOUNTERE	) AT	FEETINCHES
illers' Names Roy & Johnst, Robert maran Johns Stabnaker &  ON R. Heater  The paring to Sandfrac Benaum Sand  RECEIVED Office of Oil & Gas  NOV 17 2022  WEST MINISTER OF MINI	esh waterfeetfeet	FEE	rinc	HES	FEETINCHES
Tillers' Names Roy C Jobist Robert moran Jober Stalmober as  OW. R. Heater  Original Preparing to Sandfac Benauer Sand  Office of Oil & Gas  NOV 17 2022  WEST WILLIAM  DISTRICT WELL INSPECTOR			rinc	HES	FEETINCHES
OW. R. Heater  Preparing to Sandfrac Benauer Sand  Office of Oil & Gas  NOV 1 7 2022  WEST WILL INSPECTOR  DISTRICT WELL INSPECTOR	7 0 3 0 1 10 1	1		10	D+0 0
FEB 1954 WEST WILL INSPECTOR  RECEIVED Office of Oil & Gas NOV 1 7 2022  WY Department of Environmental Protection  DISTRICT WELL INSPECTOR	rillers' Names Aoy Gobset, Aob	est m	many	bolle	Unknoper a
FEB 1954 WEST WILL INSPECTOR  HECEIVED Office of Oil & Gas  NOV 1 7 2022  WY Department of Environmental Protection  DISTRICT WELL INSPECTOR	OW. R. Heater	A Rosa	1-41-	Para	
NOV 1 7 2022  FEB 1954 WEST VINITAL DISTRICT WELL INSPECTOR	freparing to sandific			wreg	RECEIVED
FEB 1954 WEST VINITIAL DISTRICT WELL INSPECTOR	. 63	2930311723	· \.		
1-75-54  DATE  MESS MINISTER CONTROLL Protection  DISTRICT WELL INSPECTOR		FEB 1954	5		
DISTRICT WELL INSPECTOR	3.24.23 11.00 miles	MEST VICTORIA	B 9	¥* →: * ÷ <b>\</b>	WV Department of Environmental Protection
All the state of t	-75-54	antialni of Mikes	34	m	Casto
	CAN DATE	(181 11 01 C14/2)		2	11/18/202

### STATE OF WEST VIRGINIA

## DEPARTMENT OF MINES

OIL AND GAS DIVISION

## INSPECTOR'S WELL REPORT

Periale No. Jew-227	•		Oil or (	Sas Well
De makanais	CASING AND TUBING	USED IN DRILLING	LEFT IN	PACKERS
Address Fittsburgh Pa	Size			*
Address Fullaburgh	16			Kind of Packer
Farm C. R. Summer	13			
Well No One	10			Size of
District Shin Creek County Lewin	814			
Drilling commenced 9-15-53	6%	<del> </del>		Depth set
	5 3/16	-		
Drilling completed 2-19-54 Total depth 4095	8	<del> </del>	1, 5	Perf. top
Date shot Depth of shot	2			Perf. bottom
Initial open flow/10ths Water inInch	Liners Used	1	<b> </b>	Perf. top
				Perf. bottom
Open flow after tubing/10ths Merc. in Inch	1	an man	SIZE	No. FTDa
VolumeCu. Ft.	CASING CEM	ENTED	3100	
ilock pressurelbshrs.		<del></del>		
Oilbbls., 1st 21 hrs.	COAL WAS	ENCOUNTER	ED AT	FEETINCHE
Fresh waterfeetfeet	FEE	TIN	CHES	FEETINCHE
Salt waterfeetfeet	FEE	etIN	CHES	FEET INCHE
		1	2 24	-0 0
Drillers' Names Ray Johnist Rober	X mor	an Joh	es. Sho	Inobes
and W. R. Heater		· · ·		
Remarks:				RECEIVED Office of Oil & Gas
A CES DE LA COLOR	1723			NOV 1 7 2022
~	5		- 	MOA T ( FATE

WV Department of Environmental Protection

3-2-54



am Conto

WW-4A Revised 6-07 Office of Oil & Gas

NOV 17 2022

WV Department of Environmental Protection

Date: Oct 26, 2022
 Operator's Well Number
 Summers #1

3) API Well No.: 47 -

041 - 00228

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

4) Surface Ow	ner(s) to be served:	5) (	a) Coal Operator		
(a) Name	Monongahela Power	Co.	Name	No Declaration	
Address	C/O Tax dept, 800 Ca	bin Hill Dr.	Address		
	Greensburg, PA. 1560	01	_		
(b) Name			(b) Coal Ow	ner(s) with Declaration	6
Address	·		- Name	Na	
Hadroos	N		- Address		RECEIVED
					Office of Oil & Gas
(c) Name			Name		20000
Address			- Address		NOV 1 7 2022
Address			_		
	- contrario en catore.		- () () 1.		WV Department of
6) Inspector	Bryan Harris			see with Declaration	Environmental Protection
Address	P.O.Box 157		Name	Na	
	Volga, WV 26238		Address		
Telephone	304-553-6087		_		
Take notic accompany Protection, the Applic	you are not required to take a e that under Chapter 22-6 of ying documents for a permit with respect to the well at the	ny action at all.  The West Virginia Cod to plug and abandon a she location described on mailed by registered	le, the undersigned well well with the Chief of th n the attached Applicati or certified mail or de	operator proposes to file or has fi e Office of Oil and Gas, West Vir on and depicted on the attached F	he instructions on the reverses side.  led this Notice and Application and rginia Department of Environmental Form WW-6. Copies of this Notice, named above (or by publication in
·········	OFFICIAL SEAL	Well Operator By:	UNKNOWN - Dep Pa	id Plugging Contract	
STA A STA	NOTARY PUBLIC TE OF WEST VIRGINIA	Its:		The second second	
REP	NAE DAWN WHITLOCK	Address	601 57th st.	V	
	Street, SE, Charleston, WV 25304 Shrmission Expires April 06, 2027		Charleston, WV 2530	4	
mund	Cummun	Telephone			
Subscribed and	sworn before me the	is loth d	ay of <u>Navem</u>	Ver 2000 Notary Public	

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

### SURFACE OWNER WAIVER

Operator's Well Number

4704100228 Summers 1

### INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION;

> Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

Time Limits and methods for filing comments. The law requires these materials to be served on or hefore the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number. the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments

The Chief has the power to deny or condition a well work permit based on comments on the following Office of Oil & Gas grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- The soil erosion and sediment control plan is not adequate or effective;

NOV 1 7 2022

- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies.
- WV Department of 5) The applicant has committed a substantial violation of a previous permit or a substantial profession or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat

DDODATION
RPORATION.
st .
Date
5

	47	0	4	1	0	0	2	28	1
API No.	7 -		-8			V	pae		
Farm Nar	me								
Well No.									

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER
has examined this proposed plugging wo	/ owner/ lessee/ of the coal under this well location rk order. The undersigned has no objection to the work proposed to be loperator has complied with all applicable requirements of the Westons.
Date:	
	By:
	Its

RECEIVED
Office of Oil & Gas

NOV 1 7 2022

WV Department of Environmental Protection

API Number	47 -	041	_00228	
Operator's W	ell No	. Sun	nmers #1	

## STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

FLUIDS/ CUTTINGS DISTU	
Operator Name DEP Paid Plugging Contract	OP Code
Watershed (HLIC 10) Right Fork Stonecoal Creek	Quadrangle Adrian
Do you anticipate using more than 5,000 bbls of water to complete	e the proposed well work? Yes No No
Will a pit be used? Yes No X	
If so, please describe anticipated pit waste:  Will a synthetic liner be used in the pit? Yes	No X If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:	
Land Application (if selected provide	a completed form WW-9-GPP)
Underground Injection (UIC Permit	Number
Reuse (at API NumberOff Site Disposal (Supply form WW-	9 for disposal location)
Other (Explain	
one (Ep	
Will closed loop systembe used? If so, describe: Na	[]
Drilling medium anticipated for this well (vertical and horizonta	l)? Air, freshwater, oil based, etc. Na
-If oil based, what type? Synthetic, petroleum, etc. Na	RECEIVED Office of Oil & Gas
Additives to be used in drilling medium? Na	NOV 1 7 2022
Drill cuttings disposal method? Leave in pit, landfill, removed of	offsite, etc. INa
If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust) [14a] WV Department of
-Landfill or offsite name/permit number?	
	as of any load of drill cuttings or associated waste rejected at any
Permittee shall provide written notice to the office of on and of waste Virginia solid waste facility. The notice shall be provided	within 24 hours of rejection and the permittee shall also disclose
where it was properly disposed.	
on April 1, 2016, by the Office of Oil and Cas of the West Virginia of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action.  I certify under penalty of law that I have personally application form and all attachments thereto and that, based on the information, I believe that the information is true, accurate submitting false information, including the possibility of fine of	conditions of the GENERAL WATER POLLUTION PERMIT issued ginia Department of Environmental Protection. I understand that the any term or condition of the general permit and/or other applicable law examined and am familiar with the information submitted on this my inquiry of those individuals immediately responsible for obtaining te, and complete. I am aware that there are significant penalties for a imprisonment.
Subscribed and swom before me this 16 day of	Sovenly, 20 22
	Notary Public OFFICIAL SE
My commission expires Cario 6,2007	STATE OF WEST V RENAE DAWN WH 801 57th Street, SE, Charles
My commission expires to the continues of the continues o	My Compission Expired


Lime 2 tonsTons/s	cre or to correct to pH		
Fertilizer type 20-20-20			
Fertilizer amount 500 lbs	lbs/acr		
		*	
Mulch 2 tons	Tons/acre		
	Seed Mix	tures	
Temporary		Perma	nent
Seed Type lbs/a	cre	Seed Type	lbs/acre
		Fescue	30 lbs
		Clover	5 lbs
T.		Contractors Mix	10 lbs
n: (s) of road, location, pit and propo(ed). If water from the pit will be lead, and area in acres, of the land apth copied section of involved 7.5' top	and applied, provide water volication area.	(unless engineered plans inclu volume, include dimensions (L.	iding this info have been, W, D) of the pit, and dim
(s) of road, location, pit and propoled). If water from the pit will be I be and area in acres, of the land aptroped section of involved 7.5' top	and applied, provide water vollication area.  ographic sheet.	(unless engineered plans include dimensions (L.	, W, D) of the pit, and dim
(s) of road, location, pit and propoled). If water from the pit will be lead, and area in acres, of the land ap	and applied, provide water volication area.  ographic sheet.	volume, include dimensions (L.	, W, D) of the pit, and dim
(s) of road, location, pit and proposed). If water from the pit will be led), and area in acres, of the land appropriate section of involved 7.5' top	and applied, provide water volication area.  ographic sheet.	volume, include dimensions (L.	RECEIVED
(s) of road, location, pit and proposed). If water from the pit will be led), and area in acres, of the land appropriate section of involved 7.5' top	and applied, provide water volication area.  ographic sheet.	volume, include dimensions (L.	, W, D) of the pit, and dim
(s) of road, location, pit and proposed). If water from the pit will be led), and area in acres, of the land appropriate section of involved 7.5' top	and applied, provide water volication area.  ographic sheet.	volume, include dimensions (L.	RECEIVED Office of Oil & Gas

WW-7 8-30-06



# West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LOCATION FORM: GPS					
ль. 4704100228	WELL NO.:	ımmers #1			
C R Summers					
RESPONSIBLE PARTY NAME: DEP Paid Plugging Contract COUNTY: Lewis DISTRICT: Skin Creek					
COUNTY: Lewis	DISTRICT: Skir	n Creek_			
OHADRANGLE: Adrian					
Monon	gahela Power Co				
ROYALTY OWNER: Monon	gahela Power Co	).			
5 58	443				
UTM GPS NORTHING: 5 30 UTM GPS EASTING: 43 14	228 GPS ELEVATION	<sub>on:</sub> 1140'			
height above mean sea lev  Accuracy to Datum – 3.03  Data Collection Method:	a plugging permit or assigned As will not accept GPS coordinates: 17 North, Coordinate Units: met vel (MSL) – meters.	s that do not meet ters, Altitude:			
Survey grade GPS: Post Pro	me Differential	RECEIVED Office of Oil & Gas			
Mapping Grade GPS X: Post Processed Differential NOV 1 7 2					
	l-Time Differential	WV Department of Environmental Protection			
4. Letter size copy of the topography map showing the well location. I the undersigned, hereby certify this data is correct to the best of my knowledge and belief and shows all the information required by law and the regulations issued and prescribed by the Office of Oil and Gas.					
Bryan Harris	Inspector Specialist	Oct 26, 2022			
Signature	Title	Date			



NOV 1 7 2022

WV Department of Environmental Protection

11:11:21A ann


Location

RECEIVED
Office of Oil & Gas

17 S 055844 W Department of Environmental Protection UTH 4314228

Sep 20, 2022, 11:11 A

11/18/20





Kennedy, James P < james.p.kennedy@wv.gov>

### plugging permits issued 4704100237, 04100229, 04100228

1 message


Kennedy, James P < james.p.kennedy@wv.gov> Fri, Nov 18, 2022 at 10:42 AM To: Henry J Harmon <a href="mailto:henry.j.harmon@wv.gov">henry.j.harmon@wv.gov</a>>, Bryan O Harris <a href="mailto:henry.j.harmon@wv.gov">henry.j.harmon@wv.gov</a>>, Samuel D Ward <samuel.d.ward@wv.gov>, jbreen@assessor.state.wv.us

To whom it may concern, plugging permits have been issued for 4704100237, 04100229, 04100228.

James Kennedy


WVDEP OOG

#### 6 attachments









4704100229.pdf 7203K

4704100228.pdf 5674K