

west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452 Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Friday, November 18, 2022 WELL WORK PLUGGING PERMIT Vertical Plugging

UNKNOWN - DEP PAID PLUGGING CONTRACT 601 57TH STREET

CHARLESTON, WV 25304

Re: Permit approval for 2 47-041-00237-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin Chief

Operator's Well Number:

Farm Name: LINGER, R. B.

U.S. WELL NUMBER: 47-041-00237-00-00

Vertical Date Issued:

Vertical Plugging

Promoting a healthy environment.

4704100237

PERMIT CONDITIONS

West Virginia Code § 22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.

WW-4B Rev. 2/01 1) Date Oct 760 4 1 0 0 2 3 7 0 2) Operator's Well No. Linger #2 3) API Well No. 47-041 -00237

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

APPLICATION FOR A PERMIT TO PLUG AND ABANDON

4) Well Type: Oil/ Gas X / Liqui (If "Gas, Production or Un	d injection/ Waste disposal/ derground storage) Deep/ Shallow X
5) Location: Elevation 1177' District Skin Creek	WatershedQuadrangle_Adrian
OEP Paid Plugging Contract Address Address Charleston, WV 25304	7) Designated Agent Jason Harmon Address 601 57th St. Charleston, WV 25304
8) Oil and Gas Inspector to be notified Name Bryan Harris Address P.O.Box 157 Volga, WV 26238 304-553-6087	9) Plugging Contractor Name Address
see Plugging Project: 47041002	37 Linger #2, below NOV 17 2022
	WV Department of Environmental Protection
Notification must be given to the district oi work can commence.	l and gas inspector 24 hours before permitted
Work order approved by inspector Bryan Harris	Date October 26, 2022

Plugging Project 4704100237 Linger #2

V. REMEDIATION AND/OR PLUGGING WORK PLAN

Notify Inspector Specialist, Bryan Harris @ 304-553-6087. Notification is required 24 hrs prior to commencing plugging operations

- 1. Move in rig up to 6 5/8" casing. Pull 2" tubing.
- 2. Run in hole with work string to TD. Fill hole with fresh water. Gel hole to 1000'.
- 3. Set cement plug 4300' 4000'. Pull work string, WOC. Tag plug, add cement if needed. Lay down work string.
- 4. Pull 10 joints 6 5/8" casing. Run in hole with work string to 2100', set cement plug 2100' 1900'. Pull work string, WOC. Tag plug, add cement if needed.
- 5. Pull remaining 6 5/8" casing.
- 6. Run in hole with work string to 1600'. Set cement plug 1600' to 1500'. WOC.
- 7. Pull work string to 1200', set cement plug from 1200' to 1000'. WOC.
- 8. Run in hole with work string, set cement plug from 500' 400'. WOC, tag plug.
- 9. Set cement plug from 200' to surface.

10. Set monument. Reclaim

RECEIVED
Office of Oil & Gas

NOV 17 2022

2. NOTE.. Any casing found in the well with out cement in the annulus that cannot be retrieved must be perforated and cement at all saltwater, freshwater, coal, oil, gas, casing shoe and elevation points.

WELL PLUGGING PROJECT 4704100237 Linger #2

Well detail:

6 5/8" casing with 2" visible at surface. Leaking gas around wellhead. Well was drilled in 1954 and produced from the Benson Sand at 3955'. Completed as a shot hole. Well records show:

6 5/8" casing to 2040' No 2" listed Fresh Water at 40' and 450' Elevation at 1177' Salt Water at 1580' Gas shows at 1920' and 3955' TD at 4322'

Site-based considerations:

Property is managed as a Wildlife Management Area by DNR.

Well sits in the bottom 75' from Pringle Fork.

A Few 100' from Stonecoal Lake.

Access road 200' to site.

Site may need to be "matted" for stability.

All surface disturbances will be reclaimed to/as close to original contours.

Office of Oil & Gas

NOV 17 2022


WV Department of Environmental Protection



STATE OF WEST VIRGINIA

DEPARTMENT OF MINES PARTMENT OF MINES OIL AND GAS ETVISION

8	
	DEPARTMENT OF MINES
	OIL AND GAS STYISION
	NOTICE OF PROPOSED LOCATION OF OIL AND GAS WELL
	To The Department of Mines.
3	Charleston, W. Va.
	R. B. Linger, et ux P. C. McKensie Company, Agent
M's	Clarksburg, West Virginia P. O. Box 10396, Pittsburgh 34, Pa.
12.	ADDRESS - COMPLETE ADDRESS
. (COAL OPERATOR OR COAL OWNER
	PROPOSED LOCATION 3
	Adonase Skin Creek & Buckhannon District
	R. B. Linger, et ux Lewis & Upshur Counties
	412 Grove Avenus Clarksburg, West Virginia Well No. 2 86 15
	Accesses
	oil and gas, having fee tills thereto, (or as the case may be) under grant or lease dated
	made by R. B. Linger, et ux
	and recorded on the 12th des
0	of March in the office of the County Clerk for said County in Book 217 page 507. & 4/24/52 in the office of the County Clerk for said County in
•	The enclosed plat was record to West Virginia in Book #27 Page 521
	to be drilled for oil and gas by the undersigned well operator on the farm and in the Magisterial District and County above named, determined by survey and courses and distances from two permanent points, or
٥	The understand will operate the state of the
4,14	The undersigned well operator is informed and beliefes there are no coal operators operating beds of coal beneath said farm or tract of land on which said well is located; or within 500 feet of the boundaries of the same, who have mapped their workings and filed their maps as required by law, excepting the
	coal operators or coal owners (if any) above named as addresses. The above named coal operators or coa
٠	the drilling of a well as said coation, or which they are required to make by Section 3 of said Code if
.:	a copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice and accompanying role to be copy of this notice.
	that forms for use in making such objections will be furnished to them by the Department of Mines promptly.
",	be moved to overcome same.
	(The next paragraph is to be completed only in Department's copy.)
	Copies of this notice and the enclosed plat were mailed by registered mail, or delivered to the above named cost operators or coal owners at their above shown respective address ———day — before, ———day ————————————————————————————————
	West Virginia.
	Very truly yours,
	P. C. McKensie Company, Agent
	Address Post Office for 10396
	Well Operator Pittsburgh 34
أبرد	Securitary of the second
7	*Section 8. C. If no such objection be glad
C_{f}	ten days from the worth profit and plat by the department of mines, within said period of
* ; ·	have been made by the coal uperator a drilling permit reciting the filing of such plat, that no objections approved and the well operator authorized to proceed to drill at said location.





DEPARTMENT OF MINES OIL AND GAS DIVISION 4 Date WELL RECORD

LEW-237 Oil or Gas Well Company R. C. McKenzie Company Address P. O. Box 10396, Pitts argh 34, Da Packers Farm R. B. Linger Location (waters) Stonecoal Creek Size . Well No 301 None Elev. 1177. 71 District Skin Creek Lewis The surface of tract is owned in fee by R. inger et ux 2681 None 13361 None 20401 20401 5 3/18 June 29th; 1954 Drilling completed October 13th, 1954 Date Shot 10/5/54 From 3954 Liners Used With . . 40 gts. nitro-plycerine /10ths Water in /10ths Merc. in SIZE See below 阿尔德马利巴纳 bbls. 1st 24 hrs COAL WAS ENCOUNTERED AT. INCHES Fresh water_ 40 50 INCHES 1580-Salt water. FEET INCHES FEET. INCHES Formation Hard br Color JU OIL Gas Top Clay, Sand & Gravel . 0 1.50 Lime After Sho 50 1057 105 Sand 130 Slate ' 130 150 Lime 150 -- MEST In 258 Slate 258 268 Sand' 268 278 Slate & Shell Defore Sp 278 334 Band Oppu Flor 334 Slate & Shell 360 360 440 Sand 440 472 Slate 472 477 Sand 0 Office of Oil & Gas 477 610 Slate & Shell 610 Gritty Lime 638 638 3720 Sand 720 770 Slate Sper F153 770 WV Department of Environmental Protection -790 7.90 810 Slate & Shell 810 Sand Lime Slate & Shell 910 910 955 955 980 1819202122 Sand 980 1005 100530 1150 Rock ... OCT 1954 1150 Slate & Shell 1228 ECEINED 1228 2 Sand Big Lime Big Influm 1286 EST YARBINIA 1286 1305 DEPT, OF ATTIES 1305 1375 1375 1500 Slate roc . Slow Gar 1500 2 1505 Gritty Lime 150532 1560 Sand on . 1560)0 1750 Slate & Shell 1790

Children St. Co.	C 6071711111		1	7
4704	1000	7	1000	V.
4/114	1 U 11 Z	J	1	۲
The second		-	# 1	j

Formation -	Color	Hard or	1 3 2 3 34	(JAGL)	1 -	4/	VATVUZ
	Color	Boft	Top-4	Bottom_	Oil, Gas or Water	Depth Found	Remarks;
ate & Shell		派克士	1750	1790	A Mark	1 19	
La Rock & I	me		7-1790	1885	13/2017		
and Trum		1.51.3.4	121885	1912	1000		
and a Gord			7.1912	1919	1. 15, 719	192	True Valentin
late & Shel	T_{i}	of Provide	1.1919	1947	Show Gas	31920	
Rock & 1	ime		1:1947	1955 1965	18	11 01 22 22	4 X
late & Shel		12/25	7:1965	2026	13.45	1-01-61	17
th Sand &]	imeq	分析的方案	77Z026	2036	1	TOEIGE	
ate & Shel	1 117 11		702036	3036 2015	7	OGT 1954	
late & Shel	1 1 1 1		2115 2127	2127	leron VO	-	
ime	112141111	1- 1-7	2750	2250		18:0505155	3
ate & Shell	8 112	16.64	2750	2760 2860	的知识是	577	
me			2760 \ 2860 \	3740	147 31 35		
ate & Shell ind - Bens			3740	3955	Mark State	LESS TERRISE	
ind - Bense	3	1. 61	3955	3962	Gze	10.00	
ate & Shell	8	400 400	3955 3962* 3995	3995			
ad a con			63973	4322	医环状的	44	1::
tc .		1232	472 477	.610	自然统约	12.30%	
iq was j		1:54.75:1	440	477	Berlington be	Selvinia.	
to & Shell	3 - 1	1200	Total Dept	432211/	NATE AND	Ling States	
16		16年第18日	-334	360	数据数·		7 5 6 2 1 3 4 5
id te & Shell			278	334	Open Flow		
rc.			268	278	Before Sh	ets .	
vo 🔻		•: 4 1	150 258	268	21.		
to		: tribil	730	150 258	10 With 1"	= 34 MCF	
ā			102.7	130	Man, Soft		
, Sand-&			20	4 105			
. S.nd.?	iravel	14.753	0,1	20	After Shot	• # 10 To K. 11	
neliamiton .	Coler	Soft	To consider	4.000.000.000	42		
المسجنات	(-)	Mard or	Top	Potton.	10 00 With 1"	= 487MCF	T. Remarks
	580	fcct	1055	LEE			
sh water	¥0,	Scot	0 (602)	1000	A RICH	EED.	INCHES
Preceuty.		S P	bla, int 24 hra,		T. Well	Z. LEE	INCHES"
ImeE	620 62	3 (1920)	hrs	COAL TVAS E	COUNTERED	T FEE	Nones
	o holow	(17.60年)科技 的 基本	CT ES	STEEL MARKET	1/2/2011/2012	3.2.2.1	,
	Otha Water 1	Sept Contract	Zica, Ecp	CASING CEM	(TED a	ZE No. F	Date
0 dt		carina	- (10 x - 40 ch			What Fig. 4	
Suct 10/5/5	4 , From	3024. 70	3074	Diversion		Per	Potrom RECEI
ling complete.	" " " " " " " " " " " " " " " " " " "	+ 13th; 10th	711 11111	Linera Uno.1	21 476 476 4	Pct	40b 01 O
ing commoner t	June 2	oth, 1954-	101 S	3	是他是1980年1	Per	potrom NOV 17
בעון שבייים בייי	90	13 (10)	G TAG	g 3/10	TAMES NOT 1	Per	
mi rights are o	. DIE	Finney bt	14.5	D.18	70102	4.04.10	WV. Departm Environmental F
curines of tee t	la owned in 12	by R. T. C. I.	ZGP-/1-V	(a):		Der Der	P dot Environmental F
तिम शिवम अ			or ct.uz-	10	-	Conc : Sec	
3				13			
Lon (vatera)	Stonecoll	Ciocc	1127.71	10	30,	ione Kin	OI Lecron
RBI	vugo: -	100 CE	17230 ·	. Size			of Packor
E.O.	3. 10396. I	Sitte Direction 4		DEL MORE	*****	Account Table	
		Comparty, A	dene -	Casing and	Used in the little of the litt	N.SII	Parkern
		2/2011/10/2012		100			
^{(१} भ•ें हुई इ	15237			第20年9月		011 01 07 11	(KIND)
6.0	11-3 35.02 () () () () () () () () () (87 (MIRS), 581 (C)	MECE S	ECORL		Oil or Gas Till	Gan
			on via ev	DIAIDIG	(Astronosis	Mary Strate	100 100
	13:10	A L'AMBOURT TO THE	to the second se	OF MINES	Date	C. A.T. S.	AND THE RESERVE OF THE

06-11

STATE OF WEST VIRGINIA

DEPARTMENT OF MINES:

INSPECTOR'S CLUGGING REPORT TROPAR LIAW S'ROTDAGNI

ermit Nocilly 23/	and the second second second second	PERS.	nea -		Oil of	Gas Well Gos
ompany P. C.M	20 Kenzi	<u>.</u>	CART TUBER	DRILLING	LEFT IN	PACKERS
deres Pettake			Sise			Libert Section Chief
R.B. Lis	ger :	Pack	16		the second	Kind of Packer
en No Two	<u> </u>	635-015%		· UE-A	HANGE BY C.	TEU BY IN
windhin Creek		I-ngitogi.	81/4	1		Size of
Iling commenced			6%		-4	Depth set
lling completed 4 - 5-4	Total depth#3	22	58/16			
e shot	epth of shot		2			Perf. top
ini open flow	_/10ths Water in_	Inch	Liners Used			Perf. top
n flow after tubing	_/10ths Merc, in	Inch _				Perf. bottom
ime		.Cu. Ft. C	ASING CEMEN	TED	SIZE	C STR
k pressure	lbă.	hrs.				No. PTDate
	bbls., 1st-	21 hrs C	OAL-WAS EN	OUNTERED A	T P	eetinches
li wnterfe	pet		PEET-			
water to	eL	foet		INCHE		eet inches
ers' Names Chin	well	0	mAli	7-1	- A: 2	et le lu
& Octobe	1/95	<i></i>	Jan	24 1	10 //	i sug
frks:			Serve Line			RECEIVED
	25/22	23242526	>			NOV 1 7 2022
		OCT 1954	CONTROL OF THE PARTY OF THE PAR			WV Department of Environmental Protection
	P WES	CEIVE	D ST. III.	or certly Lylait	I here!	
-19-54 BATE	COLUMN THE STREET OF THE STREE	T. OF MILIES	.99	an	20	and a
		101681	'		Diet	mer war inspected/20

WW-4A Revised 6-07 4704100237P

1) Date:

2) Operator's Well Number

Linger #2

3) API Well No.: 47 -

041

00237

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

(a) Name	vner(s) to be served: Monongahela Power Co	o.	5) (a) Coal Operator Name	No Declaration	
Address	C/O Tax dept. 800 Cabi		Address	. To Decidifulion	
(b) Nome	Greensburg, Pa. 15601				
(b) Name Address			(b) Coal Ow	ner(s) with Declaration	on
Address			Name	Na	•
			Address		RECEIVED
(c) Name					Office of Oil & Gas
Address			Name		NOV 17 2022
			Address		NOV 1 7 2022
6) Inspector	Bryan Harris Inspector S	Pooislist			WV Department of
Address	P.O.Box 157	pecialist	(c) Coal Less	see with Declaration	Environmental Protection
	Volga, WV 26238		Name	Na	
Telephone	304-553-6087		Address		
Take notice accompanying Protection, we the Application	that under Chapter 22-6 of the Vag documents for a permit to plu	West Virginia Co	ode, the undersigned well op well with the Chief of the Coon the attached Application	erator proposes to file or has fi Office of Oil and Gas, West Vir	he instructions on the reverses side. led this Notice and Application and rginia Department of Environmental form WW-6. Copies of this Notice, named above (or by publication in
STATE (FFICIAL SEAL BY DTARY PUBLIC Its		Jason Harmon Deputy Chief 601 57th St.	Plugging Contract	~
My Commiss	ion Expires April 05, 2023 §	lephone	Charleston, WV 25304 304-926-0450	4	
Subscribed and sv My Commission E	worn before me this txpires	<u> </u>	ay of November	n 2022 Notary Public	
Oil and Gas Privacy	- Char	010			

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at depprivacyoffier@wv.gov.

SURFACE OWNER WAIVER

Operator's Well Number

4100237 Linger 2

INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator

NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

Chief. Office of Oil and Gas Department of Environmental Protection 601 57th St. SE Charleston, WV 25304 (304) 926-0450

RECEIVED Office of Oil & Gas

NOV 17 2022

WV Department of

Environmental Protection Time Limits and methods for filing comments. The law requires these materials to be served on or hefore the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective:
- 3) Damage would occur to publicly owned lands or resources:
- 4) The proposed well work fails to protect fresh water sources or supplies:
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

VOLUNTARY STATEMENT OF NO OBJECTION

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned work described in these materials, and I have no objection to a permit being issued on those materials. FOR EXECUT NATURAL PERSON

ETC

FOR EXECUTION BY A CORPORATION.

Bell Date 60/25/28 ame By Signature

DEP Paid Plugging Contract Bryan Harris - Inspector Specialist

Date

Signature Dyan Haven

Date 10/12/22

API No.	47	0	4	9	0	0	2	3	7P
Farm Na	me –								
Well No.	7 2								

INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

Office of Oil & Gas
NOV 1 7 2022

		MOATI
	WAIVER	WV Department of Environmental Protection
has examined this proposed plugging work done at this location, provided, the well o Virginia Code and the governing regulation	perator has complied with	of the coal under this well location is no objection to the work proposed to be all applicable requirements of the West
Date:		
	Ву:	
	Its	

WW-9 (5/16)

API Number	47 -	041	_00237	
Operator's W			er #2	

STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name DEP Paid Plugging Contract OP Code
Watershed (HUC 10) Pringle Fork of Right Fork Stonecoal Creek Quadrangle Adrian
Do you anticipate using more than 5,000 bbls of water to complete the proposed well work? Yes No
Will a pit be used? Yes No 🗸
If so, please describe anticipated pit waste:
Will a synthetic liner be used in the pit? Yes No If so, what ml.?
Proposed Disposal Method For Treated Pit Wastes:
Land Application (if selected provide a completed form WW-9-GPP) Underground Injection (UIC Permit Number) Reuse (at API Number) Off Site Disposal (Supply form WW-9 for disposal location) Other (Explain)
Will closed loop systembe used? If so, describe: Na
Drilling medium anticipated for this well (vertical and horizontal)? Air, freshwater, oil based, etc. Na
-If oil based, what type? Synthetic, petroleum, etc. NA Office of Oil & Gas
Additives to be used in drilling medium? Na NOV 1 7 2022
Drill cuttings disposal method? Leave in pit, landfill, removed offsite, etc. Na WV Department of
-If left in pit and plan to solidify what medium will be used? (cement, lime, sawdust) Na
-Landfill or offsite name/permit number? Na
Permittee shall provide written notice to the Office of Oil and Gas of any load of drill cuttings or associated waste rejected at any West Virginia solid waste facility. The notice shall be provided within 24 hours of rejection and the permittee shall also disclose where it was properly disposed.
I certify that I understand and agree to the terms and conditions of the GENERAL WATER POLLUTION PERMIT issued on April 1, 2016, by the Office of Oil and Cas of the West Virginia Department of Environmental Protection. I understand that the provisions of the permit are enforceable by law. Violations of any term or condition of the general permit and/or other applicable law or regulation can lead to enforcement action. I certify under penalty of law that I have personally examined and am familiar with the information submitted on this application form and all attachments thereto and that, based on my inquiry of those individuals immediately responsible for o btaining the information, I believe that the information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine or imprisonment.
Company Official Signature Jason Harmon
1/
Company Official Title
Subscribed and sworn before me this day of November, 20 22 Notary Public OFFICIAL SEA NOTARY PUBLIC STATE OF WEST VIE

4704100237 P Operator's Well No. Linger #2


Lime 2	Tons/acre or to corre	ess than 1 acre Prevegetation pH	
Fertilizer type	20-20-20		
Fertilizer amou	unt 500 lbs	lbs/acre	
Mulch 2 tor	าร	Victoria (Victoria)	
		_ 1 ons/acre	
		Seed Mixtures	
C 15	Temporary	Permane	nt
Seed Type	lbs/acre	Seed Type	lbs/acre
		Fescue	30 lb
		Clover	5 lbs
		Contractors Mix	10 lbs
), and area in acres,	, pit and proposed area for land a he pit will be land applied, prov of the land application area. volved 7.5' topographic sheet.	application (unless engineered plans including ride water volume, include dimensions (L, W,	this info have been D) of the pit, and dim
s(s) of road, location, ded). If water from the state of	of the land application area. volved 7.5' topographic sheet. an Harris	, metade difficilisions (L, W,	this info have been D) of the pit, and dim
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	and dimensions (L, W,	D) of the pit, and dim
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	and dimensions (L, W,	D) of the pit, and dim
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of
s(s) of road, location, ded). If water from the ded), and area in acres, ecopied section of investigations.	of the land application area. volved 7.5' topographic sheet. an Harris	RECE Office of C	D) of the pit, and dim VED Dil & Gas 1 2022 tment of



West Virginia Department of Environmental Protection Office of Oil and Gas

WELL LO	CATION FORM:	GPS
1/0/1/00007	WELL:	
FARM NAME: R.B.Linge	er	No.:
RESPONSIBLE PARTY NAME:	DEP Paid Plug	gging Contract
county: Lewis	DISTRICT	
QUADRANGLE: Adrian		
surface owner: Monon	gahela Powe	r Co.
royalty owner: Monor	ngahela Powe	er Co.
UTM GPS NORTHING: 5 58	496	
UTM GPS EASTING: 43 12	062 GPS ELE	_{VATION:} 1177'
The Responsible Party named above hereparing a new well location plat for above well. The Office of Oil and Gasthe following requirements: 1. Datum: NAD 1983, Zone: height above mean sea level. Accuracy to Datum – 3.05 means. Data Collection Method: Survey grade GPS: Post Processing a new well location plat for above means.	will not accept GPS coord 17 North, Coordinate United (MSL) – meters.	gned API number on the dinates that do not meet as: meters, Altitude: Office of Oil & Gas
Real-Tim	e Differential	NOV 1 7 2022
Mapping Grade GPS X: Post Pr	rocessed Differential	WV Department of Environmental Protection
Real-T	ime Differential	
4. Letter size copy of the topo I the undersigned, hereby certify this da belief and shows all the information req prescribed by the Office of Oil and Gas.	ma is correct to the best of	e well location. my knowledge and lations issued and
Bryan Harris		October 26, 2022
Signature	Title	Date

4704100237



RECEIVED Office of Oil & Gas

NOV 17 2022

WV Department of Environmental Protection







Kennedy, James P < james.p.kennedy@wv.gov>

plugging permits issued 4704100237, 04100229, 04100228

1 message


Kennedy, James P < james.p.kennedy@wv.gov> Fri, Nov 18, 2022 at 10:42 AM To: Henry J Harmon henry.j.harmon@wv.gov>, Bryan O Harris henry.j.harmon@wv.gov>, Samuel D Ward <samuel.d.ward@wv.gov>, jbreen@assessor.state.wv.us


To whom it may concern, plugging permits have been issued for 4704100237, 04100229, 04100228.

James Kennedy


WVDEP OOG

6 attachments









4704100229.pdf 7203K

4704100228.pdf 5674K