

#### west virginia department of environmental protection

Office of Oil and Gas 601 57th Street, S.E. Charleston, WV 25304 (304) 926-0450 fax: (304) 926-0452

Harold D. Ward, Cabinet Secretary www.dep.wv.gov

Thursday, November 16, 2023 WELL WORK PLUGGING PERMIT Vertical Plugging

DIVERSIFIED PRODUCTION LLC 101 MCQUISTON DRIVE

JACKSON CENTER, PA 16133

Re: Permit approval for 2570 47-041-02215-00-00

This well work permit is evidence of permission granted to perform the specified well work at the location described on the attached pages and located on the attached plat, subject to the provisions of Chapter 22 of the West Virginia Code of 1931, as amended, and all rules and regulations promulgated thereunder, and to any additional specific conditions and provisions outlined in the pages attached hereto. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations, and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing. Spills or emergency discharges must be promptly reported by the operator to 1-800-642-3074 and to the Oil and Gas Inspector.

Upon completion of the plugging well work, the above named operator will reclaim the site according to the provisions of WV Code 22-6-30. Please be advised that form WR-38, Affidavit of Plugging and Filling Well, is to be submitted to this office within 90 days of completion of permitted well work, as should form WR-34 Discharge Monitoring Report within 30 days of discharge of pits, if applicable. Failure to abide by all statutory and regulatory provisions governing all duties and operations hereunder may result in suspension or revocation of this permit and, in addition, may result in civil and/or criminal penalties being imposed upon the operators.

Per 35 CSR 4-5.2.g this permit will expire in two (2) years from the issue date unless permitted well work is commenced. If there are any questions, please feel free to contact me at (304) 926-0450.

James A. Martin

Chief

Operator's Well Number:

Farm Name: SWISHER, P.

U.S. WELL NUMBER: 47-041-02215-00-00

Vertical Plugging
Date Issued: 11/16/2023

# PERMIT CONDITIONS

West Virginia Code §22-6-11 allows the Office of Oil and Gas to place specific conditions upon this permit. Permit conditions have the same effect as law. Failure to adhere to the specified permit conditions may result in enforcement action.

### CONDITIONS

- 1. All pits must be lined with a minimum of 20 mil thickness synthetic liner.
- 2. In the event of an accident or explosion causing loss of life or serious personal injury in or about the well or while working on the well, the well operator or its contractor shall give notice, stating the particulars of the accident or explosion, to the oil and gas inspector and the Chief within twenty-four (24) hours.
- 3. Well work activities shall not constitute a hazard to the safety of persons.
- 4. Notification shall be given by the operator to the Oil and Gas Inspector at least 24 hours prior to the construction of roads, locations and/or pits for any permitted work. In addition, the well operator shall notify the same inspector 24 hours before any actual well work is commenced and prior to running and cementing casing.

1) Date September	19 _,	20 23
2)Operator's		
Well No. 2570		
3) API Well No.	47- 041	- 02215

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

4) Well Type: Oil / Gas 🗸 / Liquid	
·	d injection/ Waste disposal/ derground storage) Deep/ Shallow/
5) Location: Elevation 1089.97'	Watershed Laurel Lick  County Lewis Quadrangle Berlin 7.5'
District Hackers Creek	County Lewis Quadrangle Berlin 7.5
6) Well Operator Diversified Production, LLC	7) Designated Agent Chris Veazey
Address 414 Summers Street	Address 414 Summers Street
Charleston, WV 25301	Charleston, WV 25301
8) Oil and Gas Inspector to be notified Name Kenneth Greynolds	9) Plugging Contractor  Name Next LVL Energy (Diversified Owned)
Address 613 Broad Run Rd.	Address 104 Helliport Loop Rd
Jane Lew, WV 26378	Bridgeport, WV 25330
See Attached	RECEIVEL
	Office of Oil and Gas- OCT 27 2023 WV Department of Environmental Protection

*****************	Simulated /	Fribe 1	ann		والمارية	ام و ابس	Company / St	QQ 137.00	
	Ricenst of 1		5 11	1		70n	naiohn	District :	ı
or Landing to		<u> </u>		J, w	caffin	200 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	The state of the s	Jann	
District	rickus	Cru	C. C.	nnly	Luck		Sinie		
1	1/-1	1-17		· · · · · · · · · · · · · · · · · · ·	ist Work Don	4-	17-12		
Location Made		1-1:2.			g Completed.		40-17		
Rlg Commences		15-12		بار Di	Illing, Comple	164	2100 1100	المرارات	
Rig Contractor	N Y X	Cu Iles	12/19/	Syptem (P	illing Contrac , z. s. t. John 166	ior S.L.T	- Lagrange		; i
inflers Ra	W Jula				II.		JULI	Taleis G.A.K.	Į
Tool Dressers	_Yr Co	11.6			22		MKIT BOOK	1912 J.O.C.	ĺ
KOLKANION	TOT	BOT TOM:	Managarata	Mater Fanel.	OR Fored Depth	Cre Freed Depth	WALL MAP IN THE		ŀ
			18. 1. 1.			3 3 2	LOCATION BOOK		Į
Native Coul	abnit	175	Below		24	1 30 a.	CONTRACTOR		{
Little Dankard							TITLE	<u> </u>	}
A 11g Dankord	400	1/2	-			- <del> </del>	THE RESERVE OF THE PARTY OF THE	ar savethour sav	Ì.
Gus Saud	480	510	*   · · ·	100	3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				<u>{</u>
First Salt	615	955	1 📆 } : "	150,70	Bailse	810	Show of	Too	<u>]</u>
Second Salt	830	1195	*   *	1180-	Bailer	1 5			Į.
Maxon	1468	1488							ŀ
Little Line /	1488	1511	1:11:0						1
Big Lime	151	1581	\ %	Signal A	14:	سر مد وان	80 29/10 A	ルメスト	i.
nig Injun	1581	1695		1	1.643	10/3-	00 . 1710.77	N JA	1
Squaw	1710	17.18	1.13			130.			T.
e Beren . To v	1743	1870			1.38	1893	20/10 1	6/8 leng	
Conta	1881	1/7/	1 1			1/		4	
Fifty Fout		l A				1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			<u> </u>
Thirty Pool			G (_ ;		1.0		1		-{
(lordon			$T_{i}U_{i}$			11 7 7 7		_ · · · · · · · · · · · · · · · · · · ·	<b> </b> .
Pourth			1 1 : 1					34	1
Pilth								فتأنف بندن	
is liayard	•••				1 9 2 5	48		6	<u> </u>
Total Depth		19.15	<b>1</b> (		J	12:	w.w		· ·
SIZE CI	. My at here	Pal la Well	Patal On	Late	2.7		Was B more than two a halfs, give (masons for	tilige of color for Lift by	CEIVED
3122	Total Jali	Tan I In	Foot 16	. Fool	la Post	la strik		Office o	Oil and G
15° Ceg.		280	280			311	14	TOO.	<b>2 7</b> 202
	106 10	1060	7 1 1 1	1060		1	6 10	OCT	] 2 1 202
		1583 7		1583	1 751	6 40	7 6		ļ
WH - 5 3-16" "	804 2		1.0			800		, vv∨ ±	j <b>epa</b> toloji. Same
y The 2	0/4/1	1958 8		1958	8,		2 5	Environi	dentai Prid
# 2 CL	54	51.4	بلندا	<u> </u>	441.	1	<u> </u>		1
3.50			PACKE	R RECORD					•
BIZE	KIND		Anna Antai	Aires Abria	ilir .		REMARKS .		19
8/4.17	AL		tz.		d	<b>ວ່</b>			•
15/42	tench	~	2911/	167	29/2 C	luf si	4 19741	L	ļ
						::/			] ;;.
	7 . 9	1		70.44		and side of t	call)	<del>and the second </del>	Š.
		SHOI	TING RECO		Test Before She	campiation of v	on After Shed Total Tall	· · · · · · · · · · · · · · · · · · ·	₫. .{
DÀTE		- Bellian	Phase	Stell		nilse : Essiline	to After Short Tool Tol After Short After St Liquid Opening Hou Mee		1
									i
	4.4	e tables		CEMENTIN	G RECORD.	<u> </u>	<u> </u>		43 14
Date Ceme	uled		Sise Hole	Cemepled			g Cemented	******************	į.
Top Pittab	ire Coti,			ementing			Cement Used	************	1
	tsburg Coil		Bollom	Cementing	********		Sand Used	al was comented	i i
Nr	31		أسبوب أأسا	1. J		Coti Com	inte of betsons ago com- ben's on Exognit apen co	oled well	<u> </u>
Rempekat.	(6M	اسمير	anna.	<b>(</b>	. 11	elees Bigna	Tree At betauna Ann Com-		
					11 (11 ) 11	***************	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		]
***********	•••••								Į.
			. e. :			2r 1-1	Janzalin	tau	ŀ
					ipproved by			+0.00	2023

#### PLUGGING PROGNOSIS

West Virginia, Upshur County API # 47-041-02215

**Casing Schedule** 

8-1/4" csg @ 1060' (no cement or packer data) 6 5/8" csg @ 1583' (8x6 packer at 1050') 2" tbg @ 1958' (anchor packer @ 1672') TD @ 1945'

Completion: Tubing perfed at 1924'

Fresh Water: 690' Saltwater: 1180'

Coal: 175'

Oil Show: None Reported

Gas Show: 810'; 1675'-1680'; 1893'

Elevation: 1109'

RECEIVED Office of Oil and Gas

OCT 27 2023

WV Department of Environmental Protection

- 1. Notify inspector, Ken Greynolds @ (304) 206-6613, 48 hrs. prior to commencing operations.
- 2. Check wellhead pressure and tag TD w/ wireline.
- 3. Release packer or Free point 2" tbg and remove tbg. Set 100' Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Do not omit any plugs listed below. Perforate as needed.
- 4. Run in to depth @ 1924'. Kill well as needed with 6% bentonite gel and fill rat hole. Pump at least 10 bbls gel. Pump 201' Class L cement plug from 1924' to 1793' (completion and gas show plug). Tag TOC. Top off as needed.
- 5. Pump 6% bentonite gel between all plugs.
- 6. Free point 6-5/8" csg. Cut and TOOH. Set 100' Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Set 100' plug across casing shoe if all of 6-5/8" casing isn't completely removed. Do not omit any plugs listed below. Perforate as needed.
- 7. TOOH w/ tbg to 1680'. Pump 105' Class L Cement plug from 1680' to 1575' (gas show plug)
- 8. Free point 8-1/4" csg. Cut and TOOH. Set 100' Class L cement plug across csg cut. 50' in/out of cut. TOOH w/ tbg to top of plug. Set 100' plug across casing shoe if all of 8-1/4" casing isn't completely removed. Do not omit any plugs listed below. Perforate as needed.
- 9. TOOH w/ tbg to 1159'. Pump 171' Class L Cement plug from 1230' to 1059' (saltwater and elevation plug)
- 10. TOOH w/ tbg to 860'. Pump 220' Class L Cement plug from 860' to 640' (gas show and freshwater plug)
- 11. TOOH w/ tbg to 225'. Pump 225' Class L Expandable cement plug from 225' to Surface. (Coal and Surface plug).
- 12. Reclaim location and well road to WV DEP specifications and erect P&A well monument.

Amer L. Leyrolds 10-25-23 11/17/2023

WW-4A Revised 6-07

1)	Date: 9/19/2	023			
	Operator's Well Nun				
			-		
3)	API Well No.: 47 -	041		02215	

# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION, OFFICE OF OIL AND GAS NOTICE OF APPLICATION TO PLUG AND ABANDON A WELL

+)	(a) Name	ner(s) to be served: 5) Rondal E. & Patricia A. Heckert	(a) Coal Operator Name	
	Address	171 Winding Way Rd.	Address	
		Weston, WV 26452		
	(b) Name		(b) Coal Own	ner(s) with Declaration
	Address		Name	Garton Coal Company
	14000		Address	600 Market Place Ste. 350
				Bridgeport, WV 26330
	(c) Name		Name	Rondal E. & Patricia A. Heckert
	Address		Address	171 Winding Way Rd.
				Weston, WV 26452
3)	Inspector	Kenneth Greynolds	(c) Coal Less	see with Declaration
	Address	613 Broad Run Rd.	Name	
		Jane Lew. WV 26378	Address	
	Telephone	(681) 990-6948		
	P	10017000 0010		

#### TO THE PERSONS NAMED ABOVE: You should have received this Form and the following documents:

- (1) The application to Plug and Abandon a Well on Form WW-4B, which sets out the parties involved in the work and describes the well its and the plugging work order; and
- (2) The plat (surveyor's map) showing the well location on Form WW-6.

The reason you received these documents is that you have rights regarding the application which are summarized in the instructions on the reverses side. However, you are not required to take any action at all.

Take notice that under Chapter 22-6 of the West Virginia Code, the undersigned well operator proposes to file or has filed this Notice and Application and accompanying documents for a permit to plug and abandon a well with the Chief of the Office of Oil and Gas, West Virginia Department of Environmental Protection, with respect to the well at the location described on the attached Application and depicted on the attached Form WW-6. Copies of this Notice, the Application, and the plat have been mailed by registered or certified mail or delivered by hand to the person(s) named above (or by publication in certain circumstances) on or before the day of mailing or delivery to the Chief.

Well Operator
By: Chris Veazey
Its: Permitting Supervisor
Address 414 Summers Street
Charleston, WV 25301
Telephone 304-590-7707

RECEIVED Office of Oil and Gas

WV Department of Environmental Protection

Subscribed and sworn before me this 22nd day of September 2023

My Commission Expires

OFFICIAL SEAL MOTATY PUBLIC STATE OF WEST VIRGUMA Sandra L Messor 2417 JUAN AG. JUAN WY 25520 My Commence Expires My Commence Expires 2021

Oil and Gas Privacy Notice

The Office of Oil and Gas processes your personal information, such as name, address and phone number, as a part of our regulatory duties. Your personal information may be disclosed to other State agencies or third parties in the normal course of business or as needed to comply with statutory or regulatory requirements, including Freedom of Information Act requests. Our office will appropriately secure your personal information. If you have any questions about our use of your personal information, please contact DEP's Chief Privacy Officer at <a href="mailto:depprivacyoffier@wv.gov">depprivacyoffier@wv.gov</a>.

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND, FLOOR CHARLESTON WV 25301

0901000008095

US POSTAGE AND FEES PAID

25301 C4000004 Retail 7.0 OZFLAT

> ի.Սեյեկինուր-մի.ՍիեսույիԿույիերի.-իժումիուս RONDAL E & PATRICIA A HECKERT 171 WINDING WAY RD WESTON WV 26452-7533

> > RECEIVED
> > Office of Oil and Ga-

OCT 27 2023

WV Department 0. Environmental Protection

Diversified Gas & Oil Corporation Permitting Department 414 SUMMERS STREET 2ND. FLOOR CHARLESTON WV 25301 USPS CERTIFIED MAIL™

09010000090

25301 C4000004 Retail 4.0 CZFLAT

US POSTAGE AND FEES PAID

2023-09-22

լոլը կրդույն արդարի ին ներ եր ին ին հույրույն այս ին արդարի ին հույրուն արդարան արդանական արդանական արդանական

GARTON COAL COMPANY 600 MARKET PL STE 350 BRIDGEPORT WV 26330-0229

RECEIVED
Office of Oil and Gas

OCT 27 2023

WV Department o. Environmental Protection

# RECEIVED Office of Oil and Gas

OCT 27 2023

## WV Department of Environmental Protection

## API 47-041-02215

# **Royalty Owners**

Pearl B. Hanlein

Frederick L. Golden

Barbara Ann Hathway

**Debbie Duval Cook** 

Susan Ann Butcher

Ruth Ann Butcher

John S. Golden, Jr.

Porter Maxwell, Heirs

Charlene J. Holcomb

Jimmy Joe Golden

James Leonard Butcher

Franklin Maxwell Heirs

**Christopher Clark** 

Mary Rose Clark



Date: 9/19/2023

James Martin Office of Oil and Gas 601 57th Street, SE Charleston, WV 25304 (304)926-0450

Mr. Martin,

Due to our cement provider, LaFarge Holcem, discontinuing the manufacturing of Class A cement, DGOC will be utilizing Class L cement to plug the following well:

API Number 4704102215 Well Name 2570

Attached is the approved variance order for use of Class L cement.

Sincerely,

Chris Veazey **Permitting Supervisor** 304-590-7707

> RECEIVED Office of Oil and Gas

OCT 27 2023

WV Department of Environmental Protection



#### west virginia department of environmental protection

Office of Oil and Gas 601 57<sup>th</sup> Street, SE Charleston, WV 25304 Phone (304) 926-0450 Harold D. Ward, Cabinet Secretary dep.wv.gov

# BEFORE THE OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION STATE OF WEST VIRGINIA

IN THE MATTER OF A VARIANCE FROM LEGISLATIVE RULE 35CSR4 SECTION 14.1. AND LEGISLATIVE RULE 35CSR8 SECTION 20.1, RELATING TO THE CEMENTING OF OIL AND GAS WELLS	) ) ) )	ORDER NO.		RECEIVED Office of Oil and Gas OCT 27 2023
			Ēņ	WV Department of Vironmental Protection

#### REPORT OF THE OFFICE

In response to industry requests, the West Virginia Department of Environmental Protection, Office of Oil and Gas has reviewed the proposed use of American Petroleum Institute (API) Class L cement to be used in place of API Class A cement for well plugging.

#### FINDINGS OF FACT

- On July 28, 2022, Diversified Gas & Oil Co. (DGO) submitted a variance request from Legislative Rule 35CSR4 for the use of API Class L cement in place of API Class A cement, relating to the plugging of conventional wells.
- Laboratory analysis submitted by DGO on July 28, 2022, indicates API Class L cement is comparable to API Class A cement and thereby satisfies the requirements of the West Virginia Code.
- 3. Contemporaneously, the Chief of the Office of Oil and Gas also chose to consider a variance to Legislative Rule 35CSR8 Section 20.1., for the use of API Class L cement in place of API Class A cement, relating to the plugging of horizontal wells.

Promoting a healthy environment.

On August 18, 2022, the Office of Oil and Gas provided public notice of acceptance of
public comments on the variance consideration. During the 20-day public comment
period, no comments were received.

#### CONCLUSIONS OF LAW

Pursuant to Article 6 and Article 6A, Chapter 22 of the Code of West Virginia, the Office of Oil and Gas has jurisdiction over the subject matter, and the persons interested therein, and jurisdiction to promulgate the hereinafter prescribed Order.

Pursuant to Legislative Rule 35CSR4, Section 18 and Legislative Rule 35CSR8, Section 14, the Chief of the Office of Oil and Gas may grant a variance from any requirement of these rules.

#### ORDER

It is ordered that the Class L cement product approved and monogramed by API is approved for use in place of API Class A cement for well plugging subject to the provisions of Legislative Rule 35CSR4 and Legislative Rule 35CSR8.

Dated this, the 13th day of September, 2022.

IN THE NAME OF THE STATE OF WEST VIRGINIA

OFFICE OF OIL AND GAS DEPARTMENT OF ENVIRONMENTAL PROTECTION OF THE STATE OF WEST VIRGINIA

James Martin, Chief Office of Oll and Gas

RECEIVED
Office of Oil and Gas

OCT 27 2023

WV Department of Environmental Protection

API Number	47 - 041	-	02215	
Operator's W	s. New Yorks and the second			


# STATE OF WEST VIRGINIA DEPARTMENT OF ENVIRONMENTAL PROTECTION OFFICE OF OIL AND GAS

FLUIDS/ CUTTINGS DISPOSAL & RECLAMATION PLAN

Operator Name: Diversified Production, LLC	OP Code	494524121
	Quadrangle Berlin 7.5'	
Do you anticipate using more than 5,000 bbls of water to con	mplete the proposed well work?	Yes No ✓
	Will a pit be used?	Yes No
If so, please describe anticipated pit waste:	on fluid and cement returns.	
Will a synthetic liner be used in the pit? Yes	No If so, what ml.?_	20
Proposed Disposal Method For Treated Pit Wastes:		
Land Application (if selected provide  * Underground Injection (UIC Permit Reuse (at API Number Off Site Disposal (Supply form WW Other (Explain	-9 for disposal location)	)
Will closed loop systembe used? If so, describe: N/A		
Drilling medium anticipated for this well (vertical and horizontal	d)? Air, freshwater, oil based, o	etc. N/A
-If oil based, what type? Synthetic, petroleum, etc. N/.	4	RECEIVED Office of Oil and Gas
Additives to be used in drilling medium? N/A		OCT 2 7 2022
Drill cuttings disposal method? Leave in pit, landfill, removed	offsite, etc.N/A	OCT 27 2023
-If left in pit and plan to solidify what medium will be	used? (cement, lime, sawdust)	N/A WV Department of
-Landfill or offsite name/permit number? N/A		Environmental Protection
Permittee shall provide written notice to the Office of Oil and G West Virginia solid waste facility. The notice shall be provided where it was properly disposed.	as of any load of drill cuttings of within 24 hours of rejection and	or associated waste rejected at any I the permittee shall also disclose
I certify that I understand and agree to the terms and con April 1, 2016, by the Office of Oil and Cas of the West Virg provisions of the permit are enforceable by law. Violations of a or regulation can lead to enforcement action.  I certify under penalty of law that I have personally application form and all attachments thereto and that, based on the information, I believe that the information is true, accurate submitting false information, including the possibility of fine or	ginia Department of Environment of the general properties of the general examined and am familiar with any inquiry of those individuals ite, and complete. I am aware to	ntal Protection. I understand that the ral permit and/or other applicable law the information submitted on this immediately responsible for obtaining
Company Official Signature	·	
Company Official (Typed Name) Chris Veazey		
Company Official Title_Manager Plugging Operations		· · · · · · · · · · · · · · · · · · ·
Subscribed and sworn before me this 22nd day of 3	Nota	ry Public OFFICIAL SEAL NOTARY PUBLIC STATE OFFICIAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL SE

Operator's	Well No.	2570	
Operators	11 011 1101	LOIO	

, a	tment: Acres Disturbed _+/-		
<del></del>	Tons/acre or to correct	10 pri	
	-20-20 or Equivalent	•	
Fertilizer amount_	TBD	lbs/acre	
Mulch2	di dida 4	_Tons/acre	
		Seed Mixtures	
T	emporary	Pern	nanent
Seed Type	lbs/acre	Seed Type	lbs/acre
Red Fescue	40	Red Fescue	15
Alsike	5	Alside Clover	5
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or	e pit will be land applied, pr	d application (unless engineered plans inc ovide water volume, include dimensions (	luding this info have been
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of invo	oit and proposed area for land pit will be land applied, profit the land application area.	d application (unless engineered plans inc ovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dime
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of involved by:	oit and proposed area for land pit will be land applied, profit the land application area.	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dime
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimen
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimended the pit, and dimended the pit of Oil and Garage of Oil and Oil
Attach: Maps(s) of road, location, porovided). If water from the L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimended the pit, and dimended the pit and dimended the pit and Garage and Garag
provided). If water from the L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimended the pit, and dimended the pit of Oil and Garage of Oil and Oil
Attach: Maps(s) of road, location, porovided). If water from the (L, W), and area in acres, or Photocopied section of involved by:	bit and proposed area for lance pit will be land applied, profit the land application area.  Dived 7.5' topographic sheet	d application (unless engineered plans incovide water volume, include dimensions (	luding this info have been L, W, D) of the pit, and dimended the pit, and dimended the pit of Oil and Garage of Oil and Oil









# West Virginia Department of Environmental Protection Office of Oil and Gas

## WELL LOCATION FORM: GPS

WEED ECCIAL	
арі: 4704102215	well no.:_2570
FARM NAME: P.G. Swisher et	t al
RESPONSIBLE PARTY NAME: Divers	sified Production, LLC
county: Lewis	DISTRICT: Hackers Creek
QUADRANGLE: Berlin 7.5'	
surface owner: Rondal E. 8	& Patricia A. Heckert
ROYALTY OWNER: See Attach	ed
UTM GPS NORTHING: 4321826.	62
UTM GPS EASTING: <u>555140.31</u>	GPS ELEVATION: 1089.97'
above well. The Office of Oil and Gas will the following requirements:	gging permit or assigned API number on the not accept GPS coordinates that do not meet  forth, Coordinate Units: meters, Altitude:  SL) – meters.  RECEIVED Office of Oil and Gas
	ifferential OCT 2.7 2023
Mapping Grade GPS X: Post Proce	IDICC VILL W
Real-Time	e Differential Environmental Protection
I the undersigned, hereby certify this data i belief and shows all the information require prescribed by the Office of Oil and Gas.	





#### SURFACE OWNER WAIVER

Operator's Well Number

570	

## INSTRUCTIONS TO SURFACE OWNERS NAMED ON PAGE WW4-A

The well operator named on page WW-4A is applying for a permit from the State to plug and abandon a well. (Note: If the surface tract is owned by more than three persons, then these materials were served on you because your name appeared on the Sheriff's tax ticket on the land or because you actually occupy the surface tract. In either case, you may be the only owner who will actually receive these materials.) See Chapter 22 of the West Virginia Code. Well work permits are valid for 24 months. If you do not own any interest in the surface tract, please forward these materials to the true owner immediately if you know who it is. Also, please notify the well operator and the Office of Oil and Gas.

# NOTE: YOU ARE NOT REQUIRED TO FILE ANY COMMENT. WHERE TO FILE COMMENTS AND OBTAIN ADDITIONAL INFORMATION:

RECEIVED
Office of Oil and Gas

OCT 27 2023

Chief, Office of Oil and Gas
Department of Environmental Protection
601 57th St. SE
Charleston, WV 25304
(304) 926-0450

₩V Department of Environmental Protection

Time Limits and methods for filing comments. The law requires these materials to be served on or before the date the operator files his Application. You have FIVE (5) DAYS after the filing date to file your comments. Comments must be filed in person or received in the mail by the Chief's office by the time stated above. You may call the Chief's office to be sure of the date. Check with your postmaster to ensure adequate delivery time or to arrange special expedited handling. If you have been contacted by the well operator and you have signed a "voluntary statement of no objection" to the planned work described in these materials, then the permit may be issued at any time.

Comments must be in writing. Your comments must include your name, address and telephone number, the well operator's name and well number and the approximate location of the proposed well site including district and county from the application. You may add other documents, such as sketches, maps or photographs to support your comments.

The Chief has the power to deny or condition a well work permit based on comments on the following grounds:

- 1) The proposed well work will constitute a hazard to the safety of persons.
- 2) The soil erosion and sediment control plan is not adequate or effective;
- 3) Damage would occur to publicly owned lands or resources;
- 4) The proposed well work fails to protect fresh water sources or supplies;
- 5) The applicant has committed a substantial violation of a previous permit or a substantial violation of one or more of the rules promulgated under Chapter 22, and has failed to abate or seek review of the violation...".

If you want a copy of the permit as it is issued or a copy of the order denying the permit, you should request a copy from the Chief.

#### **VOLUNTARY STATEMENT OF NO OBJECTION**

I hereby state that I have read the instructions to surface owners and that I have received copies of a Notice and Application For A Permit To Plug And Abandon on Forms WW-4A and WW-4B, and a survey plat.

I further state that I have no objection to the planned we objection to a permit being issued on those materials. FOR EXECUTION BY A NATURAL PERSON ETC.			ork described in these materials, and I have no FOR EXECUTION BY A CORPORATION,	
2.0.	Date	Name		
Signature		By Its	Date	

Signature

11/17/2023

API No.	4704102215	<u>-</u> -
Farm Name	P.G. Swisher et al	***
Well No.	2570	

### INSTRUCTIONS TO COAL OPERATORS OWNERS AND LESSEE

The well operator named on the obverse side of WW-4 (B) is about to abandon the well described in the enclosed materials and will commence the work of plugging and abandoning said well on the date the inspector is notified. Which date shall not be less then five days after the day on which this notice and application so mailed is received, or in due course should be received by the Department of Environmental Protection Office of Oil & Gas.

This notice and application is given to you in order that your respective representatives may be present at the plugging and filling of said well. You are further notified that whether you are represented or not the operator will proceed to plug and fill said well in the manner required by Section 24, Article 6, Chapter 22 of the Code and given in detail on obverse side of this application.

NOTE: If you wish this well to be plugged according to 22-6-24(d) then as per Regulation 35CSR4-13.9 you must complete and return to this office on form OB-16 "Request by Coal Operator, Owner, or Lessee for plugging" prior to the issuance of this plugging permit.

	WAIVER	
has examined this proposed plugg	ing work order. The undersigned has a he well operator has complied with a	/ of the coal under this well location no objection to the work proposed to be applicable requirements of the West
Date:	By:	RECEIVED Office of Oil and Gal.
	Its	OCT <b>2 7</b> 2023
		WV Department ن Environmental Protection



September 19, 2023

Kenneth Greynolds 613 Broad Run Rd. Jane Lew, WV 26378

Mr. Greynolds

Please find enclosed a Permit Application to plug API# 47-041-02215, in Lewis County, WV.

If you have any questions, comments, or if you require additional information, please feel free to contact me at 304-590-7707.

Thank You,

Chris Veazey Chris Veazey Permitting Supervisor

Diversified Energy Company 414 Summers St. Charleston, WV 25301 (304) 590-7707

Email: cveazey@dgoc.com

RECEIVED
Office of Oil and Gas

OCT 27 2023

WV Department of Environmental Protection

## 11/10/2016

### PLUGGING PERMIT CHECKLIST 4704102215

Plugg	ing Permit	
	_ WW-4B _ WW-4B signed by inspector _ WW-4A	
	SURFACE OWNER WAIVER or PROOF THAT APPLICATION WAS SENT BY MAIL	REGISTERED OR CERITFIED
	COAL OWNER/COAL OPERATOR/COAL LESSEE WAIVERS or PROOF THA BY REGISTERED OR CERTIFIED MAIL WW-9 PAGE 1 (NOTARIZED)	T APPLICATION WAS SENT
	_ WW-9 PAGE 2 with attached drawing of road, location, pit and propose	ed area for land application
Ц	WW-9 GPP PAGE 1 and 2 if well effluent will be land applied	
Ц	_ RECENT MYLAR PLAT OR WW-7	
Ш	WELL RECORDS/COMPLETION REPORT	
	TOPOGRAPHIC MAP OF WELL, SHOWING PIT IF PIT IS USED	PEOFINE
	MUST HAVE VALID BOND IN OPERATOR'S NAME	RECEIVED Office of Oil and Gas
	CHECK FOR \$100 IF PIT IS USED	OCT 27 2023
		WV Department of Environmental Protection



Kennedy, James P < james.p.kennedy@wv.gov>

### plugging permits issued for 4704100116 04102215 04102211

1 message

Kennedy, James P <james.p.kennedy@wv.gov>

Thu, Nov 16, 2023 at 11:19 AM

To: Chris Veazey <CVeazey@dgoc.com>, Austin Sutler <asutler@nextlvlenergy.com>, Phyllis Copley <pcopley@dgoc.com>, Kenneth L Greynolds <kenneth.l.greynolds@wv.gov>, jbreen@assessor.state.wv.us

To whom it may concern, plugging permits have been issued for 4704100116 04102215 04102211.

James Kennedy

WVDEP OOG

3 attachments



**4704102211.pdf** 2457K



**4704100116.pdf** 2568K



**4704102215.pdf** 2551K